

price list 2024/25 US\$

Content

organisational	
About HP VELOTECHNIK	
How to order?	3
Terms and conditions	
Shipping	4
Payment	
Right of cancellation for customers within the EU	5
Cancellation form	
General Conditions of Trade	26
accessories and spare parts	
accessories for folding frames	21
barends	
bags and transport covers	10
brakes	
chains	
chain protection tubes and accessories	
comfort and ability accessories	
comfort and ability options (for trike orders only)	
cranksets, chainrings, freewheel sprocket	
forks 20" ISO 406	
front boom and accessories	
front boom quick adjust	
gear systems, cable routing	
grips	
handlebars for two wheelers	
handlebars / steering retrofit kits for two wheelers	
handlebars for trikes	
headsets	
horns, bells, computer mount, universal holder	
hub and drive shaft accessories	
idlers and accessories	
indicator lights	
light systems	
locks	
lowriders	
manuals	
mirrors	
mudguards	
Parts from US-warehouse	
pedelec/e-drive retrofit kits	
pedelec/e-drive spare parts NEODRIVES	
pedelec/e-drive spare parts GO SWISSDRIVE	
pedelec/e-drive spare parts SHIMANO STEPS	
pedelec/e-drive spare parts BAFANG	
PINION retrofit kits, spare parts	
protection adhesive film	
quick release and seat mount bushes	
rear racks	
seats and seat accessories BodyLink	
,	
seats and seat accessories ErgoMesh Premium	
seats and seat accessories ErgoMesh	
seats and seat accessories Gekko netseats	
seats accessories ErgoMesh, ErgoMesh Premium and Gekko netseats	
seats and seat accessories Spirit	
stands	
stems for two wheelers	
stems for trikes	
Streamer front fairing and spare parts	



suspension REAR parts and accessories	
tie-rods for tricycles	
trailer hitches	17
touch-up paint applicators	23
waterbottle sets	10
wheels 20" ISO 406, tires, rims, accessories	04
wheels 26" ISO 559, tires, rims, accessories	05
workshop-tools	
'	
recumbent bikes	
Grasshopper fx foldable recumbent 20"/20" (GHF)	28
Streetmachine Gte recumbent 20"/26" (SMGTe)	30
Speedmachine recumbent 20"/26" (SPM)	32
Delta recumbent trike	
Delta tx splittable trike 20"/20" (DET)	34
recumbent trikes	
Gekko fxs foldable recumbent trike for children and special ability use_20"/20" (GES)	30
Gekko fx 20 foldable recumbent trike 20"/20" (GEF)	
Gekko fx 20 US VERSION foldable recumbent trike 20"/20" (GEF)	
Gekko fx 26 foldable recumbent trike 20"/26" (GEL)	44
Gekko fx 26 US VERSION foldable recumbent trike 20"/26" (GEL)	46
Gekko 26 US VERSION recumbent trike 20"/26" (GEN)	4/
recumbent trikes with rear suspension	
Scorpion recumbent trike 20"/26" (SCO2)	48
Scorpion fx foldable recumbent trike 20"/20" (SCF2)	
recumbent trikes with full suspension	
Scorpion fs 20 foldable full suspension trike 20"/20" (SFS)	52
Scorpion fs 26 foldable full suspension trike 20"/26" (SFL)	
Scorpion fs 26 Enduro foldable full suspension trike 20"/26" (SFN)	60
Scorpion plus 20 foldable full suspension trike 20"/20" (SPS)	
Scorpion plus 26 foldable full suspension trike 20"/26" (SPL)	
D 412 441 451 4 460 4 4 4 4 4 4 4 4 4	
Recumbent bikes and trikes with 45km/h approval (S-Pedelecs)	70
Speedmachine S-Pedelec recumbent 20"/26" (SPE)	
Scorpion fs 26 S-Pedelec foldable full suspension trike 20"/26" (SFE)	/ 2
Recumbent trikes with hand drive	
HOC Gekko fx 26 trike 20"/26" (GELH)	74
HOC Scorpion fs 20 trike 20"/20" (SFSH)	
HOC Scorpion plus 20 trike 20"/20" (SPSH)	
HOC Scorpion plus 26 trike 20"/26" (SPLH)	80
pre-assembled Special Edition (SE) models	
Delta tx Pedelec SE splittable trike 20"/20", BAFANG M300, ENVIOLO AUTOMATIQ (KREDETY)	36
Scorpion fs 20 SE foldable full suspension trike 20"/20", STURMEY ARCHER Tripleshift 27 (KRSFSV)	54
Scorpion fs 20 Pedelec SE foldable full suspension trike 20"/26", SHIMANO STEPS EP801 Cargo (KRESFSV)	
Scorpion fs 26 SE foldable full suspension trike 20"/26", SRAM 30 (KRSFLV)	
Scorpion fs 26 Pedelec SE foldable full suspension trike 20"/26", SHIMANO STEPS EP801 Cargo (KRESFLV)	
Scorpion plus 20 Pedelec SE foldable full suspension trike 20"/20", SHIMANO STEPS E6100 (KRESPSV)	
Scorpion plus 26 Pedelec SE foldable full suspension trike 20"/26", SHIMANO STEPS E6100 (KRESPLV)	

price list 2024/25 EURO

Dear customer and recumbent enthusiast,

with well thought-out additions and ergonomic attention to detail, we are extending the range of use of our latest model *Delta tx*. From the comfortable folding stem and the extended adjustability of the riding position to the practical support feet for upright parking, all the new features ensure even greater benefits. A particularly positive aspect is that all innovations for this model can also be retrofitted to existing *Delta tx* tricycles.

Good news also for all comfort-orientated drivers who require a manual drive – our innovative *Hands-On-Cycle* hand drive is now also available for the *Scorpion plus 20* and *Scorpion plus 26* comfort trikes. The high seating position ensures even easier access and a perfect overview.

Our pre-configured Special Edition models are once again available immediately this season through participating dealers but can also still be ordered as normal during regular production times. In both cases, the fully equipped Special Edition models offer you an attractive price advantage.

On the following pages you have the choice: You will find short descriptions and prices of all current bikes and our complete range of individual parts and accessories. Detailed information can be found in the respective individual brochures, which we will be happy to send to you, or on the Internet at **www.hpvelotechnik.com**.

Your HP VELOTECHNIK team

Your contact person in the HP VELOTECHNIK sales team



Mathieu Aubel Sales North/South/East Europe, UK, Asia, Africa, Canada, USA 01149 6192 – 97 99 2-286 sales@hpvelotechnik.com



Agustin Cuevas Sales USA 01149 6192 – 97 99 2-15 sales@hpvelotechnik.com



Carsten Meyer Sales Germany 01149 6192 – 97 99 2-16 sales@hpvelotechnik.com



Thomas Krack
Sales Belgium, the Netherlands,
Luxembourg,
Germany
01149 6192 – 97 99 2-13
sales@hpvelotechnik.com



Thomas WilkensSales Germany, Switzerland, Austria, Liechtenstein
01149 6192 – 97 99 2-26
sales@hpvelotechnik.com



Gregor StabenowSales France &
General Sales
01149 6192 – 97 99 2-287
sales@hpvelotechnik.com



Alex Kopp Technical Sales 01149 6192 – 97 99 2-250 support@hpvelotechnik.com



Jakob Zieser Technical Sales 01149 6192 – 97 99 2-250 support@hpvelotechnik.com



Marko Diwisch Technical Sales 01149 6192 – 97 99 2-250 support@hpvelotechnik.com



Thomas WilkensSales Director &
Rehabilitation/Special Abilities
01149 6192 – 97 99 2-27
sales@hpvelotechnik.com



About HP VELOTECHNIK

Driven by their lifelong passion for engineering, Daniel Pulvermüller and Paul Hollants of HP VELOTECHNIK set out three decades ago to create a revolutionary human-powered vehicle. Drawing on their expertise from years of brazing and welding bike frames, as well as their engineering education, they envisioned a recumbent bicycle that would offer unparalleled speed, ergonomic comfort, and pure riding enjoyment – surpassing anything previously available. The result is a line of products you can trust and enjoy, backed by decades of engineering excellence.

The HP VELOTECHNIK design approach has produced many iconic recumbent models. For instance, the Streetmachine Gte is a fully-suspended, compact recumbent bicycle that is ergonomically designed around the human body, providing a luxurious, comfortable riding experience with excellent aerodynamics and mechanical efficiency for outstanding performance.

HP VELOTECHNIK's range of recumbent bikes and trikes offers a comfortable, fast, and high-quality ride. The lineup includes the famous suspended Scorpion trike models, as well as the surprisingly affordable Gekko trikes that provide a nimble, lightweight riding experience. Many of their trikes even fold up in seconds, making them ideal for limited storage space.

Since the company's founding in 1993, HP Velotechnik has been designing and optimizing recumbents and accessories at their facility in Kriftel, a small town west of Frankfurt, Germany. While the company focuses on development, assembly, and marketing, they work with carefully selected partners for the highly specialized welding, laser-cutting, and powder coating required for the thin-walled aluminum alloy frames.

How to order HP Velotechnik recumbents and trikes?

Bike configurator: For setting up your individual recumbent as easy and convenient as possible we created an individual configuration tool for all of our models.

Please check https://www.hpvelotechnik.com/en/recumbent-trikes-bikes to learn more on our models, our customize program and explore the recumbent world of HP VELOTECHNIK – enjoy!

Bike orders: All complete bikes are sold through qualified bikeshops only.

Have you made your choice and select your individual HP VELOTECHNIK recumbent? To proceed please contact your HP VELOTECHNIK retailer who will process your order. Once your order is received, he will set up your recumbent and support you with good advice to ensure an excellent initial riding experience.

Spare part orders: Spare parts can be ordered with your bikeshop.

Please check <u>www.hpvelotechnik.com</u>, category *Dealers* to have full access to our international dealer locator to find your nearest HP VELOTECHNIK retailer.

Terms and conditions

Prices: All prices listed in US Dollar. This retail price list is valid for customers in the USA only (for all other countries please ask for our EURO price list).

The MSRP for bikes or trikes includes shipping, US-duties and customs handling, but not state sales tax (if applicable).

The MSRP for any after-market article includes UD-duties and customs handling, but not shipping (if ordered individually) and state sales tax (if applicable).

Please contact your authorized HP VELOTECHNIK retailer for details and ordering.

indicates an item that is new in specification

indicates an item that is discountable

%

% \$	indicates an item that is discountable indicates an item that is new in price	ordercode	retail
,	посасез ан пенн инастів нем ін ріпсе		
	workshop-tools		
	assembly mount for holding complete bikes or framekits in a repair stand, fits all models except Gekkos and	МННР	149.00
	Spirit (assembly mount is fixed to seat connection after removing the seat)	MHHPGEF	155.00
	assembly mount for Gekko fxs, Gekko fx 20, Gekko fx 26 HP VELOTECHNIK track adjustment tool for trikes easy adjustment of front wheel toe-in / toe-out	WZSL	235.00
	truing stand adapter black anodized, for HP VELOTECHNIK one-side trike hubs	NAZUZA	9.00
	truing stand adapter Delta tx black anodized, for HP VELOTECHINK one-side tince hids	NAZUZA2	68.00
	stamp to finish chain tube ends	WZKSRST	32.00
	headset adjusting tool Spirit for A-head-set 69 mm / 2.7" on Spirit 16 20" and Spirit 20 20"	STSZUEH	8.00
	hook wrench for adjusting CONCEPT suspension forks, 45 - 50 mm / 1.77 - 1.97", two pieces needed	WZHS50	29.00
5	tool for freewheel sprocket removal Delta tx	WZDETFL	39.00
5	drive lock bracket Delta tx small for hub gear, black	WZDETBK	3.00
5	drive lock bracket Delta tx large for derailleur gear, black	WZDETBG	5.50
•	6		
	derailleur hanger for all models except Spirit	Z20195	11.00
	derailleur hanger for Spirit only	Z80195	11.00
NEW	HP workshop box 60 - pcs., contains a variety of most important HP VELOTECHNIK spare parts and special	WZKHP	499.00
	tools for your workshop in a handy plastic sorting box. Saves 10% compared to individual part purchase.		477.00
	tools for your workshop in a harry plastic sorting box. Saves 10% compared to individual part purchase.		<u>'</u>
	manuals		
	manual for Hands-On-Cycle (German)	BAHTAUK	4.00
	manual for Delta tx (German)	BADET	11.00
	manual for Scorpion Plus (German)	BASPS	11.00
	manual for HP VELOTECHNIK trikes (German)	BASFL	11.00
	manual for HP VELOTECHNIK two wheelers (German)	BAHP2RAD	11.00
	manual for Gekko fxs (German)	BAGES	11.00
		DAUTAUKE	T.
	manual for Hands-On-Cycle (English)	BAHTAUKE	4.00
	manual for Delta tx (English)	BADETE	11.00
	manual for HP VELOTECHNIK trikes (English)	BASFLE	11.00
	manual for HP VELOTECHNIK two wheelers (English)	BAHP2RADE BAGESE	11.00
	manual for Gekko fxs (English)	BAGESE	11.00
	manual for Hands-On-Cycle (French)	BAHTAUKF	4.00
	manual for Delta tx (French)	BADETF	11.00
	manual for HP VELOTECHNIK trikes (French)	BASFLF	11.00
	manual for HP VELOTECHNIK two wheelers (French)	BAHP2RADF	11.00
	manual for Gekko fxs (French)	BAGESF	11.00
	document bag for manuals with HP Logo	TADOA5	15.00
	•		
	complete wheels 20" ISO 406 from 11/2017		
	20" front wheel for disc-brake with HP DB-I box section "disc brake only" rim, HP x-light disc brake hub, SCHWALBE Marathon Racer tire	VR20V052	219.00
\$	20" front wheel with SON delux disc dynohub HP DB-I box section "disc brake only" rim, SON delux 20"	VR20V053	479.00
	dynohub with centerlock, black, SCHWALBE Marathon Racer tire, without front light	VR20V054	265.00
	20" front wheel with SHUTTER PRECISION SD-8 disc dynohub HP DB-1 box section "disc brake	VK20V034	265.00
	only" rim, SHUTTER PRECISION SD-8 dynohub for disc brake, IS2000 6-hole, black, SCHWALBE Marathon Racer tire, without front light		
5	20" front wheel for trike with SON xs-m dynohub left HP DB-1 box section "disc brake only" rim,	VR20V055	569.00
*	SCHWALBE Tryker tire, incl. connecting cable and mounting parts	***************************************	307.00
5	20" front wheel for trike with SON xs-m dynohub right HP DB-I box section "disc brake only" rim,	VR20V056	569.00
	SCHWALBE Tryker tire, incl. connecting cable and mounting parts 20" front wheel for trike left HP one-side hub, HP DB-1 box section "disc brake only" rim black,	VR20V057	239.00
	SCHWALBE Tryker tire, incl. mounting parts		
	20" front wheel for trike right HP one-side hub, HP DB-I box section "disc brake only" rim black,	VR20V058	239.00
	SCHWALBE Tryker tire, incl. mounting parts		
	20" rear wheel for disc brake with HP DB-I "disc brake only" rim, HP x-light disc hub, SCHWALBE	HR20V001	189.00
	Marathon Racer tire		
			0



sugg.

ordercode



		•	
NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
	<u> </u>		
\$	20" rear wheel TRIPLESHIFT with HP DB-I "disc brake only" rim, SCHWALBE Marathon Racer tire,	HR20V002	359.00
	STURMEY ARCHER TRIPLESHIFT 3 speed internal geared hub, with shift accessories 20" rear wheel SHIMANO Nexus 8 Premium with HP DB-I "disc brake only" rim, SCHWALBE Tryker	HR20V003	189.00
	tire, SHIMANO Nexus 8 Premium 8 speed internal geared hub, without shift accessories		
	tire equipment and rims 20" ISO 406		
	tire 20" SCHWALBE Marathon Racer 40 - 406, black, with reflex strip 330 g / 0.72 lbs, max. 6 bar / 87 psi,	DES20MR	45.00
	wire bead, low rolling resistance, excellent grip, RaceGuard technology tire 20" SCHWALBE Tryker 40 - 406, designed for trikes, black, with reflex strip 334 g / 0.74 lbs, max. 6	DES20TR	44.00
	bar / 87 psi, wire bead, low rolling resistance, RaceGuard technology, ECE-R75 certified for fast E-bikes tire 20" SCHWALBE Marathon Plus 47 - 406, black, with reflex strip, 725 g / 1.6 lbs, wire bead, max. 5	DES20MP	50.00
	bar/ 72 psi, flat-safe tire for everyday use, SmartGuard technology, ECE-R75 certified for fast E-bikes tire 20" SCHWALBE Smart Sam 60 - 406, black, 590 g / 1.3 lbs, clincher tyres, optimal off-road grip,	DES20SS	29.00
	comfortable rolling due to compact central rib - also on the road, K-Guard Active Line tire 20" SCHWALBE Kojak 35 - 406, black, 285 g / 0.62 lbs, wire bead, max. 6,5 bar / 94 psi, SpeedGrip	DES20KJ	39.00
	Compound, RaceGuard technology		
\$	rim 20" ALEX DA-16 32 holes, box section, light weight aero design, silver anodized, machined sidewalls, 406x16C, 22 mm / 0.87" width, 392 g / 0.86 lbs	FEAL2032DG	20.00
\$	rim 20" ALEX DA-16 36 holes, box section, light weight aero design, silver anodized, machined sidewalls, 406x16C, 22 mm / 0.87" width, 392 g / 0.86 lbs	FEAL2036DG	20.00
\$	rim 20" HP AM-I 32 holes, box section, light weight aero design, black anodized, 406x19C, 25mm / 0.98" width, 396 g / 0.87 lbs	FE2032SIA1	49.00
	rim 20" HP DB-I 32 holes, disc brake only, box section, light weight aero design, black anodized, 406x24C,	FE2032SID1	49.00
	30 mm / 1.18" width, 362 g / 0.80 lbs rim 20" HP DB-1 36 holes, disc brake only, box section, light weight aero design, black anodized, 406x24C,	FE2036SID1	49.00
	30 mm / 1.18" width, 359 g / 0.97 lbs rim 20" HP AN for GEN 36 holes, black anodized, 406x19C, 25 mm / 0.98" width, 340 g / 0.75 lbs	FE2036SIN1	15.00
	inner tube 20" SCHWALBE No. 6 28 / 40-406 Presta valve, 96 g / 0.21 lbs	SLS20	9.90
	inner tube 20" SCHWALBE No. 7 47 / 57-406 Presta valve, 145 g / 0.32 lbs	SLS20SV7	9.90
	Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.		
	complete wheels 26" ISO 559 from 11/2017		
	26" rear wheel for disc brake with HP DB-I "disc brake only" rim, HP x-light disc hub, SCHWALBE Marathon Racer tire	HR26V002	190.00
	26" rear wheel TRIPLESHIFT with HP DB-I "disc brake only" rim, SCHWALBE Marathon Racer tire,	HR26V003	299.00
	STURMEY ARCHER TRIPLESHIFT 3 speed internal geared hub, with shift accessories 26" rear wheel SHIMANO Nexus 8 Premium with HP DB-I "disc brake only" rim, SCHWALBE Marathon	HR26V004	385.00
	Racer tire, SHIMANO Nexus 8 Premium 8 speed internal geared hub, without shift accessories		
	tire equipment and rims 26" ISO 559		
	tire 26" SCHWALBE Marathon Racer 40 - 559, black, with reflex strip, 464 g / 1.02 lbs, wire bead, max. 6	DES26MR	45.00
	bar / 87 psi, low rolling resistance, excellent grip, RaceGuard technology tire 26" SCHWALBE Marathon Plus 47 - 559, black, with reflex strip, 995 g / 2.19 lbs, wire bead, max. 5	DES26MP	50.00
	bar / 72 psi, flat-safe tire for everyday use, SmartGuard technology, ECE-R75 certified for fast E-bikes tire 26" SCHWALBE Smart Sam 54 - 559, black, 660 g / 1.46 lbs, clincher tyres, optimal off-road grip,	DES26SS	27.90
	comfortable rolling due to compact central rib - also on the road, K-Guard Active Line tire 26" SCHWALBE Kojak 35 - 559, black, 395 g / 0.87 lbs, wire bead, max. 6,5 bar / 94psi, SpeedGrip	DES26KJ	39.00
	Compound, RaceGuard technology		
\$	rim 26" ALEX DA-16 32 holes, box section, light aero design, silver anodized, machined sidewalls, 559x16C, 22 mm / 0.87" width, 511 g / 1.12 lbs	FEAL2632DG	20.00
\$	rim 26" ALEX DA-16 36 holes, box section, light aero design, silver anodized, machined sidewalls, 559x16C, 22 mm / 0.87" width, 511 g / 1.12 lbs	FEAL2636DG	34.90
\$	rim 26" HP-AM1 32 holes, box section, aero design, black anodized, 559x19C, 25 mm / 0.98" width, 520 g /	FE2632SIA1	49.00
5	1.1 lbs rim 26" HP-AMI 36 holes, box section, aero design, black anodized, 559x19C, 22 mm / 0.87" width, 520 g /	FE2636SIA1	20.00
	1.1 lbs rim 26" HP DB-1 32 holes, disc brake only, box section, light weight aero design, black anodized, 559x24C, 30 mm / 1.18" width, 502 g / 1.1 lbs	FE2632SID1	49.00

30 mm / 1.18" width, 498 g / 1.1 lbs rim 24" HP-AN for GEN 32 holes, black anoduced, 559x19C, 25 mm / 0.98" width, 470 g / 1.0 lbs FE28328INI inner tube 26" SCHWALBE Nr. 12 at 25 / 40-559 Prests valve, 120 g / 0.26 SL528 inner tube 26" SCHWALBE Nr. 13 40 / 62-559 Prests valve, 130 g / 0.42 SL5289V13 Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. hub and drive shaft accessories	NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
30 mm / 1.18" width, 499 g / 1.1 lbs FERSISBN1 1 mmr rube 74" MP-AN for GEN 32 holes, black anodazed, 559x19C, 25 mm / 0.98" width, 470 g / 1.0 lbs FERSISBN1 1 mmr rube 72" SCHWALBE Nr. 12 a 25 / 40.559 Presta valve, 120 g / 0.04 SL528 inner rube 24" SCHWALBE Nr. 13 40 / 62-559 Presta valve, 120 g / 0.04 SL5285V13 Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. D1896 SL5285V13 Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. D1896 SL5285V13 Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. D1896 SL5285V13 Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. D1896 SL5285V13 Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. D1896 SL5285V13 SL5285V1		wim 24" HP DR L 24 holes diss broke only boy section light weight core design black anodized 559v24C	FF2636SID1	49.00
rim 24* HP-AN For GEN 32 holes, black anothered, 559x19C, 25 mm / 0.98* width, 470 g / 1.00 lbs FERRASSINI inner tube 24* SCHWALBE Nr. 12 a 25 / 40.559 Presta valve, 130 g / 0.42 Spokes: Chly available for rear wheel motors, For other sparre spokes, please contact your wholesaler. hub and drive shaft accessories bearing for HP VELOTECHNIK trike hubs (one-side hub) 12x28x8mm hub sealing for HP VELOTECHNIK trike hubs (one-side hub) MazU08005 dust cap for HP VELOTECHNIK trike hubs (one-side hub) dust cap for HP VELOTECHNIK trike hubs (one-side hub) dust cap for HP VELOTECHNIK trike hubs (one-side hub) dust cap for HP VELOTECHNIK trike hubs (one-side hub) dust cap for HP VELOTECHNIK trike hubs (one-side hub) dust cap for HP VELOTECHNIK trike hubs (one-side hub) dust cap for HP VELOTECHNIK trike hubs (one-side hub) clocking piece for HP VELOTECHNIK trike hubs (one-side hub) sealing for HP VELOTECHNIK trike hubs (one-side hub) pressure spring Spring between hub and locking piece (one-side hub). Inside locking piece for HP VELOTECHNIK trike hubs (one-side hub) and trive t			1 L20300ID1	47.00
Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.			FE2632SIN1	15.00
Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler. Display		-		9.90
bearing for HP VELOTECHNIK trike hubs (one-side hub) 12x28x8mm D1098 hub sealing for HP VELOTECHNIK trike hubs (one-side hub) 12x28x8mm NAZUBOSS dust cap for HP VELOTECHNIK trike hubs (one-side hub) NAZUBOSS dust cap for HP VELOTECHNIK trike hubs (one-side hub) NAZUBOSS dust cap for HP VELOTECHNIK trike hubs (one-side hub) NAZUBOSS dust cap for HP VELOTECHNIK trike hubs (one-side hub) NAZUBOSS dust cap for HP VELOTECHNIK trike hubs (one-side hub) NAZUBOSS dust cap for SON delux disc mount with a coloring piece (one-side hub), for fastering the hub in the wheel carrier, inside NAZUEE 11 dust cap for SON delux disc mount NAZUBOSS dust cap for SON delux disc mount NAZUBOSS dust experiment of the very series of the very series one side hub act per assembled, incl. spring and screw one side hub act per assembled, incl. spring and screw HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft NAZUBOSS NAZUBOSS NAZUBOSS AND SON delux disc dynobub for mounting of IS 2000 6-hole brake discs to centerlock NAZUCLA 2 conterlock adapter for SON delux disc dynobub for mounting of IS 2000 6-hole brake discs to centerlock NAZULD NazuBOSS NAZUBOS NAZUB		inner tube 26" SCHWALBE Nr. 13 40 / 62-559 Presta valve, 190 g / 0.42	SLS26SV13	9.90
bearing for HP VELOTECHNIK trike hubs (one-side hub) 12x2Bs8mm D1996 hub sealing for HP VELOTECHNIK trike hubs (one-side hub) outside NAZUDSOS MAZUDSOS MAZU		Spokes: Only available for rear wheel motors. For other spare spokes, please contact your wholesaler.		
hub sealing for HP VELOTECHNIK trike hubs (one-side hub) usuale dust cap for HP VELOTECHNIK trike hubs (one-side hub), outside Difference of the hub of		hub and drive shaft accessories		
hub sealing for HP VELOTECHNIK trike hubs (one-side hub) (austide dust cap for HP VELOTECHNIK trike hubs (one-side hub), outside (bid age for HP VELOTECHNIK trike hubs (one-side hub) (bustide (bid piece for HP VELOTECHNIK trike hubs (one-side hub) (bustide (bid piece for HP VELOTECHNIK trike hubs (one-side hub) (bid piece for HP VELOTECHNIK trike hubs (one-side hub) (for fatering the hub in the wheel carrier, inside (bid piece for HP VELOTECHNIK trike hubs (one-side hub), inside (bid piece for HP VELOTECHNIK free hubs (one-side hub), inside (bid piece for one-side dynobub SON x=m (bid piece for sole) (bid piece for one-side dynobub SON x=m (bid piece for sole) (bid piece for one-side dynobub SON x=m (bid piece for sole) (bid piece for one-side dynobub SON x=m (bid piece for p		bearing for HP VELOTECHNIK trike hubs (one-side hub) 12x28x8mm	D1096	5.90
dust cap for HP VELOTECHNIK trike hubs (one-side hub), outside countersunk screw for dust cap (one-side hub), outside D1880 D1880 D1880 D2820 D2		•	NAZUDSOS	6.00
countersunk screw for dust cap (one-side hub), outside locking piece for HP VELOTECHNIK trike hubs (one-side hub) coking piece for HP VELOTECHNIK trike hubs (one-side hub) cylinder head screw for locking piece (one-side hub), for fastening the hub in the wheel carrier, inside pressure spring Spring between hub and locking piece (one-sided hub), inside dust cap for SON delux disc mount locking piece for one-side dynchub SON xs-m one side hub axle pre assembled, incl. spring and screw ANAZUES Intercept one-side dynchub SON xs-m one side hub axle pre assembled, incl. spring and screw HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft centerlock adapter for SON delux disc dynchub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta to rear axle shaft 35x47x7mm Daklassx47 bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx MAZULD end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx NAZULAS foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx Cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories AHWE 12 3 Spring washer for Delta tx for mounting on the rear axle 4 Belta tx circling for the bearing spacer, cap and axle 3 Spring washer for Delta tx for mounting on the rear axle 4 Hub non side for trikes 36 holes, incl. bearings, spacer, cap and axle 4 Gelta tx circling for the bearing on the rear axle 4 Myohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release 5 Whashell completes, incl. bearing and spacer 4 Myohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release 5 Whashell table to complete, incl. bearing and daytime light, with rear light connector 6 Headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector 7 Headlight B&M IQ-X dynamo 100 L		` ,	NAZUAK	9.00
tocking piece for HP VELOTECHNIK trike hubs (one-side hub) or fastening the hub in the wheel carrier, inside pressure spring psring between hub and locking piece (one-sided hub), inside MAZUREB. 11 dust cap for SON delux disc mount NAZUADK NAZUAD		•	D1080	0.4
cylinder head screw for locking piece (one-side hub), for fisterning the hub in the wheel carrier, inside pressure spring Spring between hub and locking piece (one-sided hub), inside dust cap for SON delax disc mount locking piece for one-side dynohub SON xs-m one side hub as the pressure spring Spring between hub and locking piece (one-sided hub), inside NAZUADK I locking piece for one-side dynohub SON xs-m one side hub as the pressure spring Spring device for sone side hub as the pressure spring spring spring spring and screw HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft NAZUADK I scentrotick adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta to crear axie shaft 35x47x/mm DISKL35X47 Dearing cover outside Delta tx Outer bearing cover for Delta tx rear hub NAZUADK NAZUADK I searing cover outside Delta tx Outer bearing cover for Delta tx rear hub NAZUADK NAZUASQ Roam ring Delta tx firstion ing for the use of EMPIOLO in the Delta tx Spring spring spring for the sear delta to the polita tx for fistering for the use of EMPIOLO in the Delta tx Spring value for drive bell Delta tx single shaft without accessories AHWE 12 delta tx circlip for the bearings on the rear axie 11 search 12 stream value 11 search 12 stream value 12 search 13 search 14 stream value 14 search 15 stream value 15		, ,		9.00
pressure spring Spring between hub and locking piece (one-sided hub), inside dust cap for SON delux disc mount locking piece for one-side dynohub SON xs-m one side hub axle pre assembled, incl. spring and screw HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta tx rear axle shaft 35x47x7mm BARLISXAT bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub end screw Delta tx friction ring for the use of ENVICIO in the Delta tx foam ring Delta tx friction ring for the use of ENVICIO in the Delta tx foam ring Delta tx riftction ring for the use of ENVICIO in the Delta tx foam ring Delta tx single shaft without accessories AHWE Jet at scricilip for the bearings on the rear axle Juli89 Spring washer for Delta tx for mounting on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer , cap and axle delta tx hub shell complete, incl. bearings, spacer , cap and axle Mynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m rot trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 80°, one-side hub, for disc brake,		• • • • • • • • • • • • • • • • • • • •		0.80
dust cap for SON deliux disc mount locking piece for one-side dynohub SON xm one side hub axle per assembled, incl. spring and screw MAZUOSM HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta tx rear axle shaft 35×47x7mm D3KL3X47 bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub MAZUILD end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx foarn ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foarn ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foarn ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foarn ring Delta tx single shaft without accessories cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories AHWE delta tx circlip for the bearings on the rear axle delta tx circlip for the bearings on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer , cap and axle AHLSFS dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release DYN32SP8SB dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release DYN32SP8SB dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hu		•		0.50
locking piece for one-side dynohub SON x-m one side hub axle pre assembled, incl. spring and screw HP YELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta tx rear axle shaft 35x47x/mm JoskL35X47 bearing cover outside Delta atx Outer bearing cover for Delta tx rear hub end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx foam ring Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx foam ring Delta tx finction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx finction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx single shaft without accessories AHWE I2 delta tx circlip for the bearings on the rear axle D1189 Spring washer for Delta tx for mounting on the rear axle AHLEFS hub one side for trikes 36 holes, incl. bearings, spacer , cap and axle delta tx hub shell complete, incl. bearing and spacer dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON x-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON x-m retrofit kit (Q-X front wheel right, rim HP AM-1 black, SCHWALBE Tryker, DYNOSKITIX 71 SCHMIDTS ORIGINAL NABENDYNAMO x-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting for near light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector SEBUMIOXD headlight B&M IQ-X S for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch SEBUMIOXA pheadlight B&M IQ-X S for e-drive led DLux, ansoor, parking and daytime light, with out switch SEBUMIOXA pheadlight B&M IQ-X S for e-drive led DLux, sensor, parking and daytime running light, who switch SEBUMIOXA headlight B&M IQ-X S for e-drive led DLux, sensor, parking and daytime light, with out switch SEBUMIOXA headlight B&M IQ-X S for e-drive led blux, sensor, parking and daytim			_	
one side hub axle pre assembled, incl. spring and screw HP VELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta tx rear axle shaft 35x47x7mm D3KL35X47 bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub end screw Delta tx friction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx rear axle shaft Delta tx single shaft without accessories AHWE delta tx circlip for the bearings on the rear axle phub one side for trikes 36 holes, incl. bearings, spacer , cap and axle delta tx hub shell complete, incl. bearing and spacer dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release skewer, fits all HP VELOTECHNIK bikes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofite kit LQ-X front wheel right, rim HP AM-I black, SC-HWALBE Tryker, DYN380S dynohub SON xs-m retrofite kit LQ-X front wheel right, rim HP AM-I black, SC-HWALBE Tryker, DYN380S theadlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, without switch SEBUMIQXA 16 headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, without switch SEBUMIQXA 17 headlight B&M IQ-X Sore derive 140 Lux, 75 W, sensor, parking and daytime light, without switch SEBUMIQXA 18 headlight B&M IQ-X Sore derive 140 Lux, 75 W, sensor, parking and daytime light, without switch SEBUMIQXA 19 headlight B&M IQ-X Sore derive 140 Lux, 75 W, sensor, parking and daytime light, without switch SEBUMIQXA 19 headlight B&M IQ-X Sore derive 140 Lux, 75 W, sensor, parking and daytime running light, without switch SEBUMIQXA 19 headlight B&M IQ-X Sore derive 140 Lux, 75 W, sensor, parking and daytime running light, without switch SEBUMIQXA 19 headlight B&M IQ-X Sore derive 140 Lux, 75 W, sensor, parking		·		12.90
HP YELOTECHNIK free wheel 8, 9, 10 and 11 speed, splined shaft centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs DiskL35X47 bearing for Delta tx rear axle shaft 35x47x7mm DiskL35X47 bearing for Delta tx rear axle shaft 35x47x7mm DiskL35X47 bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx single shaft without accessories AHWE I2 delta tx circlip for the bearings on the rear axle Dilisp Spring washer for Delta tx for mounting on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle delta tx hub shell complete, incl. bearing and spacer AHLSFS dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON x-sm for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON x-sm for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON x-sm for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON x-sm retrofiting (in Orean light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, without switch selbuling B&M General light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, without switch selbuling B&M IQ-X S-Pedelec for S-Pedelec from 2018 headlight mounting ing B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting ing B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting ing B&M for headlight IQ-X Plastic retaining ring SEZUHAX SPHADL SEZUHAB rear light B&M dynamo toplight Fl		,		14.90
centerlock adapter for SON delux disc dynohub for mounting of IS 2000 6-hole brake discs to centerlock hubs bearing for Delta to rear axle shaft 35x47x7mm DaKL35X47				59.00
bearing for Delta tx rear axle shaft 35x47x7mm bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx foam ring Delta tx friction ring for the use of ENVIOLD in the Delta tx foam ring Delta tx friction ring for the use of ENVIOLD in the Delta tx cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories AHWE delta tx circlip for the bearings on the rear axle feta tx foright for the bearings on the rear axle Spring washer for Delta tx for mounting on the rear axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle ANZUNDK 7 light systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, 152000 6-hole, without quick release dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, without switch SEBUMIQXD headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, without switch SEBUMIQXA 16 headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime running light, w/o switch SEBUMIQXA 17 headlight mounting long stainless steel, black NEBUMIQXSA 9 headlight mounting short stainless steel, black NEBUMIQXSA 18 rear light B&M dynamo toplight Flat S plus braketee, with brak		·		39.90
## bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub end screw Delta tx for fastening the rear wheels to the rear aske shaft on the Delta tx for fastening the rear wheels to the rear aske shaft on the Delta tx for fastening the rear wheels to the rear aske shaft on the Delta tx for granting Delta tx fistoring for the use of ENVIOLO in the Delta tx cover cap for drive bell Delta tx plastic cover, black rear axke shaft Delta tx single shaft without accessories ### AHWE ### John Delta tx for mounting on the rear axke ### AHLSFS ### John Delta tx for mounting on the rear axke ### AHLSFS ### John Delta tx for mounting on the rear axke ### hub one side for trikes 36 holes, incl. bearings, spacer , cap and axke ### delta tx hub shell complete, incl. bearing and spacer ### John Delta tx hub shell complete, incl. bearing and spacer ### John Delta tx hub shell complete, incl. bearing and spacer ### John Delta tx hub shell complete, incl. bearing and spacer ### John Delta tx hub shell complete, incl. bearing and spacer ### John Delta tx for mounting on the rear axke ### AHLSFS ### Dynam Delta tx for fastening in the rear axke ### AHLSFS ### John Delta tx for fastening in the rear axke ### AHLSFS ### John Delta tx for fastening in the rear axke ### John Delta tx for fastening in the rear axke ### John Delta tx fastening in the fast sineless steel, black #### John Delta tx light and cable holder for xxx, on stem, black #### John Delta tx light and cable holder for xxx, on stem, black #### John Delta tx light and cable holder for xxx, on stem, black #### John Delta tx light and cable ho		•	NAZUCLA	29.00
end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories AHWE I2 delta tx circlip for the bearings on the rear axle Diffield tx circlip for the bearings on the rear axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer , cap and axle delta tx hub shell complete, incl. bearing and spacer NAZUNDK Tight systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes DYN360S A3 dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes DYN06KITIX 71 SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light 8&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light). headlight 8&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector SEBUMIQXD Headlight 8&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch SEBUMIQXD Headlight 8&M IQ-X For e-drive 80 Lux, sensor, parking and daytime light, without switch SEBUMIQXSA SEBUMI		bearing for Delta tx rear axle shaft 35x47x7mm	D3KL35X47	5.9
foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories delta tx circlip for the bearings on the rear axle Spring washer for Delta tx for mounting on the rear axle Di1189 Spring washer for Delta tx for mounting on the rear axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer , cap and axle delta tx hub shell complete, incl. bearing and spacer NAZUNDK 7 light systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON xs-m for trikes, 20°, one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, DYNOSKITIX 71 SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7.5 W, sensor, parking and daytime light, without switch SEBUMIOXA 17 headlight B&M IQ-X for e-drive 80 Lux, sensor, parking and daytime light, without switch SEBUMIOXA Pheadlight B&M IQ-X for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch SEBUMIOXA Pheadlight mounting long stainless steel, silver SUHAU Pheadlight mounting long stainless steel, silver SWHAU Pheadlight mounting short stainless steel, silver SWHAU Pheadlight mountin	\$	bearing cover outside Delta tx Outer bearing cover for Delta tx rear hub	NAZULD	7.9
cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories delta tx circlip for the bearings on the rear axle for mounting on the rear axle Spring washer for Delta tx for mounting on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle delta tx hub shell complete, incl. bearing and spacer light systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch sEBUMIQXD headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime running light, without switch sEBUMIQXA2 headlight B&M IQ-X for e-drive 10 Lux, sensor, parking and daytime running light, w/o switch sEBUMIQXA2 headlight B&M IQ-X for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sEBUMIQXA3 headlight mounting ring B&M for headlight IQ-X Plastic retaining ring sEZUHAX headlight mounting short stainless steel, sliver headlight mounting short stainless steel, sliver headlight mounting short stainless steel, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M for e-drive 2 C Taillight, 2 C DC 5-15 V RLBUTTLES rear light B&M for e-drive		end screw Delta tx for fastening the rear wheels to the rear axle shaft on the Delta tx	NAZUAS22	11.90
cover cap for drive bell Delta tx plastic cover, black rear axle shaft Delta tx single shaft without accessories delta tx circlip for the bearings on the rear axle for mounting on the rear axle Spring washer for Delta tx for mounting on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle delta tx hub shell complete, incl. bearing and spacer light systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch sEBUMIQXD headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime running light, without switch sEBUMIQXA2 headlight B&M IQ-X for e-drive 10 Lux, sensor, parking and daytime running light, w/o switch sEBUMIQXA2 headlight B&M IQ-X for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sEBUMIQXA3 headlight mounting ring B&M for headlight IQ-X Plastic retaining ring sEZUHAX headlight mounting short stainless steel, sliver headlight mounting short stainless steel, sliver headlight mounting short stainless steel, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M for e-drive 2 C Taillight, 2 C DC 5-15 V RLBUTTLES rear light B&M for e-drive		foam ring Delta tx friction ring for the use of ENVIOLO in the Delta tx	FGZUBOSFS	5.00
delta tx circlip for the bearings on the rear axle Spring washer for Delta tx for mounting on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle AHLSFS hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle ARZUNDK 7 light systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release DYN32SP8SB dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release DYN32SP8SB 13 skewer, fits all HP VELOTECHNIK bikes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with out switch sEBUMIQXD feadlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch sEBUMIQXD headlight B&M IQ-X s-Pedelec for S-Pedelec from 2018 sEBUMIQXE sEBUMI			NAZUAK3	8.50
delta tx circlip for the bearings on the rear axle Spring washer for Delta tx for mounting on the rear axle hub one side for trikes 36 holes, incl. bearings, spacer , cap and axle NAV320SS1 14 delta tx hub shell complete, incl. bearing and spacer Ilight systems Ilight systems Ilight systems		rear axle shaft Delta tx single shaft without accessories	AHWE	129.00
hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle delta tx hub shell complete, incl. bearing and spacer light systems dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, DYNOSKITIX 71 SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector sebulMiQXA2 headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch sebulMiQXA2 headlight B&M IQ-X or e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch sebulMiQXA2 headlight B&M IQ-X for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sebulMiQXA headlight B&M IQ-X for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sebulMiQXA headlight mounting ring B&M for headlight IQ-X Plastic retaining ring sezuhAX headlight mounting long stainless steel, silver headlight mounting short stainless steel, silver headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M dynamo toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTLEZE rear light mount with flag holder, for BodyLink seat RLZUHL 4	5	delta tx circlip for the bearings on the rear axle	D1189	1.00
Ight systems	5	•	AHLSFS	1.60
dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release DYN32SP8SB I3 skewer, fits all HP VELOTECHNIK bikes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes DYN36OS J3 DYN36OS DYN36OS J3 DYN36OS DYN36OS J3 DYN36OS J3 DYN36OS J3 DYN36OS J3 DYN36OS J3 DYN36OS J3 J3 DYN36OS J3 J3 DYN36OS J3 J3 J3 J3 J3 J4 J4 J4 J5		hub one side for trikes 36 holes, incl. bearings, spacer, cap and axle	NAV32OSS1	145.00
dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, 152000 6-hole, without quick release skewer, fits all HP VELOTECHNIK bikes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector sebumiQXD 16 headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch sebumiQXA2 17 headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 sebumiQXE sebumiQXE 23 headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sebumiQXSA sebumiQXSA	\$	delta tx hub shell complete, incl. bearing and spacer	NAZUNDK	79.00
skewer, fits all HP VELOTECHNIK bikes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch SEBUMIQXA2 ir headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-lon Battery, charging via USB SEBUMIQXE SEBUMIQXE is SEBUMIQXE is SEBUMIQXE is SEBUMIQXA is SEBUMIQXA is SEBUMIQXA generalight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch headlight mounting ring B&M for headlight IQ-X Plastic retaining ring sezuhax headlight mounting long stainless steel, silver headlight mounting long stainless steel, silver headlight mounting short stainless steel, black is headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec rear light mount with flag holder, for BodyLink seat RLZUHL 4		light systems		
dynohub SON xs-m for trikes, 20", one-side hub, for disc brake, 36 holes dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-Ion Battery, charging via USB SEBUMIQXA2 17 headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch seBUMIQXSA 9 headlight mounting ring B&M for headlight IQ-X Plastic retaining ring sEZUHAX headlight mounting short stainless steel, silver headlight mounting short stainless steel, black headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec rear light mount with flag holder, for BodyLink seat 43 44 45 46 47 47 48 48 49 49 40 40 40 40 40 40 40 40		dynohub SHUTTER PRECISION SD-8 32 holes, 100 mm wide, IS2000 6-hole, without quick release	DYN32SP8SB	139.00
dynohub SON xs-m retrofit kit IQ-X front wheel right, rim HP AM-I black, SCHWALBE Tryker, SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch SEBUMIQXA2 17 headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 SEBUMIQXE 23 headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch SEBUMIQXSA 9 headlight mounting ring B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting long stainless steel, sliver headlight mounting short stainless steel, black \$WHAU headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB 3 rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTLE2 7 rear light mount with flag holder, for BodyLink seat 4 4 4 4 4 4 4 4 4 4 4 4 4		, and the second	DANSEOS	439.00
SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux, plug and cable for retrofitting (no rear light) headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-lon Battery, charging via USB SEBUMIQXE headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 SEBUMIQXE SEBUMIQXE headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch SEBUMIQXSA sendight mounting ring B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting long stainless steel, silver swhall headlight mounting short stainless steel, black SWHAU headlight holder Delta tx light and cable holder for xxx, on stem, black WBZULHD 3 rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTLECE rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTTLE2 rear light mount with flag holder, for BodyLink seat RLZUHL 4		•		
headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch SEBUMIQXA2 17 headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-Ion Battery, charging via USB SEBUMIQXE 6 headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 SEBUMIQXE 23 headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch SEBUMIQXSA 9 headlight mounting ring B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting long stainless steel, silver SWHAU headlight mounting short stainless steel, black SWHAU2 headlight holder Delta tx light and cable holder for xxx, on stem, black VBZULHD 3 rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTLECE rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTLE2 7 rear light mount with flag holder, for BodyLink seat 16 17 16 17 17 16 17 17 16 17 17 16 17 17 16 17 17 18 19 18 19 19 10 10 10 11 11 11 11 11 11 11 11 11 11		SCHMIDTS ORIGINAL NABENDYNAMO xs-m dynohub one-side mounting, front light B&M IQ-X, 100 Lux,	DINOSKIIIA	719.00
headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-lon Battery, charging via USB SEBUMICXE headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 SEBUMIQXE headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch SEBUMIQXSA headlight mounting ring B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting long stainless steel, silver SWHAU headlight mounting short stainless steel, black SWHAU2 headlight holder Delta tx light and cable holder for xxx, on stem, black VBZULHD rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTLECE RLBUTLECE RLBUTLECE RLBUTTLE2 rear light mount with flag holder, for BodyLink seat RLZUHL 4		plug and cable for retrofitting (no rear light)		
headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-Ion Battery, charging via USB SEBUMICXE 13 SEBUMIQXE 14 SEBUMIQXE 15 SEBUMIQXE 16 SEBUMIQXE 17 SEBUMIQXE 18 SEBUMIQXE 18 SEBUMIQXE 18 SEBUMIQXE 29 SEBUMIQXSA 9 SEBUMIQXSA 9 SEBUMIQXSA 9 SEZUHAX headlight mounting ring B&M for headlight IQ-X Plastic retaining ring headlight mounting long stainless steel, silver headlight mounting short stainless steel, black SWHAU2 headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB 3 rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTL2CE RLBUTL2CE 1 RLBUTLE2 7 rear light mount with flag holder, for BodyLink seat RLZUHL 4		headlight B&M IQ-X dynamo 100 Lux, sensor, parking and daytime light, with rear light connector	SEBUMIQXD	169.00
headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sebumique headlight mounting ring B&M for headlight IQ-X Plastic retaining ring headlight mounting long stainless steel, silver headlight mounting short stainless steel, black headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTLE2		headlight B&M IQ-X for e-drive 140 Lux, 7,5 W, sensor, parking and daytime light, without switch	SEBUMIQXA2	179.00
headlight B&M IQ-X S-Pedelec for S-Pedelec from 2018 headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 Lux, sensor, parking and daytime running light, w/o switch sebumique 80 SEBUMIQXE sebumique 90 Sebumique 90 SEBumique 90 SEBUMIQXE sebumique 90 Sebumique 90 SEBUMIQXE sebumique 90 Sebumique 90 SEBUMIQXE sebumique 90 Sebumique 90 SEBUMIQ		headlight B&M IQ Eyro battery 30 Lux, with integrated rechargable Li-lon Battery, charging via USB	SEBUMEY	65.0
headlight B&M IQ-XS for e-drive 80 Lux, sensor, parking and daytime running light, w/o switch headlight mounting ring B&M for headlight IQ-X Plastic retaining ring SEZUHAX headlight mounting long stainless steel, silver headlight mounting short stainless steel, black headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTLE2 REBUTLE2 REBUTLE3 REBUTL			SEBUMIQXE	235.00
headlight mounting ring B&M for headlight IQ-X Plastic retaining ring headlight mounting long stainless steel, silver SWHAU headlight mounting short stainless steel, black SWHAU2 headlight holder Delta tx light and cable holder for xxx, on stem, black VBZULHD 3 rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB 3 rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTL2CE I rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTLE2 7 rear light mount with flag holder, for BodyLink seat RLZUHL 4			SEBUMIQXSA	95.00
headlight mounting long stainless steel, silver headlight mounting short stainless steel, black SWHAU2			SEZUHAX	7.50
headlight mounting short stainless steel, black headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLESB RLBUTLESB RLBUTLECE rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec rear light mount with flag holder, for BodyLink seat RLZUHL 4				4.50
headlight holder Delta tx light and cable holder for xxx, on stem, black rear light B&M dynamo toplight Flat S plus braketec, with brake light, for dynohub lighting systems only rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLEFSB RLBUTLEFSB RLBUTL2CE Rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE2 REBUTLE3 REBUTLE3 REBUTLE4 REBUTLE5 RE				5.50
rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLFSB rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTL2CE rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec rear light mount with flag holder, for BodyLink seat RLZUHL 4	5			39.00
rear light B&M battery toplight Flat S senso, battery rear light with sensor, AA batteries included RLBUTLFSB 3 rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V RLBUTL2CE rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTTLE2 7 rear light mount with flag holder, for BodyLink seat RLZUHL 4		rear light R&M dynamo toolight Flat Soluc hrakatae with hraka light for dynahuh lighting sustanse and	RLBUTI FESR	32.90
rear light B&M for e-drive 2C Taillight, 2C DC 5-15 V REBUTL2CE rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec rear light mount with flag holder, for BodyLink seat REZUHL 4				
rear light B&M S-Pedelec toplight line for Scorpion fs 26 S-Pedelec RLBUTTLE2 7 rear light mount with flag holder, for BodyLink seat RLZUHL 4		, , ,		34.00
rear light mount with flag holder, for BodyLink seat RLZUHL 4				14.50
				75.00
rear light mount for Gekko models or ErgoMesh seat RLZUHEMK 3		· · · · · · · · · · · · · · · · · · ·		49.00
' '		rear light mount for Gekko models or ErgoMesh seat	RLZUHEMK	32.00



%	indicates an item that is new in specification indicates an item that is discountable	ordercode	sugg.
70 \$	indicates an item that is discountable	J. 4010046	retai
	connector for light cable inside the front boom, 4 pin, crimpable contacts	S4RSSET	16.0
	ight cable with DC-connector for rear light connection to the seat, for hub dynamo	LISTDC5	8.0
	ight cable with HIGO plug for connecting rear lights to pedelec systems	LISTHM62B	14.
	ight wire extension for Streamer, from 12/2014	LIZUSTV2	32.
	LED license plate light for Scorpion fs 26 S-Pedelec	RLKTRILED	24.
	position light for Scorpion fs 26 S-Pedelec (without mounting hardware)	RLTRILED	39.
	position light bracket S-Pedelec for mounting RLTRILED to Scorpion fs 26 S-Pedelec front boom	SEHAPL	39.
	reflector S-Pedelec for S-Pedelec from 2018, reflector 306/2 KG-1 yellow	REBUSFE2	5.
	indicator lights		
	indicator WingBling retrofit kit 12V for 12V supply voltage, at HP VELOTECHNIK: all S-Pedelecs. 2 pairs	BLSET03	629.
	of indicator lights with mounting on luggage carrier and front boom, switch for mounting on handlebar end or		
	nandlebar end shift lever, wiring harness, without voltage transformer. Suitable for electronic drive systems with		
	12V DC output voltage or for trikes with an external voltage source 11,113,8V DC. Not suitable for 12V		
	dynamo lighting systems.		
	indicator WingBling retrofit kit HIGO STEPS E5000 / EP8 / E6100 / EP801 Cargo for HP	BLSET06	629
	VELOTECHNIK Pedelecs with Shimano STEPS drive E5000 or EP8, 2 pairs of turn signals with mounting		027
	under the rear light and on the front boom, switch for mounting at the handlebar end or handlebar end shift		
	ever, The turn signal system is connected to the existing wiring harness by plug.		
		DI OFTOO	
	indicator WingBling retrofit set HIGO GSD from 12/2018 and NEODRIVES Z20 for HP	BLSET08	629
	VELOTECHNIK Pedelecs with GoSwissDrive from 12/2018 onwards, 2 pairs of indicator lights with mounting		
	under the rear light and on the front boom, switch for mounting on the handlebar end or handlebar end shift		
	ever, The indicator system is connected to the existing wiring harness by plug.		
	rear indicator mount HIGO ready wired with plug, incl. 2 flasher lights "Spark", for mounting on rear rack	BLHAHHK	210
	or seat		
	ndicator mount front for STEPS HIGO wiring harness ready wired with plug, for mounting on the	BLHASTVHK	219
	STEPS boom, incl. 2 turn signals "Spark" lights		
1	front turn signal holder for HIGO wiring harness ready wired with plug, for mounting on boom, incl. 2	BLHAVHK	219
	ndicator lights "Spark"	DI LIDETI	
	front turn signal holder for Delta tx ready wired with plug, for mounting on Delta tx, incl. 2 indicator lights	BLLIDETV	219
	'Spark"	DLUADUK	
	rear indicator holder Delta tx Rear indicator holder, pre-wired with plug, incl. 2 indicator lights "Spark", for	BLHADHK	210
	mounting on the luggage rack of the Delta tx		
:	switch for Indicator light HIGO complete switch with housing and sticker, ready wired with plug, mounting	BLBSHK	225
	position must be specified when ordering.		
1	Silicone hose for connecting the "Spark" indicator light to the indicator holder, per cm (approx. 3 cm / 1"	KUSLS5X3	(
	required for one "Spark" indicator light)		
	ndicator Light "Spark" ready wired with plug for mounting on WingBling indicator mount, 12V LED, M8-	BLLISPK	44
	thread mount, one piece	DI LIODICO	
	Indicator light "Spark" Delta tx rear ready-made for WingBling bracket on Delta tx rear, 12V, LED, E-	BLLISPK2	44
	approved, M8 thread, I piece	DI ZUED	
	bracket for indicator switch for mounting the indicator switch on the handlebars of the Delta tx, without mounting material	BLZUSD	"
ì	mudguards		'
	Front for Jon and HD Tribeford on 20" (O mars / 2.2" widely with 11/0" and a great for Counting from	SBVR20S8S	315
	front fender set HP Trikefender 20", 60 mm / 2.3" width with 11/8" supports for Scorpion from	3DVR20303	313
	03/2012, Scorpion fx from 04/2011, Scorpion 2 / fx 2 and Gekko / fx 20 / fx 26 / fxs	SBVR20S3S	315
	front fender set HP Trikefender 20", 60 mm / 2.3" width with 1" supports for Scorpion before 03/2012	ODVINZUOJO	313
	and Scorpion fx before 04/2011 front fender set HP Trikefender 20", 60 mm / 2.3" width for Scorpion fs 20 / fs 26 / fs 26 S-Pedelec and	SBVR20FSS	315
	·	05711201 00	313
	Scorpion plus 20 / plus 26, incl. mudguard holders, for models before 2012 a pair of mudguard clips		
	(SBZUSESFS) is required	SBHR20DET	200
	mudguard set Delta tx rear complete rear mudguard set for Delta tx, SKS mudguards 69 mm / 2.71" wide,	ODITIVEOUR	200
,	with splash flaps and reflective sticker, incl. mounting plates and fixing material.		I
			1
	HP Trikefender left 60 mm / 2.6" black, left front, without support and edge protection	SBVR20S3L	95
	HP Trikefender left 60 mm / 2.6" black, left front, without support and edge protection HP Trikefender right 60 mm / 2.6" black, right front, without support and edge protection	SBVR20S3L SBVR20S3R	95 95

NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
WEW!	SKC and and an archael 2011 Dales at the SKC	SBHR2069RR	
	SKS mudguard rear wheel 20" Delta tx right SKS mudguard, 69 mm / 2.7" wide, incl. mud flaps and holes SKS mudguard front wheel 20" Delta tx SKS mudguard, 69 mm / 2.7" wide, incl. splash flaps, front edge	SBVR2069S1	29.9 35.5
	protectors and mounting material front fender SKS 20", 53 mm / 2.1" width with spoiler, I stainless steel U-stay, black, for GHF, SMGTe,	SBVR2053S1	35.0
	SPM, SRT		
	rear mudguard SKS 20", 53 mm / 2.1" width spoiler, 2 stainless steel U-stays, black, all 20" rear wheels rear mudguard SKS 26", 53 mm / 2.1" width with spoiler, 2 stainless steel U-stays, black, for all 26" trikes except SFN, SFE	SBHR2053S1 SBHR2653S1	29.0 32.0
	rear mudguard SKS 26", 53 mm / 2.1" width without spoiler, 2 stainless steel U-stays, black, for all 26" trikes except SFN, SFE	SBHR2653S2	32.0
\$	rear mudguard SKS 26", 53 mm / 2.1" width with spoiler, 2 stainless steel U-stays, black, for SMGTe, SPM rear mudguard Scorpion fs 26 Enduro SKS MUD-X to mount at seat, with mounting sheet and clamps, black	SBHR2653S3 SBKOSSSFN	39.0 55.0
	Mudguard holder		
	support 1" left for HP trikefender on Scorpion before 03/2012 and Scorpion fx before 04/2011, one-piece	SBZUHASCL	55.0
	support I" right for HP trikefender on Scorpion before 03/2012 and Scorpion fx before 04/2011, one-piece	SBZUHASCR	55.0
	support 1 1/8" left for HP trikefender on Gekko / fxs / fx 20 / fx 26, Scorpion 2 / fx 2, Scorpion from 03/2012 and Scorpion fx from 04/2011, one-piece	SBZUHAS8L	55.
	support 1 1/8" right for HP trikefender on Gekko fxs / fx 20 / GEN / fx 26, Scorpion 2 /fx 2, Scorpion from 03/2012 and Scorpion fx from 04/2011, one-piece	SBZUHAS8R	55.
	support left for HP Trikefender on Scorpion fs 20 / fs 26 / plus 20 / plus 26	SBZUHAFSL	55.
	support right for HP Trikefender on Scorpion fs 20 / fs 26 / plus 20 / plus 26	SBZUHAFSR	55.
	fender support clamp for mounting of fender support on Scorpion fs 20 knuckles before 11/2012 rear mudguard holder rear left Delta tx mounting plate for mudguard rear left, black anodised, without	SBZUSESFS SBZUHADH	16. 48.
	bracket rear mudguard holder rear right Delta tx mounting plate for rear right mudguard, black anodised, without bracket	SBZUHADH2	48.
	mudguard accessories:		
	clamp to mount mudguards on SPINNER Grind suspension fork without eyelets at the dropout, per piece	SBZUSCCA8	4.
	clamp to mount mudguards on MEKS suspension fork without eyelets at the dropout, per piece	SBSCEMEC	4
	edge guard 8.5×5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per metre (ca. 3 m / 120 " needed for one Streamer, ca. 1.2 m / 47 " for fender set)	KUKTEG5S	6
	mounting parts Trikefender all small parts for attaching trike fenders to all tricycles	SBZUKTTF	7
	spacer 10 mm high, OD 20 mm, ID 6 mm, plastic, between mudguard and frame	Z10051	0
	spoiler for mudguards SKS Pro advanced splash guard, flexible, SBZUST is required for mounting	SBZUSP50	5
	fixing plugs for mudguard spoiler SKS Pro to fix the spoiler to the mudguard	SBZUST	0
	HP mudguard P-Clip for mounting the U-stays to the fender, M5	SBZUCLR	1
	BodyLink seat		
	BodyLink seat complete with standard brackets, EVA foam padding BodyLink seat complete for smaller cyclists with long brackets, EVA foam padding. The long brackets bring the seat up to 4 cm / 1.6" forward.	SIHPBL2KS SIHPBL2KKS	649. 649.
	BodyLink seat up to 4 cm / 1.6 forward. BodyLink seat upper half without padding and hardware, with velcro	SIHPBLOK	249
	BodyLink seat lower half without padding and hardware, with velcro, new form from 01/2010	SIHPBLU2K	249
	seat cushion Airflow for BodyLink seat, new form from 01/2010	SAAFBL2	139
	seat cushion EVA foam padding 14 mm / 0.5", with velcro, from 01/2010	SASHBL2	65
	BodyLink seat accessories		
	SeatWings carbon hip support, better lateral support in fast bends, flexible, padded for the BodyLink seat with new shape from approx. 01/2010 (recessed screw mount on the lower seat shell)	SIZUBL2WI	319
	adjustable end stops for positioning the backrest 0° – 4° from middle position	SIZUAPKO	19
	headrest for BodyLink seat flexible, cushioned, adjustable in height and angle	SIHPKSV	149
	cushion for adjustable headrest SIHPKSV, mesh material	SIHPKSVPK	29
	cushion for fixed headrest, mesh material	SIMKSP	35
	seat brackets "long" brings the BodyLink seat 4 cm forward, for smaller riders, retrofit kit, from 01/2010	SIB2LSET	85
	bracket for upper seat connection for BodyLink seat	SIBLBAO	29
	bracket for middle seat connection for BodyLink seat	SIBLBAM	29
	bracket for lower seat connection for BodyLink seat from 01/2010	SIBLB2U	29
		SIBLBAU	29



	tes an item that is discountable tes an item that is new in price	ordercode	r
bracke	et "long" for upper seat connection for BodyLink seat put 4cm / 1.6" forward, for small riders	SIBLBAOL	
bracke	et "long" for middle seat connection for BodyLink seat put 4 cm / 1.6" forward, for small riders	SIBLBAML	
bracke small ri	et "long" for lower seat connection for BodyLink seat put 4 cm / 1.6" forward, from 01/2010, for ders	SIBLB2UL	
	et "long" for lower seat connection for BodyLink seat put 4cm / 1.6" forward, before 01/2010, for	SIBLBAUL	
Erg	oMesh Premium seat		
	lesh Premium seat Back and seat independently adjustable, complete with seat cover, Orthoflex	SIKONX2	[
insert,	prepared for Add-on bags, backrest height 63 cm / 24.8", seat surface depth 24 cm / 9.4", seat surface	U	`
	I cm / 16", backrest adjustment angle 14°, seat surface adjustment angle 11° lesh Premium HS seat 11cm / 4.3" higher seat position than the ErgoMesh Premium, 14 cm / 5.5"	SIKONXH2	8
U	seat position than the BodyLink seat lesh Premium XL seat 5 cm / 2" wider and each 3 cm / 1.2" longer seat and backrest than ErgoMesh	SIKONXL2	8
Premiu	m seat		
_	lesh Premium HS XL seat 5 cm / 2" wider and each 3 cm / 1.2" longer seat and backrest and 11 cm / ther seat position than ErgoMesh Premium seat, 14 cm / 5.5" higher seat position than BodyLink seat	SIKONXHL2	
Ca	aution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).		
seat m	nesh ErgoMesh Premium for ErgoMesh Premium seat and ErgoMesh Premium HS seat, with	SIZUBZEP	:
	lex cushion set, prepared for Add-on bags		
	nesh ErgoMesh Premium wide for ErgoMesh Premium XL seat and ErgoMesh Premium HS XL seat, rthoflex cushion set, prepared for Add-on bags	SIZUBZEPL	
Erg	oMesh seat		
	oMesh seat	SIKONE2	1 .
ErgoM	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags	SIKONE2	
ErgoM ErgoM	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 cm / 4.3" higher position than the standard ErgoMesh seat, 4 cm / 5.5" higher	SIKONE2 SIKONEPS2	
ErgoM ErgoM position	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to		
ErgoMe ErgoMe	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags	SIKONEPS2	
ErgoMe ErgoMe ErgoMe ErgoMe	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard		!
ErgoMe Position ErgoMe ErgoMe	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags	SIKONEPS2	!
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher	SIKONEPS2	!
ErgoM position ErgoMe ErgoMe ErgoMe ErgoM	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm /	SIKONEPS2	!
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMo I7", 5°	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher	SIKONEPS2	!
ErgoMe position ErgoMe ErgoMe ErgoMe ErgoM position 17", 5° prepare	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard esh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, ed for add-on bags	SIKONEPS2	!
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMo ErgoMo position 17", 5° prepare	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, led for add-on bags leution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).	SIKONEPS2 SIKONEL2 SIKONELP2	!
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMo ErgoMo position 17", 5° prepare	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, led for add-on bags leth HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).	SIKONEPS2 SIKONEL2 SIKONELP2	!
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMo ErgoMo ErgoMo ErgoMo position 17", 5° prepare Ca seat m seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh HS XL seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, led for add-on bags lesh ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). lesh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoM position 17", 5° prepare Ca seat m seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to lesh HS seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh SKL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / ligreater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, led for add-on bags letion: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). letsh ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket letsh ErgoMesh wide (discontinued item) for ErgoMesh HS seats with small parts bag, Orthoflex inserts, letsh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts,	SIKONEPS2 SIKONEL2 SIKONELP2	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to lesh HS seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh SKL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, led for add-on bags leth HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth HS XL seats (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE).	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe Ca Seat m seat m seat m seat m points	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags leth HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). Leth ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket leth ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket leth ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, leth BrgoMesh wide 2022 for ErgoMesh SL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe Ca Seat m seat m seat m attachm seat m points d	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 II cm / 4.3" higher position than the standard ErgoMesh seat, I4 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, II cm / 4.3" higher in than the standard ErgoMesh seat, I4 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags lesh Gradd-on bags lesh ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). The seath ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh HS seat with small parts bag, Orthoflex inserts, ment points for Add-on bags lesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags The Gekko, Gekko fx 20, Gekko fx 26 and Gekko fxs	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe Ca Seat m seat m seat m attachm seat m attachm seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags leader of add-on bags leader of a seat and lowed on Scorpion fs 26 S-Pedelec (SFE). In the standard ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). In the standard ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh Seats, with zip-pocket lesh ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, lent points for Add-on bags lesh ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags It for Gekko, Gekko fx 20, Gekko fx 26 and Gekko fx 26, reinforced in the folding area, lent points for Add-on bags	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m attachm seat m attachm seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags leath Great Great add-on bags leath Great add-on bags leath Great Great add-on bags leath Great Great add-on bags leath Great Great leath Great add-on bags leath Great Great add-on bags leath Great Great leath Greath Great leath Great leath Great leath Great leath Great leath	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m attachm seat m attachm seat m seat m seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 11 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard each seak seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags leth HS XL seat 2022 for ErgoMesh HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leth ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket leth ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket leth ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leth Gekko 2022 for Gekko fx 20, Gekko fx 26 and Gekko fx 26, reinforced in the folding area, leth Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNEL2 SIZUBZNEL2	
ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m attachm seat m attachm seat m seat m seat m seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 II cm / 4.3" higher position than the standard ErgoMesh seat, I4 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to eash seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard eash seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, II cm / 4.3" higher in than the standard ErgoMesh seat, I4 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, add for add-on bags leth HS XL seat 2022 for ErgoMesh HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). Leth ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket leth ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket leth ErgoMesh 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, altern points for Add-on bags leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leth ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leth ErgoMesh vide 2022 for Gekko fx 20, Gekko fx 26 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags leth Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags leth Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered did to attach to the normal seat, fastened with buckles, airy, non-absorbent filling material	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNES SIKIGEF	
ErgoMe position 17", 5° prepare Ca seat m seat m attachm	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to sesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard sesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags leation: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leash ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket leash ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket leash ErgoMesh wide 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, nent points for Add-on bags leash ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leash ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leash ErgoMesh wide 2022 for Gekko fx 20, Gekko fx 26 and Gekko fxs leash Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, leant points for Add-on bags leash OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs and for Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered do attach to the normal seat, fastened with buckles, airy, non-absorbent filling material in set for OrthoFlex mesh seat for customized cushion	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS	
ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m attachm seat m attachm seat m attachm seat m seat m attachm seat m seat m seat m attachm seat m seat m	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 1 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to each seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard lesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags leation: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). leash ErgoMesh (discontinued item) for ErgoMesh seats, with zip-pocket leash ErgoMesh wide (discontinued item) for ErgoMesh HS seat with small parts bag, Orthoflex inserts, ment points for Add-on bags leash ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leash ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leash ErgoMesh wide 2022 for ErgoMesh XL seats, with zip-pocket, Orthoflex inserts, attachment for Add-on bags leash ErgoMesh wide 2022 for Gekko 52, Gekko fx 26 and Gekko fxs leash Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags leash OrthoFlex fxs reinforced in the folding area, without cushion set, only for Gekko fxs leash Gekko seat for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered do attach to the normal seat, fastened with buckles, airy, non-absorbent filling material in set for OrthoFlex mesh seat for customized cushion	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS SIZUBZPOS SIZUBZPOS	
ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m seat points in seat m seat points in seat p	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 11 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to sesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard sesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags Taution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). The BergoMesh (discontinued item) for ErgoMesh seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh HS seat with small parts bag, Orthoflex inserts, nent points for Add-on bags The BergoMesh wide 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, nent points for Add-on bags The Gekko, Gekko fx 20, Gekko fx 26 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags The Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags The Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered do attach to the normal seat, fastened with buckles, airy, non-absorbent filling material in set for OrthoFlex mesh seat for customized cushion lest retrofit kit usable as lap belt or 4- or 5-point belt for mm / 3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS	5 5 5
ErgoMe position 17", 5° prepare Ca seat m seat m attachm seat m attachm seat m attachm seat m seat m attachm seat m seat pi	lesh seat 2022 with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS seat 2022 11 cm / 4.3" higher position than the standard ErgoMesh seat, 14 cm / 5.5" higher in than the BodyLink seat, width 38 cm / 15", 5° greater backrest adjustment range compared to sesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest than the standard sesh seat, with seat cover, Orthoflex inserts, prepared for add-on bags lesh HS XL seat 2022 5 cm / 2" wider with 3 cm / 1.2" longer seat and backrest, 11 cm / 4.3" higher in than the standard ErgoMesh seat, 14 cm / 5.5" higher position than the BodyLink seat, width 43 cm / greater backrest adjustment range compared to ErgoMesh XL seat, with seat cover, Orthoflex inserts, and for add-on bags Taution: ErgoMesh (Premium) HS and HS XL seats are not allowed on Scorpion fs 26 S-Pedelec (SFE). The BergoMesh (discontinued item) for ErgoMesh seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh XL seats, with zip-pocket lesh ErgoMesh wide (discontinued item) for ErgoMesh HS seat with small parts bag, Orthoflex inserts, nent points for Add-on bags The BergoMesh wide 2022 for ErgoMesh seat and ErgoMesh HS seat with small parts bag, Orthoflex inserts, nent points for Add-on bags The Gekko, Gekko fx 20, Gekko fx 26 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags The Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, reinforced in the folding area, ment points for Add-on bags The Gekko 2022 for Gekko 26, Gekko fx 20 and Gekko fx 26, additional comfortably upholstered do attach to the normal seat, fastened with buckles, airy, non-absorbent filling material in set for OrthoFlex mesh seat for customized cushion lest retrofit kit usable as lap belt or 4- or 5-point belt for mm / 3" skater style, for Gekko fx 20 (from 11/2014), Gekko fx 26 and Gekko fxs, black, to roll a	SIKONEPS2 SIKONEL2 SIKONELP2 SIZUBZNE SIZUBZNEL SIZUBZNE2 SIZUBZNEL2 SIZUBZNEG2 SIZUBZNES SIKIGEF SIZUBZPOS SIZUBZPOS SIZUBZPOS	

NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
	<u> </u>		

mesh seat acessories		
headrest for mesh seats aluminium, removable cushion, washable at 30°C, adjustable in angle and height,	SIHPKNESK	189.00
with quick release levers, suitable for riders taller than 140 cm / 55"	AUIDIALEIAD	
cushion for mesh seat headrest mesh material	SIHPKNEKP SIZUAPKO	35.00
adjustable end stops for positioning the backrest 0° – 4° from middle position	SIZUAPRO	19.0
seat angle adapter set GEN/GEL/GEF, ErgoMesh Premium Adapter to adjust the backrest in 9° more	SIZODV	119.00
upright position, with quick release quick release for seat angle adapter longer quick release for seat angle adapter (SIZUBV), black	SSM5X125	14.0
cushion for ErgoMesh and ErgoMesh HS seat	SIZUNEKI	22.0
cushion for ErgoMesh XL and ErgoMesh HS XL seat	SIZUNELKI	22.0
Orthoflex cushion set for ErgoMesh seats for ErgoMesh seats for customized cushion, one completet set	SIZUBZPOPS	14.9
seat plate ErgoMesh Premium for mounting on the backrest	SIBLEP	29.0
seat adapter Delta tx for mounting HP VELOTECHNIK seats on the frame of the Delta tx	SIADDET	279.0
seat for Spirit		
mesh seat complete with seat mesh, seat cushion, sliding blocks, quick releases, without seat rail	SIHPSRTKO	489.0
seat cushion	SIKIWAF	89.0
seat mesh with reflective strips and seat bag	Z80024	89.0
sliding block for seat rail, hard anodized	Z80022	13.5
quick release and seat mount bushes		
quick release skewer for Gekko upper seat connection M5 x 112, black, with chamfer	SSM5X112G	18.0
quick release skewer for upper seat connection M5 x 112, blue lever, basic specification for Gekko fxs	SSM5X112B	14.0
quick release skewer for lower seat adjustment M6, blue, for Gekko fxs	SSM6X150SB	22.0
quick release skewer for lower seat connection M5 x 88	SSM5X88K	24.0
quick release skewer for middle seat connection M5 x 122	SSM5X122K	24.0
quick release skewer for middle seat connection for GHF M5 \times 122 with folding buffer	SSM5X122GK	26.0
quick release skewer for upper seat connection M5 x 112, black, replaces M6 x 115	SSM5X112	14.0
quick release skewer for upper seat connection M5 x 112, with folding buffer, basic specification for SFL, SFN and SFE (Only until 02/2020)	SSM5X112K	35.0
bushing lower seat connection with large outside diameter, black anodized	SIBUU	9.0
bushing middle seat connection black anodized	SIBUR	9.0
bushing upper seat connection collar 2 mm thick and long hole, grey, hard anodized	Z14075	5.0
bushing upper seat connection collar 4 mm thick, round hole, from 01/2011, black anodized	SIBUO	4.9
bushing upper seat connection for Gekko 26, Gekko fxs, Gekko fx 20 and Gekko fx 26	SIBUOG	4.9
bushing spacer stainless steel, for upper seat connection quick release lever	D3BUS8_6	2.0
waterbottle sets		
waterbottle set for BodyLink seat with bottles, bottle cages and bottle cage adapter, for Grasshopper / fx, Streetmachine Gte, Scorpion / 2 without electric assist, mounted on frame	TFSETGHP	79.0
waterbottle set for BodyLink seat with bottles, bottle cages and bottle cage adapter, mounting on seat	TFSETSCF	79.0
waterbottle set ErgoMesh seat and Gekkos with bottles, bottle cages and bottle cage adapter, for	TFSETEM	79.0
Grasshopper / fx, Streetmachine Gte, Speedmachine, Gekko / fx 20 / 26 / fxs, Scorpion / 2 / fx / fs 20 / fs 26 /		
plus 20 / plus 26 / fs 26 S-Pedelec		
bottle cage adapter SCX / SFL Adapter plate for mounting water bottle holders on the BodyLink seat, anodised black	TFHASCX	35.0
bags and transport covers		'
Microbag for BodyLink seat (not for Scorpion fs 26 and Scorpion fs 26 S-Pedelec), detachable, also as hip bag,	TABLMB	49.0
I litre volume, with reflective strips		
Add-on bags for mesh seat for all mesh seats from 2022 except GES, I pair, mounts to the backrest, I bag water repellent, I bag ventilated, I.4 liters per bag, can only be mounted in pairs	TAEPPA	79.0
	TASHGHF	119.0
transport cover GHF with carrying strap, for folded Grasshopper fx	IASHUHF	
transport cover GHF with carrying strap, for folded Grasshopper fx transport cover ripstop nylon, for all foldable HP VELOTECHNIK trikes	TASHSCF	
transport cover GHF with carrying strap, for folded Grasshopper fx transport cover ripstop nylon, for all foldable HP VELOTECHNIK trikes rain cover for all HP VELOTECHNIK seats, ripstop nylon fabric, blue. Best protection against rain and dirt.		95.0 25.0



NEW indicates an item that is new in specification indicates an item that is discountable ordercode
 indicates an item that is new in price
 sugg.
 retail

	locks		
NEW	AXA frame lock retrofit set AXA Imenso large for Delta tx, including frame adapter	SCRAXVDS	73.00
	AXA frame lock retrofit set AXA Victory for all models of the Scorpion family, incl. frame adapter	SCRAXVSS	73.00
	AXA frame lock retrofit set AXA Victory for all models of the Gekko family, incl. frame adapter plate	SCRAXVGS	79.00
	lock chain Axa Victory length 100 cm / 40"	SCEAX100	35.00
	lock chain AXA Imenso large for Delta tx, lenght 100 cm / 40"	SCEAXU100	35.00
	forks 20" ISO 406		
	SPINNER Grind2 disc for disc brake, steel coil spring / MCU elastomers, 45 mm / 1.8" travel, external preload adjuster, IS2000 disc brake bracket, I" steel steerer, length 245 mm / 9.6", for A-head headsets, non-threaded, 1860 g / 4.1 lbs	FG1AGR2SD	239.00
	CONCEPT fork with steel coil suspension, 50 mm / 2" travel, external damping adjuster, Cantilever brakets and IS2000 disc brake bracket, aluminium, 40 mm / 1.6" steerer, can not be shortened, 1050 g / 2.3 lbs, for Speedmachine only, fork comes without spring, please order spring separately	FGCS2SPM2	559.00
	rigid fork aluminium, 40 mm / 1.57" aluminium steerer, silver, fits Speedmachine only	FG8A2SPMSI	359.00
	front suspension parts and accessories		
NEW	front suspension struts servicekit most frequently needed spare parts. 2 rubber strut bearings, 2 support discs, 2 shock boots black and 2 blue, 2 upper and 2 lower sealing rings, 2 damping strips soft and 2 hart, 2 teflon sheets, 2 bottom elastomers, 2 end stop, 2 end stop stretchings, 2 axial bearings, 10 elastomers hard and 10 soft, 2 headset covers, 2 spacer bushings, 2 preload adjusters.	LTFBSER	149.00
	springs for forks		1
	spring hard coil spring for SPINNER Grind2, single piece	FGZUGRFH	16.90
	spring hard coil spring for SPINNER Grind AL, single piece	FGZUGRAFH	15.90
	spring for CONCEPT headset-suspension system, SPM, (from 11/2005), red, medium	FGZUCSFM	15.00
	spring for CONCEPT headset-suspension system, SPM, (from 11/2005), yellow, hard	FGZUCSFH	15.00
	accessories for spring forks	770024	
	upper bearing for CONCEPT fork 39,8x52x7 mm for Speedmachine frames before serial no. HP0709SPMxxxx LD0709SPMxxxx	Z70031 Z7003	39.00
	lower bearing for CONCEPT fork 40x52x7 mm from frame number HP0709SPMxxxx, and headset for Speedmachine rigid forks from 2017 onwards	27003	15.00
	adapter for indirect steering for SPINNER forks with 1"steel steering tube, will be inserted from the bottom into the steering tube for Grasshopper / fx	LTADGR1	75.00
	front suspension Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec / plus 20 / plus 26		
	coil spring standrad for front suspension struts, up to 90 kg / 198 lbs, red	FGZUFESFS1	15.90
	coil spring hard for front suspension struts, above 90 kg / 198 lbs, yellow	FGZUFESFS2	15.90
	MCU elastomer spring hard for front suspension struts, 12 mm / 0.47", for SFS, SPS	FGZUELSFS1	3.50
	MCU elastomer spring soft for front suspension struts, 13,5 mm / 0.53" for SFL, SPL, SFE	FGZUELSFS2	3.50
	spacer for front suspension struts, instead of MCU elastomer spring, for suspension adjustment	FGZUESSFS1	1.20
	shock boot for front suspension struts, black	FGZUFBSFS	10.00
	shock boot for front suspension struts, blue	FGZUFBFSBL	10.00
	anti-roll bar for SFS, SFL, SFN, SFE standard, up to 90 kg / 198 lbs, blue (until 10/2018 white), w/o bracket	FGZUSTM	59.00
	anti-roll bar for SFS, SFL, SFN, SFE hard, above 90 kg / 198 lbs, grey, w/o bracket	FGZUSTHM	59.00
	anti-roll bar for SPS, SPL standard, up to 90 kg / 198 lbs, blue (until 10/2018 white), w/o bracket	FGZUSTPSM	59.00
	anti-roll bar for SPS, SPL hard, above 90 kg / 198 lbs, grey, w/o bracket	FGZUSTPHM	59.00
	anti-roll bar bushing two bundles, black	FGZUSTBU	5.00
	anti-roll bar bracket with bushing	FGZUSTHB	22.50
NFW	•	LTDLSFS	16.00
NEW		FGZUSTSFS	
NEW	support disc for rubber strut bearing is placed under the rubber strut bearing in the Scorpion fs suspension	STSZUAS1	4.00
NEW	cover suspension strut for Scorpion is suspension struts		4.90
NEW	spring preload adjusting disc for Scorpion fs struts	FGZUPASFS	12.00
NEW	upper cover for strut mount made of foam rubber for the support bearing on Scorpion fs suspension struts	KUGUASO	2.50
NEW	lower cover for strut mount made of foam rubber for the support bearing on Scorpion fs suspension struts	KUGUASU	2.50
NEW	damping strip soft 1,6 mm, for Scorpion fs suspension struts	FGZUDSSFS1	3.50
NEW		FGZUDSSFS2	3.50
NEW	axial needle bearing between spring disc and spring for Scorpion fs sespension struts	D3LAAX0619	7.90

% indicates an item that is di	ew in specification scountable	ordercode	sugg.
indicates an item that is ne			retail
	ng for rebound on the Scorpion fs suspension strut	FGZURFSFS	2.80
	ebound on the Scorpion fs suspension strut	FGZURBSFS	5.00
foil insert between stanch	ion tube and spring to avoid noise production	FGZUEFO	3.5
rear shocks			
	without spring, black length 150 mm / 5.9", eyelet width 24 mm / 0.94" and 34 mm / s any SRT from 11/2004, GHF, SMGTe, SPM, SCO, SCO2, SCF, SCF2, SFS, SFL, SFN,	FELMM22	59.90
	Monarch RL lightweight air suspension shock (215 g / 0.47 lbs), adjustable incl. spacer bushings, length 152 mm / 6", eyelet width 24 mm / 0.94" and 34 mm /	FLELRSMO	349.0
1.3", travel 30 mm / 1.18" fi	ts any SRT from 11/2004, GHF, SMGTe, SPM, SCO, SCO2, SCF, SCF2, SFS, SFL,		
bolt set diameter = 8 mm,	32 and 41 mm threaded sleeves and screws	Z5015	10.0
spring travel reducer cli	p for shock DNM DV-22 to attach to the piston rod, thickness 5 mm	FECL	1.2
spring for DNM DV-22, sp	ring rate 350 lbs/inch, approx. 83 mm long, black	Z5010	19.0
spring for DNM DV-22, sp	ring rate 450 lbs/inch, approx. 83 mm long, black	Z5011	19.0
spring for DNM DV-22, sp	ring rate 550 lbs/inch, approx. 83 mm long, black	Z5012	19.0
spring for DNM DV-22, sp	ring rate 650 lbs/inch, approx. 83 mm long, black	Z50121	19.0
spring for DNM DV-22, sp	ring rate 850 lbs/inch, approx. 83 mm long, black	Z50122	19.0
spring for DNM DV-22, sp	ring rate 1000 lbs/inch, approx. 83 mm long, black	Z50124	19.0
spring for DNM DV-22, sp	ring rate 450 lbs/inch, approx. 83 mm long, blue	Z5011B	19.0
spring for DNM DV-22, sp	ring rate 550 lbs/inch, approx. 83 mm long, blue	Z5012B	19.0
	ring rate 650 lbs/inch, approx. 83 mm long, blue	Z50121B	19.0
	ring rate 850 lbs/inch, approx. 83 mm long, blue	Z50122B	19.0
	ring rate 1100 lbs/inch, approx. 83 mm long, blue	Z50123B	19.0
	ring rate 1500 lbs/inch, approx. 83 mm long, blue	Z50125B	19.0
chains			
		KENEKWODD	1
• •	netre (approx. 4 m / 160" needed for HP VELOTECHNIK bikes)	KE8FKMCRB	14.00
• •	metre (approx. 4 m / 160" needed for HP VELOTECHNIK bikes)	KE10FKMC	32.0
chain KMC II speed per	metre (approx. 4 m / 160" needed for HP VELOTECHNIK bikes)	KE11FKMC	35.0
chain connecting link 8	speed for KMC chains, silver-coloured	KEZUCOKMC8	2.9
chain connecting link 10	speed for KMC chains, titan-coloured	KEZUCKMC10	2.6
chain connecting link I I	speed for KMC chains, gold-coloured	KEZUCKMC11	2.6
idlers and accesso	ries		
idler complete set, fits all r	nodels except SMGt	KLRSPM	39.0
idler complete set for SMC	·	KLRSMGT	49.0
•	wear part, 2 pcs. neccessary	Z70071	1.2
rubber layer for idler on		Z1508	10.0
	um, to mount between frame and idler, protects the idler and prevents chain jump	Z7009	7.0
•	GEF, GEL aluminium, to mount between frame and idler, protects the idler and	KFGEF	12.0
chain catch hook alumini		IN OLI	12.0
chain catch hook alumini chain catch hook GES, (prevents chain jump		D1026	
chain catch hook alumini chain catch hook GES, (prevents chain jump idler bolt DIN912 M8x80	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005	D1036	
chain catch hook alumini chain catch hook GES, (prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x80	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE	D1064	2.2
chain catch hook alumini chain catch hook GES, 0 prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL	D1064 D1114	2.2 3.3
chain catch hook alumini chain catch hook GES, 0 prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN9171	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005	D1064 D1114 D1028	2.2 3.3 1.1
chain catch hook alumini chain catch hook GES, 0 prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN9171	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL	D1064 D1114	2.2 3.3 1.1
chain catch hook alumini chain catch hook GES, 0 prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN917 I spacer between idler and f	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005	D1064 D1114 D1028	2.2 3.3 1.1
chain catch hook alumini chain catch hook GES, 0 prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN917 I spacer between idler and for	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005 rame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF	D1064 D1114 D1028	2.2 3.3 1.1 3.0
chain catch hook alumini chain catch hook GES, 0 prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN917 I spacer between idler and for chain protection to	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005 irame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF ubes and accessories	D1064 D1114 D1028 Z5001	2.2 3.3 1.1 3.0
chain catch hook aluminichain catch hook GES, Coprevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN917 I spacer between idler and for chain protection to chain tube set Delta tx flupper chaintube SPM, Copression of the competition of	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005 rrame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF ubes and accessories anged edges, incl. rubber support	D1064 D1114 D1028 Z5001 KSRDETS	2.2 3.3 1.1 3.0 47.5 32.0
chain catch hook alumini chain catch hook GES, G prevents chain jump idler bolt DIN912 M8x80 idler bolt DIN6912 M8x60 idler bolt DIN6912 M8x70 cap nut for idler DIN917 I spacer between idler and f chain protection t chaintube set Delta tx fl upper chaintube SPM, G (33 / 11") with PU hose upper chaintube GHF fla	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005 Frame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF ubes and accessories anged edges, incl. rubber support STE, SMGT, GHP, SCO, GEK flanged edges, with mounting springs, 85 / 28 cm	D1064 D1114 D1028 Z5001 KSRDETS KSRSPMO	2.2 3.3 1.1 3.0 47.5 32.0
chain catch hook aluminic chain catch hook GES, Coprevents chain jumpidler bolt DIN912 M8x80 idler bolt DIN6912 M8x70 cap nut for idler DIN917 spacer between idler and for chain protection to chain tube set Delta tx flupper chaintube SPM, Compared to the	12.9 high strength, zinc plated, for GHP, GHF, SPM before 11/2005 DA2, stainless, for GTE, SMP from 10/2005, SCO, SCF, SCF2, SFS, SFL, SFN, SFE DA2, stainless, for GEN, GEK, GES, GEF, GEL, SPS, SPL M8x45A2, stainless, for GHP, GHF, SPM before 11/2005 Frame, ID 8,5 mm, OD 12 mm, length 12 mm, for GHP, GHF ubes and accessories anged edges, incl. rubber support STE, SMGT, GHP, SCO, GEK flanged edges, with mounting springs, 85 / 28 cm anged edges, foldable, with mounting springs, 100 / 28 cm (39 / 11") with PU hose	D1064 D1114 D1028 Z5001 KSRDETS KSRSPMO KSRGHFO	2.1 2.2 3.3 1.1 3.0 47.5 32.0 32.0 32.0 32.0



%	indicates an item that is new in specification indicates an item that is discountable	ordercode	sugg.
\$	indicates an item that is new in price		retail
	upper chaintube SCF, SCF2, SFS flanged edges, foldable, with mounting springs, 85 / 28 cm (33 / 11") with	KSRSCFO	32.00
	U hose	Keberi O	22.00
	upper chaintube SFL, SFN, SFE flanged edges, foldable, with mounting springs, 80 / 50 cm (31 / 19") with the boundary of the b	KSRSFLO	32.00
	upper chaintube SPS flanged edges, foldable, with mounting springs, 80 / 38 cm (31 / 14") with PU hose	KSRSPSO	32.00
	upper chaintube SPL flanged edges, foldable, with mounting springs, 80 / 50 cm (31 / 19") with PU hose	KSRSPLO	32.00
			l I
	ower chaintube GTE, SMGT, GHP flanged edges, incl. rubber support, 125cm (49")	KSRGTU	19.00
	ower chaintube SPM, SCO flanged edges, incl. rubber support, 125cm (49")	KSRGTU2	24.00
le	ower chaintube GHF flanged edges, incl. rubber support, 125cm (49")	KSRGHFU	24.00
	ower chaintube GEF, GES flanged edges, incl. rubber support, 125cm (49")	KSRGEFU	24.00
	ower chaintube GEL flanged edges, incl. rubber support, 144cm (56")	KSRGELU	24.00
	ower chaintube SCO2 flanged edges, incl. rubber support, 144cm (56")	KSRSCBU	24.00
	ower chaintube SCF, SCF2 flanged edges, incl. rubber support, 125cm (49")	KSRSCFU	32.00
	ower chaintube SFS, SFL, SFN, SFE flanged edges, foldable, incl. rubber support, 125cm (49")	KSRSFSU	24.00
	ower chaintube SPS flanged edges, foldable, incl. rubber support	KSRSPSU	32.00
	ower chaintube SPL flanged edges, foldable, incl. rubber support, 125cm (49")	KSRSPLU	32.00
IC	ower chaintube GEN flanged edges, incl. rubber support, 144cm (56")	KSRGENU	24.00
c	hain tube SRT upper or lower, per piece, flanged edges, 100cm (39")	KSRSRT	24.00
	hain tube set SRT containing holder	KSRSRTSET	52.00
	Ç		l I
	chaintube mounting strap for guiding the chain	KSRHSSRT	6.00
	chaintube mounting spring front for upper chaintube, without rubber sleeve (KSMTGUT)	KSMTFDV	7.50
	chaintube mounting spring rear for upper chaintube, without rubber sleeve (KSMTGUT)	KSMTFDH	7.50
	ubber sleeve for chaintube mounting spring for fixing the spring on the chaintube	KSMTGUT	2.50
	PUR-tube 150 mm / 5.9", black, chaintube connection in the folding area	KUSLP01	3.90
	chaintube holder incl. rubber sleeve and bracket	RSK	6.50
	nounting sheet for chaintube holder	Z2006	7.90
	nounting for chain tube bracket on SRT	Z7006	6.90
t	elescope set chain protection tube for length adjustment of the chain protection tube	KSRTK	35.00
	cranksets, chainrings, freewheel sprocket		
	rankset single 32 teeth, two chainring protection discs aluminium, 115 mm / 4.5", black		
c		KBG1F32115	89.00
	rankset single 32 teeth, two chainring protection discs aluminium, 135 mm / 5.3", black	KBG1F32115 KBG1F32135	89.00 89.00
c	rankset single 32 teeth, two chainring protection discs aluminium, 135 mm / 5.3", black rankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black		
c	31	KBG1F32135	89.00
c	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black	KBG1F32135 KBGKTRE39	89.00 89.00
c c	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black	KBG1F32135 KBGKTRE39 KBGKTRE39K	89.00 89.00 99.00
c c c	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF	89.00 89.00 99.00 89.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46	89.00 89.00 99.00 89.00 99.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF	89.00 89.00 99.00 89.00 99.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52	89.00 89.00 99.00 89.00 99.00 99.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR3F KBGKTR3F KBG3F53S KBG3F654	89.00 89.00 99.00 89.00 99.00 109.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR3F KBG3F53S	89.00 89.00 99.00 89.00 99.00 109.00 109.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR3F KBGKTR3F KBG3F53S KBG3F654	89.00 89.00 99.00 89.00 99.00 109.00 109.00 99.00 240.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBG3F654	89.00 89.00 99.00 89.00 99.00 109.00 109.00 99.00 240.00 265.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR3F KBGKTR3F KBG3F53S KBG3F654 KBGKF654 KBCH60Z	89.00 89.00 99.00 89.00 99.00 109.00 109.00 99.00 240.00 265.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protecting disc, black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR3F KBGKTR3F KBG3F53S KBG3F654 KBG3F654 KBGK5F654 KBCH60Z KBBLS838K	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protecting disc, black chainring 60 teeth with integrated chain protecting disc, black chainring E6100 / E8000 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 38T completely assembled chainring E6100 / E8000 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 50T completely assembled	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBG4F654 KBGKBSF654 KBGKBSF654 KBGKBSF654	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protecting disc, black chainring 60 teeth with integrated chain protecting disc, black chainring 60 teeth with integrated chain protecting disc, black chainring E6100 / E8000 / EP8 / EP801 Cargo 38 teeth Chainring STEPS 38T completely assembled chainring E6100 / E8000 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 50T completely assembled chainring 38 teeth completely mounted	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBG4F654 KBCH60Z KBBLS838K KBBLS850K KBBLS850K KBBLS850K	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00 62.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protecting disc, black chainring 60 teeth with integrated chain protecting disc, black chainring E6100 / E8000 / EP8 / EP801 Cargo 38 teeth Chainring STEPS 38T completely assembled chainring E6100 / E8000 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 50T completely assembled chainring disc light for 50-52 teeth chainring, 52 g / 0.11 lbs, threads on chainring must be drilled by sustomer, incl. screws and washers, black cottom bracket for all models except Spirit	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBG4F654 KBCH60Z KBBLS838K KBBLS838K KBBLS850K KBBLS850K KBBLS850K	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00 62.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protecting disc, black chainring 60 teeth with integrated chain protecting disc, black chainring E6100 / E8000 / EP8 / EP801 Cargo 38 teeth Chainring STEPS 38T completely assembled chainring E6100 / E8000 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 50T completely assembled chainring disc light for 50-52 teeth chainring, 52 g / 0.11 lbs, threads on chainring must be drilled by ustomer, incl. screws and washers, black cottom bracket for all models except Spirit chainguard chainring protection, maximum 54 teeth, mounted at the bottom bracket, aluminium, black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBGK5F654 KBCH60Z KBBLS858K KBBLS850K KBBLS850K KBBF38 KBZUKR52SE ILSR113SQ RMSKO	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00 62.00 69.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset ring 60 teeth with integrated chain protection for Cargo 38 teeth Chainring STEPS 38T completely assembled chainring 60 teeth with integrated chain protection for 50-52 teeth chainring, 52 g / 0.11 lbs, threads on chainring mu	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBG4F654 KBCH60Z KBBLS838K KBBLS838K KBBLS850K KBBLS850K KBBLS850K	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00 62.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protecting disc, black chainring 60 teeth with integrated chain protecting disc, black chainring E6100 / E8000 / EP8 / EP801 Cargo 38 teeth Chainring STEPS 38T completely assembled chainring E6100 / E8000 / EP8 / EP801 Cargo 50 teeth Chainring STEPS 50T completely assembled chainring disc light for 50-52 teeth chainring, 52 g / 0.11 lbs, threads on chainring must be drilled by ustomer, incl. screws and washers, black cottom bracket for all models except Spirit chainguard chainring protection, maximum 54 teeth, mounted at the bottom bracket, aluminium, black	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBGK5F654 KBCH60Z KBBLS858K KBBLS850K KBBLS850K KBBF38 KBZUKR52SE ILSR113SQ RMSKO	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00 62.00 69.00
	crankset single 39 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 39 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 46 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 46 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset single 52 teeth, two chainring protection discs aluminium, 170 mm / 6.7", black crankset single 52 teeth, two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth two chainring protection discs aluminium, 155 mm / 6.1", black crankset triple 52-42-30 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.7", black crankset triple 60-52-40 teeth with integrated chain protection ring, 170 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset triple 60-52-40 teeth with integrated chain protection ring, 155 mm / 6.1", black crankset ring 60 teeth with integrated chain protection for Cargo 38 teeth Chainring STEPS 38T completely assembled chainring 60 teeth with integrated chain protection for 50-52 teeth chainring, 52 g / 0.11 lbs, threads on chainring mu	KBG1F32135 KBGKTRE39 KBGKTRE39K KBGDORF KBGKTR46 KBGSRTRF KBGKTR52 KBGKTR52 KBGKTR3F KBG3F53S KBG3F654 KBGK5F654 KBCH60Z KBBLS858K KBBLS850K KBBLS850K KBBF38 KBZUKR52SE ILSR113SQ RMSKO	89.00 89.00 99.00 89.00 99.00 109.00 109.00 240.00 265.00 129.00 145.00 62.00 69.00

NEW	indicates an item that is new in specification		sugg.
%	indicates an item that is discountable	ordercode	
5	indicates an item that is new in price		retail

front boom quick adjust		
front boom quick adjust with quick release levers, for chain length compensation when front boom is	RTZUSV	249.00
adjusted, incl. length adjustable upper chain protection tube, for all models except Speedmachine, Spirit and Gekko fxs		
front boom quickadjust without chain length compensation quick release for the bottom bracket boom	RTZUSVO	59.0
front boom quick adjust for Gekko fxs with quick release levers, for chain length compensation when front boom is adjusted, incl. length adjustable upper chain protection tube	RTZUSVGES	249.0
front boom quick adjust STEPS E5000 / E6100 / E8000 / EP8 / EP801 Cargo with quick release levers, for chain length compensation when front boom is adjusted, incl. length adjustable upper chain protection tube	RTZUSVS8	249.0
	KLKO42X6E	1 150
front boom quick adjust chain idler 42x6 mm complete including bearing and O-ring front boom quick adjust O-RING for front boom quick adjust chain idler	D3GUOR22	0.6
PINION		
PINION retrofit set 20" PINION C1.12 gearbox with 46T chainwheel, chainwheeldiscs, 170 mm / 6.7"	TGSET20	2,540.0
cranks, black anodized front boom, twist shifter with long grip, HP chaintensioner, 28T rear chainring, spacerset		
for cassettehubs, w/o rear wheel, not compatibel with internal gear hubs due to high torque PINION retrofit set 26" PINION C1.12 gearbox with 46T chainwheel, chainwheeldiscs, 170 mm / 6.7"	TGSET26	2,540.0
cranks, black anodized front boom, twist shifter with long grip, HP chaintensioner, 36T rear chainring, spacerset		
for cassettehubs, w/o rear wheel, not compatibel with internal gear hubs due to high torque		
PINION chainring disc set for 46 teeth chainring, 2 discs for in-and outside, threads on chainring must be	KBZUKR46SE	69.0
drilled by customer, incl. screws and washers, black anodized chainring 46 teeth for PINION 4 arm, 104mm BCD	KBTR46Z	26.5
rear chainring 28 teeth for PINION for cassette hubs, aluminium 7075, black	ZK1PI28	66.3
rear chainring 36 teeth for PINION for cassette hubs, aluminium 7075, black	ZK1PI36	66.3
PINION crank arms for PINION gearbox, length 170 mm / 6.7", price per pair	KBKUPI170	220.0
PINION crank arms for PINION gearbox, length 155 mm / 4.5", price per pair	KBKUPI155	340.0
rear chainring spacer for PINION for 8 / 9 / 10-speed cassette hubs, aluminium, black, 2 pieces required	ZKZUSPPI	9.0
lockring for spacer set for PINION aluminium, black	ZKZUVR	9.2
PINION shifter, long version for HP VELOTECHNIK	SH12PIL	245.00
gear system, Cable routing		
ROHLOFF shifter, long version for HP VELOTECHNIK	SH14RFSHL	210.0
STURMEY ARCHER bar end shifter for TRIPLESHIFT internal gear hub	SH3SALE	17.3
MICROSHIFT bar end shifter 10 speed for 10-speed Shimano MTB rear derailleurs	SH10MSLE	75.0
MICROSHIFT bar end shifter 3 speed for 3-speed front derailleurs	SH3MSLE	85.0
HP VELOTECHNIK chaintensioner, long version big capacity and 14T pulleys, ball bearings, 95mm / 3.7" long, necessary for PINION, ROHLOFF or STEPS on Scorpion plus 20 / plus 26	SWKSHP	129.0
front derailleur MICROSHIFT 439B silver, clamping diameter 31.8 / 28.6 mm	UWMSR438B	45.0
cable guide 5 mm, to be fixed with bolt	Z1105	0.4
cable guiding sleeve for 8mm holes	Z1108	0.2
derailleur cable protection bellow and sealing for front derailleur cable	SZSRNC	1.7
cable stop for shifting cable, screw on attachement, with adjustment screw	SZZA BZR130	5.9 3.5
cable guide pipe 130° for shifting cable in front boom	ZUMASET	I I
cable fastening Delta tx Magnetic cable attachment brakes	ZUMAGLI	17.00
brake Riderever Cargo-D coupled coupled hydraulic brake for two wheels, 3 finger lever, 2 pistons, with	BRSBRVDGL	329.0
pads, non-mirrored brake Riderever Cargo-D coupled left Delta tx left side, coupled hydraulic brake for rear wheels on Delta	BRSBRVDGLL	329.0
tx, 3 finger lever, 2 pistons, with pads, non-mirrored brake Riderever Cargo-D coupled right Delta tx right side, coupled hydraulic brake for rear wheels on	BRSBRVDGLR	329.0
	-	22.0
Delta tx, 3 finger lever, 2 pistons, with pads, non-mirrored	DDODDODY	
	BRSBBSRV16 BHVBDR	15.9 36.0

p. 4 email: sales@hpvelotechnik.com fax: +49 6192 - 97 99 2 - 299



% \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is discountable	ordercode	sugg. retail
,	indicates an item that is new in price		
	brake lever with locking knob, right lever (mounted on left side with under seat steering)	BHVBPMLR	20.00
	brake lever with locking knob, left lever (mounted on right side with under seat steering)	BHVBPMLL	20.00
	double brake lever adapter set to mount a second brake lever on a parallel running handlebar piece, for	LEZUDBK	40.00
	one-hand operation		
5	parking brake for trikes retrofit kit with lever, V- brake, brake cable, cantilever sockets	BRPBS	65.00
	parking brake lever thumb switch for actuating the parking brake	SH3DS1	14.00
	hook and loop strap to use standard brake levers as parking brake	KUKLBRST	3.20
	brakeadapter "Copilot" for second cable brake lever actuation (i.e. companion bar)	BZADB	49.00
5	brake cable seal SnakeSeal for 2 brake cables, retrofit kit	BZSSKO	29.00
	brake pad TEKTRO \$20.11 fits Auriga / Auriga Twin disc brakes, 1 pair with spring, green organic	BRBTEAU	20.00
	compound, low noise, for one piece caliper		
\$	brake pad TEKTRO E10.11 fits Auriga / Auriga Twin disc brakes, I pair with spring, organic compound, low	BRBTEAU3	27.00
	noise, for 2-piece bolted brake caliper "XT-Dächle" brakelever cover neopren, black, fits SHIMANO and TEKTRO brakelevers, I pair	BHZUDA	16.00
NFW	Tektro 160 mm brake disc for S-Pedelecs	BRSBBSTE2	20.00
712.77	Textio 100 Hill blake disc to 3-1 edelecs	BRODBOTEL	20.00
	handlebars for two wheelers		
	Important: All handlebars and stems are for recumbent use only, not for upright use.		
	handlebar for under seat steering SMGTe, 60 cm / 23.6" wide, straight ends, steel, chrome finish, for	LEULGTERFS	37.00
	ROHLOFF and PINION		
	handlebar for under seat steering SMGTe, 65 cm / 25.6" wide, straight ends, steel, chrome finish, required	LEULGTERF	37.00
	for ErgoMesh seats		
	handlebar for under seat steering GHF, SPM, 55 cm / 21.6" wide, straight ends, aluminium	LEHPGHP	65.00
	handlebar for above seat steering SPM, SMGTe, GHF, tiller, 60 cm / 23.6" wide, aluminium, black	LEHUSPM LEOLSPMAE2	29.00
	handlebar for above seat steering SPM, GHF, aerobar, 60 cm / 23.6" wide, aluminium, black	LEULSFWAEZ	37.00
	stems for two wheelers		
	under seat steering retrofit kit Grasshopper SPINNER GRIND2 handlebar, stem, fork adapter, track	LEGHFULKIT	360.00
	rod, bolts		
	under seat steering retrofit kit Speedmachine handlebar, stem, fork adapter, track rod, bolts	LESPMULKIT	389.00
	handlebar retrofit kits for two wheelers		
	stem for under seat steering A-Head	VBHPGTEAH1	F0.00
	5		59.00
	stem for under seat steering A-Head	VBHPGTAH1	49.90
	stem for under seat steering A-Head stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish		
	-	VBHPGTAH1	49.90
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish	VBHPGTAH1 VBKOULGHF OLVBGHP	49.90 235.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK	49.90 235.00 289.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF	49.90 235.00 289.00 99.00 335.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2	49.90 235.00 289.00 99.00 335.00 269.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF	49.90 235.00 289.00 99.00 335.00
s	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2	49.90 235.00 289.00 99.00 335.00 269.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005	49.90 235.00 289.00 99.00 335.00 269.00 249.00
<i>\$</i>	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM	49.90 235.00 289.00 99.00 335.00 269.00 249.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004	49.90 235.00 289.00 99.00 335.00 269.00 249.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, I/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering)	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, I/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes Important: All handlebars and stems are for recumbent use only, not for upright use.	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L LGKKA6D2	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00 12.00 16.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, I/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes Important: All handlebars and stems are for recumbent use only, not for upright use. handlebar Delta tx Aluminum	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00 12.00 16.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes Important: All handlebars and stems are for recumbent use only, not for upright use.	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L LGKKA6D2	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00 12.00 16.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, 1/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes Important: All handlebars and stems are for recumbent use only, not for upright use. handlebar Delta tx Aluminum handlebar for under seat steering for all Scorpions and Gekko fxs two-piece design for width-	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L LGKKA6D2	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00 12.00 16.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to I 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, I/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes Important: All handlebars and stems are for recumbent use only, not for upright use. handlebar for under seat steering for all Scorpions and Gekko fxs two-piece design for width-adjustable stem, aluminium, black	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L LGKKA6D2 LEOLDET LEULSCO2TL	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00 12.00 16.00
	stem for under seat steering GHF, SPM, adjustable length, w/ bearings, spacer, cap, titan finish folding stem for above seat steering GHF, SMGTe, I" A-Head clamp, Glideflex-sprocket stem part from TERRACYCLE, telescopically adjustable height, aluminium, black stem for above seat steering SRT, telescopically adjustable height, clamps to 1 1/8" steerer, aluminium, black stem for Aerobar GHF, adjustable length, w/ quick release, removable, aluminium, black stem for Aerobar SPM, adjustable length, aluminum, black stem for tillerbar folding stem hinge for above seat steering I" A-Head clamp, I" stem riser, TERRACYCLE Glideflex hinge, for I" stem extension Z20051 folding stem hinge for above seat steering Spirit, I/8" A-Head clamp, I 1/8" stem riser, TERRACYCLE Glideflex hinge, for stem VBHPSRTK quick release skewer for under seat steering stem Grasshopper fx and Speedmachine (VBKOULGHF) rod end M6 for push rod with indirect steering, maintenance free (for SPM, GHF with under seat steering) handlebars for trikes Important: All handlebars and stems are for recumbent use only, not for upright use. handlebar Delta tx Aluminum handlebar for under seat steering for all Scorpions and Gekko fxs two-piece design for width-adjustable stem, aluminium, black handlebar "long" for under seat steering for all Scorpions and Gekko fxs two-piece design for width-	VBHPGTAH1 VBKOULGHF OLVBGHP VBHPSRTK VBKOOLGHF VBHPSPM2 VBHPSPM Z2005 Z8004 SSM6X56L LGKKA6D2 LEOLDET LEULSCO2T	49.90 235.00 289.00 99.00 335.00 269.00 249.00 169.00 12.00 16.00

NEW	indicates an item that is new in specification		sugg.
% \$	indicates an item that is discountable indicates an item that is new in price	ordercode	retail
*	meneauco an recit chac to from in price		
\$	companion bar retrofit kit for active steering and braking, adapter "copilot" enables operation of the rear V-	LEBGSET	439.00
	Brake, removable, not compatible with standing-up aid		
	clamp w/ two bolts, left for mounting of two-piece handlebar	LTKS30BLS	5.90
	clamp w/ two bolts, right for mounting of two-piece handlebar	LTKS30BRS	5.90
	clamp w/ two bolts, full width quick release lever, left for mounting the left long handlebar on the	LTKS30BSLS	26.00
	Scorpion fs 26 / fs 26 Enduro / fs 26 S-Pedelec / plus 20, the long right handlebar on the Gekko fxs as well as		
	the right standard handlebar on the Gekko fxs and the left handlebar on the plus 20 / plus 26, for folding the		
	handlebar during the folding process		
	clamp w/ two bolts, full width quick release lever, right for mounting the long right handlebar on the	LTKS30BSRS	26.00
	Scorpion plus 20 / plus 26, as well as the left handlebar on the Gekko fxs, for folding the handlebar during the		
	folding process		
	inset sheetmetal for double quick release stainless steel	SSZUBL2	1.35
	stems for trikes		
V <i>EW</i>	stem middle part Delta tx for users over 1,60 m / 63" with high seat, all users with low seat	VBROMNDETB	49.00
VEW	stem middle part Delta tx short for users under 1,65 m / 65" with high seat	VBROMHDETB	49.00
VEW	stem Delta tx short complete for users under 1,65 m / 65" with high seat	VBKOKMDET	259.00
VEW	stem Delta tx standard complete for users between 1,60 - 1,95 m / 63 - 76", for all users with a low seat	VBKOSMDET	259.00
NEW	stem Delta tx long complete for users over 1,90 m / 75"	VBKOLMDET	259.00
NEW	stem Delta tx short quick releasecomplete for users under 1,65 m / 65" with high seat, with quick release	VBKOKSDET	259.00
NEW	for easier adjustment stem Delta tx standard quick releasecomplete for users between 1,60 - 1,95 m/ 63 - 76", for all users	VBKOSSDET	259.00
	with a low seat, with quick release for easier adjustment		
NEW	stem Delta tx long quick release complete for users over 1,90 m / 75", with quick release for easier	VBKOLSDET	259.00
NEW	adjustment GLIDEFLEX retrofit kit TERRACYCLE stem, for a folding function of the stem on the Delta tx, cannot be	VBGFSET	239.00
	combined with a long stem		207.00
VEW	Quick release retrofit kit Clamp and lamp holder with quick release, for convenient stem length adjustment on the Delta tx	VBSSDETSET	79.00
		STSZUHA	20.00
	headset adjuster adjustable spacer for adjusting the headset clearance on wheels without A-head cap	LTLDEL	30.00 23.90
	steering damper elastomer body steering damper for mounting between fork and frame on the Delta tx		l I
	stem Scorpion / 2 for two-piece handlebar, ASG, w/o clamps (steering rods before 11/2012 must be	VBSCOAL	129.00
	shortened 3 mm) stem Scorpion fx / fx 2 front axle for two-piece handlebar, ASG, w/o clamps (steering rods before 11/2012	VBSCOALG	129.00
	must be shortened 3 mm), rubber folding buffer		127.00
	stem Scorpion fs 20 for two-piece handlebar, ASG, w/o clamps, from 10/2012, rubber folding buffer, for	VBSF2ALG	129.00
	vehicles before 09/2012 please also order new track rods (LTSSSF2K)		
	stem Scorpion fs 26 / fs 26 Enduro / fs 26 S-Pedelec	VBSF2AL	129.00
	stem lower part for Scorpion plus 20, Scorpion plus 26 black	VBROUTSPS	99.00
	stem upper part for Scorpion plus 20, Scorpion plus 26 black, w/o clamps	VBKOOTSPS	85.00
	stem lower part Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	VBROUTGEF	54.90
	stem upper part Gekko 26, Gekko fx 20, Gekko fx 26 aluminium, black	VBKO8AGEF	35.00
	stem lower part Gekko fxs black	VBROUTGES	54.90
	stem upper part Gekko fxs black	VBKO8AGES	35.00
	tie rods for trikes		
	tie rod SCO, SCO2, SCF and SFS from 10/2012 and SCF2 for steering, with rod ends and rubber cover	LTSSSC2K	39.00
	the rot 300, 3002, 301 and 313 hom rot 2012 and 3012 for seconing, with rot clies and rubber cover		37.00
	tie rod SCO, SCF and SFS before 10/2012 for steering, with rod ends and rubber cover	LTSSSCOK	39.00
	tie rod SFL, SFN, SFE for steering, with rod ends and rubber cover	LTSSSF2K	39.00
	tie rod GES, SPS, SPL for steering, with rod ends and rubber cover	LTSSSPSK	39.00
	tie rod GEF, GEL, GEN for steering, with rod ends and rubber cover	LTSSGEFK	37.00
	rod end M6 for tie rods with all HP VELOTECHNIK trikes, maintenance free	Z20034	9.90
	rubber cover for rod end (I socket head screw D1023, 2 washers D1011, 2 spacers D3BUS86 and one nut	D3GUKA	4.90
	D1017 are required for retrofitting)		,0
	STEPS steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material,	LTLDK	155.00
	for smooth drivability when using E-drive STEPS		



 NEW
 indicates an item that is new in specification
 sugg.


 %
 indicates an item that is discountable
 ordercode

 f
 indicates an item that is new in price
 retail

headset		
Note: fork bearings and spares can be found under front suspension and suspension fork spares		
stem bearing for under seat steering GHF, SPM, Scorpion, Scorpion fx, Scorpion fs 20 / fs 26	Z20033	6.
headset 1" A-head semi-integrated for Grasshopper / fx and Streetmachine Gte forks, for Scorpion before 03/2012 and Scorpion fx before 05/2011 knuckles	STSNEIAH1	59.
headset I 1/8" A-head semi-integrated for Scorpion from 03/2012, Scorpion fx from 04/2011, Scorpion fx 2 and Gekko / fx 20 / fx 26 knuckles, for Gekko 26 / fx 20 / fx 26, Scorpion plus 20 / plus 26 stem, Gekko / fx 20 and for Spirit fork (SRT)	STSNEIAH18	25.
grips, barends		'
handlebar grip foam, hexagonally, pc.	LEGR	4.
handlebar grips blue, pair	GRRFBL	25
handlebar grip HERRMANS Maxi Grip 50 mm / 2", pc.	GRHEMW5	3
handlebar grip for TRIPLESHIFT / DualDrive 94 mm / 3.7", pc.	GRSRDD	2
handlebar grip for long PINION / ROHLOFF twist shifter 86 mm / 3.4", pc.	GRSRRO	5
handlebar grip SPECTRO long 136 mm / 5.4", pc.	GRSRSPL	5
barend with slotted clamp 80 mm / 3", to mount accessories on the handlebar, pc.	LEHABA	18
barend with slotted clamp 120 mm / 4.8", to mount accessories on the handlebar, pc.	Z1205	18
mirrors		
rear mirror B&M Cyclestar E extra large field of view, for Delta tx, left	RSPBCSE	37
rear mirror Mirrycle mounting at end of handlebar, for handlebars w/o barend shifters	RSPMM	25
rear mirror Mirrycle with barend mounting by HP VELOTECHNIK, also as computer mount	RSPMMBH	65
rear mirror B&M E extra large field of view, for Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec, left	RSPBEK	89
rear mirror B&M E extra large field of view, for Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec, right	RSPBEKR	89
rear mirror B&M E extra large field of view, for Scorpion plus 20 /plus 26, with barend mounting, left	RSPBEPLK	89
rear mirror B&M E extra large field of view, for Scorpion plus 20 / plus 26, with barend mounting, right	RSPBEPRK	89
rear mirror B&M E extra large field of view, for all HP VELOTECHNIK trikes without front suspension, left	RSPBESK	89
rear mirror B&M E extra large field of view, for all HP VELOTECHNIK trikes without front suspension, right	RSPBESKR	89
trailer hitches, for all other Trikes please use the "E" trailer hitch from W	EBER	
trailer hitch WEBER for Delta tx	ZUADDET	199
trailer hitch WEBER for Scorpion fs 20	ZUAD	119
horns, bells, computer mount, universal holder		
air horn AIRZOUND XL with plastic compressed air bottle 500 ml, 75 cm / 30" hose. The horn mounts to	HUAZ5	39
the handlebar, the air bottle is put into the bottle cage or attached with velcro. Can be refilled via schrader		
valve up to 5,5 bar / 79.7psi, one charge lasts for ca. 90 horn signals, adjustable volume about 30-115 dB, weight		
only 120 g / 0.26 lbs, handlebar brackets 25,4 and 31,8 mm. May not be permitted for use on public roads!		
Please observe the traffic regulations prevailing in your country.		
handlebar bracket for AIRZOUND 3/4/XL Retrofit bracket for handlebar mounting, Ø 22.2, white or red,	HUAZ3ZUHA	9
please specify when ordering horn B&M S-Pedelec for Scorpion fs 26 S-Pedelec from 2018 and Speedmachine S-Pedelec, switch for brake	HUBUM	110
lever clamp, cable 30 cm / 12", connection 110 cm / 43" bell Pling! handlebar mount, small and black	KLSWE	3
bike flag HP VELOTECHNIK double sided print, on reflective material, for HP VELOTECHNIK rear racks and mesh seats with flag mount	WIHP	29
computer mount also for lights or GPS-device	CHSM	15
sensor mount for trikes for all HP trikes, addition to computer mount to attach sensor to the knuckle	CHSH	18
computer and sensor mount set for all HP trikes	CHSMSET	29

NEW	indicates an item that is new in specification		sugg.
%	indicates an item that is discountable indicates an item that is new in price	ordercode	retail
	indicates an item that is new in price		
\$	universal holder T-Bar for accessories such as mobile phone holder / GPS devices or bell, mounting on the	СНИНТВ	49.00
	handlebar end (for gearshifts with twist shifters), tube holder \emptyset 22.2mm, only for USS, max load 400 gram / 0.9 lbs, please make sure that the handlebar ist drilled inside		
\$	universal holder TopView for accessories such as mobile phone holder / GPS devices or bell, mounting on a barend shifter, tube holder Ø 22.2 mm, for USS only, max. load 400 gram / 0.9 lbs	CHUHTV	49.00
	Streamer		
5	Streamer complete set universal transparent front fairing, 1.5 mm thick, with adjustable retainers for frame	STHPKO	699.00
	tube incl. front light support. Can be rolled up for a few days for transport. Compatible with all HP		
	VELOTECHNIK trikes, Streetmachine Gt / Gte, Grasshopper / fx, most SWB recumbents and trikes. Not		
	recommended for Speedmachine. To ensure a complete forward view over the front fairing, the bottom		
	bracket should not be higher than 18 cm / 7" above the seat.		
\$	Streamer complete set same as above, with hole for front light	STHPLKO	699.00
NEW	Streamer fairing single, with velcro and edge tape, without mounting hardware	STHPFOKO	350.00
NEW	Streamer fairing with hole single, with velcro and edge tape, without mounting hardware	STHPFOLKO	350.00

Streamer spare parts



hook and loop tape 16 mm / 0.6" hook side extra strong, self-adhesive, for front support, per metre	Z3017	4.50
(approx. I,20 m / 47" required)		
hook and loop tape 25 mm / I" loop side extra strong, self-adhesive, for fairing, per metre (approx. 1,20 m	Z3018	4.50
/ 47" required)		
edge guard 8,5 x 5 mm, black, PVC with adhesive layer, to protect edges of fenders or Streamer edges, per	KUKTEG5S	6.00
metre (ca. 3 m / 120" needed for one Streamer, ca. 1,2 m / 47" for fender set)		
edge protection tape black plastic, with adhesive layer, for front light hole, per centimetre	KUKTEG	0.50
reflex tape 3M, 25mm / I" width, self adhesive, per metre	Z30065	8.00
sticker "Streamer"	Z3006	5.00
Streamer retainer single part, front quickmount bracket, to be mounted under bottom bracket shell, without	Z3023	75.00
hose clamp		
Streamer retainer single part, front support with bail	Z3026	65.00
Streamer retainer single part, rear fixture to be mounted on the frame, without hose clamp	Z3024	75.00
Streamer retainer single part, rear support with bail	Z3025	65.00
mounting clamp for front quickmount bracket (requires 2 pieces) and rear fixture, stainless steel hose clamp,	Z3011	10.00
for tube diameters 50 – 80 mm (fits also square tube)		
quick release lever for quickmount bracket, M6 x 50 mm	SSM6X50	6.00
front light mounting set for mounting the frontlight B&M IQ Fly inside Streamer	STHPRSWHS	24.00
front light holder for mounting a frontlight below the Streamer	STHPRSH	18.00
turn indicator adapter Streamer for attaching the "WingBling" indicator to a Streamer	STHPBH	22.00
		II .

Pedelec retrofit kit

 $\textbf{NEODRIVES retrofit kit} \ \textbf{please} \ \textbf{give} \ \textbf{us} \ \textbf{the following information} \ \textbf{when ordering:} \ \textbf{model}, \ \textbf{year} \ \textbf{of} \ \textbf{built} \ \textbf{and}$ desired control position. The retrofit kit will be sent from our warehouse in Germany. The battery must be ordered seperatly and will be shipped from our US warehouse.

▼ NEODRIVES Z20 retrofit kit for all HP trikes and bikes, for GHF and SPM only in combination with above seat steering, NEODRIVES Z20 rear wheel, up to 20 mph, tire SCHWALBE Marathon Plus, with remote control, battery rail and adapter, recumbent specific wire harness, charger 4 A

HABKNDUS

1,950.00



			DTECHNI
NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
\$	NEODDRIVES Z20RS 26" retrofit kit for HP trikes SCO2, SFL and SFN, NEODRIVES Z20RS 26" rear wheel, up to 28mph, tire SCHWALBE Marathon Plus, with remote control, battery rail and adapter, recumbent	HABKND5	2,550.00
	specific wire harness, charger 4 A		
	SHIMANO STEPS retrofit kit with motor mounted on the boom, HP VELOTECHNIK external wiring		
	harness and connected battery holder rail. Please also order the desired battery adapter. The battery must be ordered seperatly and will be shipped from our US warehouse. Only for retrofitting to HP VELOTECHNIK		
	trikes, not for use on HP VELOTECHNIK bikes or other brands. Installation must be carried out by an HP Velotechnik dealer.		
NEW	E-Kit SHIMANO STEPS E5000 for 20" for all HP trikes, SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M	HAEKS520	1,442.00
NEW	Toplight Flat battery, front boom (requires separate battery adapter kit) E-Kit SHIMANO STEPS E5000 for 26" for all HP trikes, SHIMANO STEPS E5000 motor, large display SC-E6100, control unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M	HAEKS526	1,442.00
NEW	Toplight Flat battery, front boom (requires separate battery adapter kit) E-Kit SHIMANO STEPS EP801 Cargo for 20" for all HP trikes, SHIMANO STEPS EP801 Cargo motor,	HAEKS80120	3,042.00
	large display SC-EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toplight Flat battery, front boom (requires separate battery adapter kit)		
NEW	E-Kit SHIMANO STEPS EP801 Cargo for 26" for all HP trikes, SHIMANO STEPS EP801 Cargo motor, large display SC-EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear	HAEKS80126	3,042.00
	light B&M Toplight Flat battery, front boom (requires separate battery adapter kit)		
	pedelec battery retro fit kits NEODRI∨ES		
	NEODRIVES Z20 2nd battery retrofit kit battery rail, battery bracket, battery adapter set, wire extension for easy charging and switching between batteries, incl. mounting hardware (may restrict folding function),		
	without battery The battery must be ordered seperatly and is shipped from our US warehouse.		
5	suitable for Scorpion fs 26 / fs 26 Enduro mounted on left side, with wire extension	HABZAG2109	190.0
\$	suitable for Scorpion fs 20 / plus 20 / plus 26 mounted on left side, with wire extension	HABZAG2110	190.0
\$	suitable for Scorpion / 2 / fx / fx 2 mounted on right side, with wire extension wire extension set for NEODRIVES V2 2nd battery pack, for comfortable charging and switching	HABZAG2111 HAZUVAK	190.0 175.0
	spare parts for HP VELOTECHNIK E-drive NEODRIVES Z20		
5	NEODRIVES Z20 battery 36V, 576Wh, model V2	HAAKND36V2	999.0
	NEODRIVES Z20 display with touch function and USB connection	HABEND1DI	315.0
	NEODRIVES Z20 display holder with handlebar remote control	HABEND1HA	110.0
	NEODRIVES Z20 display holder mounting set for attaching the display to the handlebar or tube, suitable diplay clamping ring required	HABEND1HAM	12.0
	NEODRIVES Z20 node converter, connection between display and motor NEODRIVES Z20 display clamping ring for mounting the display holder mounting set on tubes with 22.2 -	HAZUNDNO HABEZUDN	79.0 6.5
	22.8 mm diameter NEODRIVES Z20 display clamping ring ASS for mounting the display holder mounting set on tubes with 22.2 -	HABEZUDNO	35.00
VEW	25.4 mm diameter NEODRIVES Z20 Simply Remote control unit for Neodrive systems from 07/2023 (no S-Pedelec)	HABEND4RM	320.0
VEW	NEODRIVES Z20 adapter cable Connection cable for the Simply Remote	HABEND4AK	41.5
	SIGMA display EOX View 1300 Sigma Eox View 1300 display, display unit for Neodrive Simply Remote from 07/2023	HABEND4DI	110.0
VEW	SIGMA display holder Bracket for Sigma EOX View Display, Butler short	HABEND4HA	18.0
VEW	SIGMA display clamping ring for mounting the Sigma display holder	HABEZUDNS	6.5
	NEODRIVES Z20 battery rail for Neodrives battery V2	HAHSND1	40.0
	NEODRIVES Z20 wiring harness with connection to battery, NODE and HIGO wiring harness NEODRIVES Z20 V2 charger charger, 4 A charging current, only 230V, for 110V please use HALGGDV2	HAKBND01 HALGND1	259.0 185.0
5	NEODRIVES Z20 torque retainer IS2000 dropouts, stainless steel	HAZUDN	29.0
5	NEODRIVES Z20 voltage transformer to connect to the wiring harness, is needed to use light and turn signals	HAZUSWND2	69.00
	spoke black for NEODRIVES motor 20", 2,0 mm, 86 mm long, suitable for HP DB-1 Wheel 20"	SP23086	0.10
	spoke black for NODRIVES motor 26", 2,0 mm, 176 mm long, suitable for HP DB-1 Rim 26"	SP23176S	0.99
	Spoke Black for 140 Black 20 Hotor 20 , 2,0 Hill, 170 Hill folig, suitable for 111 BB 1 Hill 20	NAZUFL3	59.00

indicates an item that is new in specification

indicates an item that is new in specification	ordoroodo	sugg.
 indicates an item that is discountable indicates an item that is new in price 	ordercode	retail
# indicates an item diac is new in price		
spare parts for HP VELOTECHNIK E-drive NEODRIVES Z20RS		
NEODRIVES Z20RS V8 battery 48 Volt, 651 Wh, with decor	HAAKND48V1	1,490.0
NEODRIVES Z20RS display (S-Pedelec) with touch function and USB connection	HABEND2DI	315.0
NEODRIVES Z20RS display holder (S-Pedelec) with handlebar remote control	HABEND2HA	109.0
NEODRIVES Z20RS cap for battery holder cable side for mounting on the battery holder, black	HAAKKA1	39.0
NEODRIVES Z20RS cap for battery holder lock side for mounting on the battery holder, black	HAAKKA2	69.0
NEODRIVES Z20RS cap for battery top for mounting on battery, black	HAAKKA3	55.0
NEODRIVES charger Z20RS V8 charger, 4 A charging current	HALGND2	235.0
NEODRIVES Z20RS battery adapter plate right for mounting the battery on the trike	HAADSFER	159.0
NEODRIVES Z20RS battery adapter plate left for mounting the battery on the trike	HAADSFEL	159.0
NEODRIVES Z20RS wiring harness	HAKBND02	259.0
NEODRIVES Z20RS battery lock for V8 battery	HAZUSLV8	35.0
NEODRIVES Z20RS free wheel for screw axle	NAZUFL4	59.0
pedelec retro fit kits SHIMANO STEPS	_	
Important note SHIMANO STEPS battery: batteries for the SHIMANO STEPS system are only available		
as retrofit kits. For individual orders, please contact your SHIMANO representative.	<u>]</u>	
SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh	HAAKS84	549.0
SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh	HAAKS86	839.0
SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh	HAAKS814U	569.0
SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh	HAAKS816U	839.0
SHIMANO STEPS battery mount for second battery to carry a second battery, with base plate, without	HAAKHS86K	215.0
cable harness, suitable battery adapter set must be ordered separately		
SHIMANO STEPS battery adapter sheet for E6000 black anodized	HAAKPLST	35.0
SHIMANO STEPS battery adapter sheet for E5000 / E6100 / E8000 / EP8 / EP801 Cargo black	HAAKPLS8	35.0
STEPS mounting tube for barend T-bar for barend mounting, black anodized, with internal clamping	HABEMRSTK	42.0
STEPS headlight bracket aluminium, black	SWHAST	17.5
STEPS EP8 / EP801 Cargo insert for boom for motor bridge front side, plastic, black	RTALS8ET2	16.0
STEPS E8000 insert for boom for motor bridge front side, plastic, black	RTALS8ET	31.7
STEPS E5000 / E6100 insert for boom for motor bridge front side, plastic, black	RTALS5ET	16.0
STEPS steering damper adjustable, for GEL, GES, GEF, GEN, SCO, SCO2 and SCF2 incl. mounting material,	LTLDK	155.0
for smooth drivability when using E-drive STEPS		
SHIMANO STEPS battery cable EP8 HIGO long for STEPS EP8 systems	HAKBSEP8	219.0
SHIMANO STEPS battery cable E6000 HIGO long for STEPS E6000 systems	HAKBSTBHL	219.0
SHIMANO STEPS cranks		
crank arms 115 for SHIMANO STEPS E5000, length 115 mm / 4.5", pair price	KBKU115ST	67.0
crank arms 135 for SHIMANO STEPS E5000, length 135 mm / 5.3", pair price	KBKU135ST	67.0
crank arms 155 for SHIMANO STEPS E5000, length 155 mm / 4.5", pair price	KBKU155ST	67.0
crank arms 170 for SHIMANO STEPS E5000, length 170 mm / 6.7", pair price	KBKU170S5	46.
crank arms 140 for SHIMANO STEPS EP801 Cargo, length 140 mm / 5.5", pair price	KBKU140E8	79.0
w crank arms 155 for SHIMANO STEPS EP801 Cargo, length 155 mm / 4.5", pair price	KBKU155E81	67.0
crank arms 170 for SHIMANO STEPS EP801 Cargo, length 170 mm / 6.7", pair price	KBKU170E81	59.0
spare parts for E-drive Bafang		1
Spare parts for a drive banding		
BAFANG battery for frame mounting 450Wh, replacement battery for BAFANG drive system	HAAKBF450	689.0
BAFANG battery for frame mounting 600Wh, replacement battery for BAFANG drive system	HAAKBF600	879.0
BAFANG display with mounting	HABEBFDI	120.0

spare parts for E-drive GO SWISSDRIVE

NEW BAFANG charger 49.2V 2A charger for Bafang battery

Note: GO SWISSDRIVE All GO SWISSDRIVE spare parts still in stock can be found on the sales list on our website. Batteries for the GO SWISSDRIVE systems can be ordered directly from the battery manufacturer BMZ GmbH. For other spare parts, please contact YouMo GmbH.

MEW BAFANG battery retaining rail for BAFANG batteries, with connection cable for motor, display and

MEW BAFANG throttle retrofit-kit Control unit and connection cable for retrofitting a push-off aid up to 6 km/h

p.20

HAHSBF1

HALGBF1US

HATHBFSET

115.00

79.00

65.00



 NEW
 indicates an item that is new in specification
 sugg.

 %
 indicates an item that is discountable
 ordercode

 f
 indicates an item that is new in price
 retail

battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on Scorpion	HAASSCOL	17
fs 20 / plus 20 / plus 26, aluminium, black	HAROUGE	''
battery adapter kit HP VELOTECHNIK right standard on Scorpion fs 20 / plus 20 / plus 26, for 2nd battery on Scorpion / fx / fx 2, aluminium, black	HAASSCOR	17
battery adapter kit HP VELOTECHNIK left for 2nd battery on Scorpion 2 / fs 26 / fs 26 Enduro, aluminium, black	HAASSFLL	17
battery adapter kit HP VELOTECHNIK right standard on Scorpion 2 / fs 26 / fs 26 Enduro, aluminium, black	HAASSFLR	17
battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black	HAASGEFL	17
battery adapter kit HP VELOTECHNIK left standard on Gekko fxs, aluminium, black	HAASGESL	17
cable conduit with zipper (zipper tube) practical, reusable sheathing for laying cables underneath the	HAZUKHZT	
vehicle, made of neoprene		
front boom and accessories		
front boom without derailleur tube:	DTALNTOF	1 -
front boom NT black anodized with scale on topside, w/o derailleur tube	RTALNTSE	2
front boom NT custom colour (only RAL colours, no signal- or luminous colour), w/o derailleur tube	RTALNTSF	2
carbon front boom KO front boom with derailleur tube for all HP VELOTECHNIK models, saves 170g / 0.37 lbs of weight, Speedmachine requires derailleur clamp RTALCFUWS and braze-on derailleur	RTALCFKO	5
front boom with derailleur tube:		,
front boom KO black anodized with scale on topside, with derailleur tube	RTALSCOSE	2
front boom KO custom colour, (only RAL colours, no signal- or luminous colour)	RTALSCOSF	2
front boom STEPS E5000 / E6100 / E8000 / EP8 / EP801 Cargo black anodized with scale on topside	RTALSHS8SW	5
front boom STEPS E5000 / E6100 / E8000 / EP8 / EP801 Cargo custom colour, (only RAL colours, no signal- or luminous colour)	RTALSHS8SF	5
front boom PINION black anodized with scale on topside	RTALPISW	5
front boom PINION custom colour, (only RAL colours, no signal- or luminous colour)	RTALPISF	5
carbon front boom NT w/o derailleur tube for all HP VELOTECHNIK models, saves 170g / 0.37 lbs of weight	RTALCFNT	5
derailleur clamp for carbon front boom Speedmachine	RTALCFUWS	
bolt for front boom clamp DIN912 M8x35A2, stainless, for all models	D1053	
bushing for front boom 0.5mm, plastic, for trikes before 06/2011	RTZUEB05	
bushing for front boom / main tube clamping, 1.0 mm plastic, injection molded	Z700201	
front boom bushing for anodized front boom for retrofitting, with adhesive backing	RTZUEBV2	
accessories for folding frames		
plastic foot GEF, GEL for folding hinge	RTZUFXAF	
folding support GEF, GEL for a secure stand of the folded bike, variably adjustable	STEMGE	
folding buffer rubber, cone-shaped, M6, for GEF, GEL	D3PU20P24	
stem protetion buffer SCF, SCF2, SFS rubber, protects the stem on folded trike. Important: When	VBZUSCFSG	
replacing the plastic protection sheet on models before 10/2012 please order 2x bolts D2024.		
locking sheet GEF stainless steel	RTZUFXSB	
locking sheet GES stainless steel	RTZUFXSE	
locking sheet GEL stainless steel	RTZUFXSC	
folding end stop SPS, SPL	RTZUFXVD	
reinforcement sheet SPS, SPL, SFL for main frame	RTZUFXVB	
folding secure strap SPS, SPL with velcro and eyelet	RTZUFXFSRP RTZUFXFSR	
folding secure strap GHF, SCF, SFS plastic, black	RTZUFXFS	
folding lock buckle GHF, SCF folding secure strap SFL with velcro and eyelet	RTZUFXFSRK	
rear racks		II
	LRHPDET	.
	LINIPUEI	18
bag holder backrest for Delta tx, attaches to the seat, for one bicycle bag, maximum load 12 kg / 26.5 lbs	GTKODET	20
carrier Delta tx complete luggage carrier suitable for insertion into the frame of the Delta tx. For retrofitting, the rear light must be converted. All parts for the conversion are included. Order basket separately.	GTKODET	28

VEW A	indicates an item that is new in specification	ordoroodo	sugg.
% \$	indicates an item that is discountable indicates an item that is new in price	ordercode	retail
	<u>.</u>		
VEW	anti-tip wheels Delta tx recomended for tall riders, high seats, with bagholders, always with Shimano STEPS EP801 Cargo	GTKSDEK	109.0
\$	rear rack Grasshopper fx 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag	GTHPGHF	259.0
\$	holder, max. load 25 kg / 55 lbs rear rack Grasshopper 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder,	GTHPGHP	259.0
\$	max. load 25 kg / 55 lbs rear rack Streetmachine 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag	GTHPSMGT	259.0
\$	holder, max. load 25 kg / 55 lbs rear rack Speedmachine 12 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag	GTKOSPM2	259.0
	holder, max. load 25 kg / 55 lbs rear rack Gekko fx 20, Gekko fxs 10 mm tube, black powdercoating, max. load 25 kg / 55 lbs	GTKOGEF	99.0
	rear rack Gekko fx 26, Gekko 26 10 mm tube, black powder-coating, max. load 25 kg / 55 lbs	GTKOGEL	99.0
	rear rack Scorpion, Scorpion fs 20 12 mm / 10 mm aluminium tube 6061 T4, additional lower tubes for	GTKOSCO	329.0
	optimized center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount rear rack Scorpion fx 2 12 mm / 18 mm aluminium tube 6061 T4, additional lower tubes for optimized	GTKOSCF	329.0
	center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount rear rack Scorpion fx 12 mm / 18 mm aluminium tube 6061 T4, additional lower 10 mm tubes for optimized	GTKOSFX	329.0
5	center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount rear rack Scorpion 2, Scorpion fs 26, fs 26 Enduro 14 mm aluminium tube 6061 T4, black powdercoated,	GTKOSFL	279.0
	flag tube, without platform, max. load 25 kg / 55 lbs rear rack Scorpion plus 20 12 mm / 18 mm aluminium tube 6061 T4, additional lower tubes for optimized	GTKOSPS	329.0
5	center of gravity for bags, black powdercoating, max. load 25 kg / 55 lbs, flag mount rear rack Scorpion plus 26 14 mm aluminium tube 6061 T4, black powdercoated, flag tube, without	GTKOSPL	279.
ş	platform, max. load 25 kg / 55 lbs (not suitable for Moonbiker side bags) top load rack additional luggage carrier above the rear wheel, only for Scorpion SFL, SFN, SFE and SPL,	GTKOTL	219.
	maximum payload 10 kg / 22 lbs, not suitable for luggage bags, normal rear rack required for fastening		
	bolt for rear end axle with rear rack or lowrider DIN7984 M8x45A2, for all models without Spaceframe	D1031	2.
	$\textbf{bolt} \ for rear end axle without rear rack or lowrider ISO7380 M8x25A2, stainless, for GHP, GHF, SMGTe, SPM, SCO, SFS \\$	D2005	1.
	Side Bag Mount Ergomesh holder for handlebar bags, only for Ergomesh seats, is attached to the seat frame, maximum load 5 kg / 11 lbs, left and right, only for trikes	LESHEM	179.
	Side Bag Mount Gekko for GEN, GEL and GEF, mount for handlebar bags, attached to the frame, maximum load 5 kg / 11 lbs, left and right, with Gekko fx models: limited folding function, bike can no longer be pulled on	LESHGE	179.
	casters		
	Side Bag Mount holder tube Ergomesh left angled holding tube for mounting onto the clamp	LESHHREL	21.
	Side Bag Mount holder tube Ergomesh right angled holding tube for mounting onto the clamp	LESHHRER	21.
	Side Bag Mount clamping sleeve for Ergomesh Premium to attach the Side Bag mount to the ErgoMesh Premium seat	LESHDH2 LESHHRGR	10.
	Side Bag Mount holder tube Gekko right or left angled holding tube for mounting onto the clamp	LEGITINGN	20.
	lowriders		
8	lowrider rack Grasshopper fx under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat	LRHPGHFSET	179.
5	treated, black powdercoated, max. load 25 kg / 55 lbs $ \textbf{lowrider rack Grasshopper} \ \textbf{under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat treated, } $	LRHPGHPSET	179.
5	black powdercoated, max. load 25 kg / 55 lbs lowrider rack Streetmachine under seat mounting for panniers, 12 mm aluminium tube 6061 T4, heat	LRHPGTSET	179.
	treated, black powdercoated, max. load 25 kg / 55 lbs, with integrated mounting plate for kickstand e.g. PLETSCHER Esge (STESSTSW)		
ſ	$\label{lowrider rack Speedmachine} \begin{tabular}{ll} lowrider rack Speedmachine} under seat mounting for panniers, 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, with flag holder, max. load 25 kg / 55 lbs \end{tabular}$	LRKOSPM2	179.
ſ	lowrider rack Scorpion fx / fx 2 / plus 20 / plus 26 10 mm aluminium tube 6061 T4, heat treated, black powdercoated, max. load 25 kg / 55 lbs (rear rack needed for attachement)	LRHPSCFSET	179.
	stands		
	kickstand HEBIE for GHP before 12/2011 for frames with PLETSCHER-mounting plate (before 12/2011)	STHE325	25.
	kickstand PLETSCHER Esge SMGT, SMGTe, SRT before 12/2011 mounted under the lowrider rack, aluminium, with plastic foot, black	STESSTSW	19.
	kickstand PLETSCHER Esge Comp Zoom SPM center mounting, black, aluminium, adjustable	STEMZO	25.
	kickstand PLETSCHER Esge Comp Zoom SMGT, SMGTe, GHF from 11/2011, SRT from 11/2011	STESHBGT	32.

p.22 email: sales@hpvelotechnik.com fax: +49 6192 - 97 99 2 - 299



NEW % \$	indicates an item that is new in specification indicates an item that is discountable indicates an item that is new in price	ordercode	sugg. retail
NEW	vertical parking stand Delta tx pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We recommend fitting anti-tip wheels.	STEDAFKO	95.00
	touch-up paint applicators		,
	touch-up paint applicator beige metallic SPS, SPL similar to saharasilver	LASS	15.00
	touch-up paint applicator blue GEF, GEL similar to deep blue	LADP	15.00
	touch-up paint applicator blue grey SRT, SCF2, SFS similar to blue shade grey	LAHBG	15.00
	touch-up paint applicator grey SFL, SFE	LAGR	15.00
	touch-up paint applicator green GHF similar to magic green	LAMGR	15.00
	touch-up paint applicator melon yellow SRT RAL 1028	LAHGE1028	15.00
	touch-up paint applicator blue SCO2 similar to peeka blue	LAPB	15.00
	touch-up paint applicator red GES, GEF, GEL, SPS, SPL similar to magma red	LAMR	15.00
	touch-up paint applicator black SPS, SPL	LAHSW	15.00
	touch-up paint applicator darkblue GHF, SCO RAL 5004	LAMOBL5004	15.00
	touch-up paint applicator silver SMGTe, SPM similar to silver grey	LAMOSISPM	15.00
	touch-up paint applicator white SFL, SFE	LAWEI LAMOR	15.00
	touch-up paint applicator pure orange matt RAL 2004	LAMAG	15.00
	touch-up paint applicator anthracite grey metallic matt	LAMAG	15.00
	protection adhesive films		
	protective adhesive film 60x25 mm protection against abrasion by wires and cables, per piece	AKSFK	1.50
	protective adhesive film 60x50 mm protection against abrasion by wires and cables, per piece	AKSFG	2.00
	protective adhesive film for front boom quick adjust transparent, per piece	AKRTZUSV	0.70
	protective adhesive film for WEBER adapter mount transparent, per pc.	AKSFZUAD	2.00
	comfort and ability accessories		
	heel support pedals		
\$	pedal with heelstrap and foot clamp small left, easy entry and positive grip, adjustable length (22 – 28 cm (9" – II"))	PDRZFBKL	99.00
\$	pedal with heelstrap and foot clamp small right, easy entry and positive grip, adjustable length (22 – 28 cm (9" – 11"))	PDRZFBKR	99.00
\$	pedal with heelstrap and foot clamp left, easy entry and positive grip, adjustable length (27 – 35 cm (11" – 14"))	PDRZFBLI	99.00
\$	pedal with heelstrap and foot clamp right, easy entry and positive grip, adjustable length $(27 - 35 \text{ cm } (11" - 14"))$	PDRZFBRE	99.00
	replacement heelstrap adjustable, black	PDRZFBEK	39.00
	reflector set for one pedal with heelstrap and foot clamp, left or right, pc.	PDZURSF	16.00
	ergonomic pedals		
\$	ErgoPedal left adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps	PDREL	159.00
\$	ErgoPedal right adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps	PDRER	159.00
5	$\textbf{ErgoPedal left, small} \ \text{adjustable position, adjustable length } 20-28\ \text{cm}(8"-11"),\ \text{easy entry straps}$	PDREKL	159.00
\$	ErgoPedal right, small adjustable position, adjustable length 20 – 28 cm (8" - 11"), easy entry straps	PDREKR	159.00
\$	ErgoPedal with safety release left, small adjustable position, adjustable length 20 - 28 cm (8" - 11"), joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force	PDRZEKL	209.00
\$	ErgoPedal with safety release right, small adjustable position, adjustable length 2 20 - 28 cm (8" - 11"), joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force	PDRZEKR	209.00
\$	ErgoPedal with safety release left adjustable position, adjustable length 27 – 34 cm (11" - 14"), joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force	PDRZEL	209.00
\$	ErgoPedal with safety release right adjustable position, adjustable length 27 – 34 cm (11" - 14"), joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force	PDRZER	209.00
\$	ErgoPedal with calf brace left, small adjustable position, adjustable length 20 - 28 cm (8" - 11"), easy entry straps, leg fixation adjustable in length and position	PDRZEKUL	349.00
5	ErgoPedal with calf brace right, small adjustable position, adjustable length 20 - 28 cm (8" - 11"), easy entry straps, leg fixation adjustable in length and position	PDRZEKUR	349.00
\$	ErgoPedal with calf brace left adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps,	PDRZEUL	349.00
\$	leg fixation adjustable in length and position ErgoPedal with calf brace right adjustable position, adjustable length 27 – 34 cm (11" - 14"), easy entry straps, leg fixation adjustable in length and position	PDRZEUR	349.00

NEW	indicates an item that is new in specification		
<i>NEW</i>	indicates an item that is flew in specification	ordercode	sugg.
\$	indicates an item that is new in price		retail
			_
			ı
	calf brace for ErgoPedal for retrofitting ErgoPedal with safety release, with padding and strap	PDRZEUFL	199.00
	calf brace right for retrofitting ErgoPedal with safety release, with padding and strap	PDRZEUFR	199.00
	cushion for calf brace	PDRZEUFP	13.00
	strap for calf brace	PDRZEUFB	9.00
	strap for foot fixation, long, rear	PDRZHBL	10.50
	strap for foot fixation, short, front	PDRZHBK	10.50
	spring sheet long, for strap for foot fixation long, stainless steel	PDRZSBL	5.90
	spring sheet short, for strap for foot fixation short, stainless steel	PDRZSBK	5.90
	reflector set for one ErgoPedal with safety release or ErgoPedal with calf brace, left or right, pc.	PDZURSE	8.00
	walking aid mounts		
5	walking aid mount for one walking aid, for all mesh seats, easy fixing and safety clip, suits clamping diameter	GHEM	99.50
	20 – 30 mm (up to 2 walking aids mounts per bike)		
\$	walking aid mount for one walking aid, for BodyLink seats, easy fixing and safety clip, (up to 2 walking aids	GHBL	99.50
	mounts per bike)		
	handrests		
5	handrest with retaining strap left, comfortable hand support mounted on handlebar, with breathable	LEHALIKO	119.00
*	cushion, support and hand retention on the handlebar		117.00
5	handrest with retaining strap right, comfortable hand support mounted on handlebar, with breathable	LEHAREKO	119.00
•	cushion, support and hand retention on the handlebar		113.00
5	handrest left and right comfortable hand support mounted on handlebar, breathable cushion, combinable	LEHAPAKO	169.00
	with retaining strap (LEHAHB) and spring sheet (LEHASB)		
		LEUADO	,
	cushion for handrest breathable, with velcro, per pc.	LEHAPO	15.00
	retaining strap for handrest black, cushioned, with velcro (w/o spring sheet LEHASB)	LEHAHB	15.00
	spring sheet for retaining strap stainless steel, lifts the retaining strap (LEHAHB) for easy entry	LEHASB	8.00
	pads		
	chest support belt for optimal upper body support on HP VELOTECHNIK recumbent trikes with mesh seats.	SIZUPGOK	279.00
	Easy handling due to simple ratchet belts. Size in a wide range adjustable.		
\$	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with mesh seats,	SIZUPGOGK	279.00
	recommended for XL seats and tall people		
	pelvic support belt for optimal pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats. Easy	SIZUPGBK	279.00
	handling due to simple ratchet belts. Size in a wide range adjustable.		
	pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with mesh seats,	SIZUPGBGK	279.00
	recommended for XL seats and tall people		
	standing up aids		
\$	standing up aid 11/8" left side for HP VELOTECHNIK trikes without front suspension, I support with grip	LEAAHSETL	104.50
	for easy entry and standing up from trike, for mounting to the steerer tube		
\$	standing up aid 11/8" right side for HP VELOTECHNIK trikes without front suspension, I support with grip	LEAAHSETR	104.50
	for easy entry and standing up from trike, for mounting to the steerer tube		
5	standing up aid left side for HP VELOTECHNIK trikes with front suspension I support with grip for easy	LEAAHSET2L	164.50
	entry and standing up from trike, for mounting to the main frame cross member	LEAAUCETOD	
5	standing up aid right side for HP VELOTECHNIK trikes with front suspension I support with grip for easy	LEAAHSET2R	164.50
•	entry and standing up from trike, for mounting to the main frame cross member	LEAAHSET1L	104 50
5	standing up aid I" left side for HP VELOTECHNIK trikes without front suspension, I support with grip for easy entry and standing up from trike, for mounting to the steerer tube	LLANIULI IL	104.50
5	standing up aid I" right side for HP VELOTECHNIK trikes without front suspension, I support with grip for	LEAAHSET1R	104.50
*	easy entry and standing up from trike, for mounting to the steerer tube		107.30
	cas, one, and standing up from trice, for mounting to the steerer tube		1
	quick release clamp for standing up aid for quick assembly and disassembly of the standing up aid, inner	LTKS254SS	12.00
	diameter 25,4mm		I

notes



price list 2023/24 US\$

General Conditions of Trade of HP Velotechnik GmbH & Co. KG

I. Conclusion of contract/transfer of rights and obligations of the buyer

- (1) The Buyer's order for the goods shall be deemed to be a binding offer to enter into a contract. Unless otherwise stated in the order, the Seller shall be entitled to accept this contractual offer within two weeks of its receipt. Acceptance may be declared either in writing (e.g. by order confirmation) or by delivery of the goods to the Buyer. However, the seller is obliged to inform the buyer immediately if he does not accept the order.
- (2) Transfers of the buyer's rights and obligations under the purchase contract require the seller's consent in text form.

This does not apply to a monetary claim of the buyer against the seller. The prior consent of the Seller shall not be required for other claims of the Buyer against the Seller if the Seller has no interest worthy of protection in an exclusion of assignment or if the legitimate interests of the Buyer in the assignability of the right outweigh the interest of the Seller worthy of protection in an exclusion of assignment.

II. Prices / Payment

- (1) The prices quoted include packaging costs and the statutory valueadded tax; however, delivery and shipping costs are only included in the prices quoted if a separate agreement has been made in this respect.
- (2) If the Buyer is in default of payment, the Seller shall be entitled to charge interest at a rate of 5 percentage points above the base rate of the European Central Bank (ECB) from that time onwards. In this respect, the Seller reserves the right to prove higher damages.
- (3) The purchase price and the prices for ancillary services shall be due and payable within 8 days from the date of the invoice and delivery or acceptance of the goods. However, the seller shall be entitled at any time, also within the framework of an ongoing business relationship, to make a delivery in whole or in part only against advance payment. The seller shall declare a corresponding reservation at the latest with the order confirmation.
- (4) The buyer may only offset claims of the seller if the counterclaim of the buyer is undisputed or a legally binding title exists. This does not apply to counterclaims of the buyer arising from the same purchase contract. He may only assert a right of retention insofar as it is based on claims from the same contractual relationship.

III. Delivery and Delay in Delivery

- (1) Delivery dates and delivery periods which have not been expressly designated as binding shall be deemed to have been agreed without obligation. Binding delivery dates and delivery periods must be agreed in writing. Delivery periods shall commence upon conclusion of the contract.
- (2) The buyer may request the seller to deliver six weeks after a non-binding delivery date or a non-binding delivery period has been exceeded. The seller shall be in default upon receipt of the request. If the buyer is entitled to compensation for damage caused by delay, this shall be limited to a maximum of 5% of the agreed purchase price in the event of slight negligence on the part of the seller.
- (3) If the buyer also wishes to withdraw from the contract and/or claim damages in lieu of performance, he must set the seller a reasonable deadline for delivery after expiry of the relevant deadline in accordance with clause 2 of this section.

If the buyer has a claim for damages instead of performance, the claim shall be limited to a maximum of 25% of the agreed purchase price in the event of slight negligence. If the buyer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the contract, claims for damages in lieu of performance are excluded in the event of slight negligence.

If, while the Seller is in default, delivery becomes impossible by chance, the Seller shall be liable with the limitations of liability agreed above. The seller shall not be liable if the damage would also have occurred in the event of timely delivery.

(4) If a binding delivery date or a binding delivery period is exceeded, the seller shall be in default as soon as the delivery date or the delivery period is exceeded. The rights of the buyer shall then be determined in accordance with clause 2, sentence 3 and clause 3 of this section.

- (5) The limitations and exclusions of liability in this section shall not apply to damage caused by a grossly negligent or intentional breach of obligations by the seller, its legal representative or its vicarious agent, or in the event of injury to life, limb or health.
- (6) Force majeure or operational disruptions occurring at the Seller's or its suppliers' premises which temporarily prevent the Seller, through no fault of its own, from delivering the object of purchase on the agreed date or within the agreed period shall change the dates and periods specified in clauses I to 4 of this section by the duration of the disruptions to performance caused by these circumstances. If such disruptions lead to a delay in performance of more than four months, both the buyer and the seller may withdraw from the contract. Other rights of withdrawal remain unaffected by this.
- (7) Changes in design or form, deviations in colour and changes in the scope of delivery on the part of the manufacturer shall remain reserved during the delivery period, provided that the changes or deviations are reasonable for the buyer, taking into account the interests of the seller. Insofar as the seller or the manufacturer uses signs or numbers to designate the order or the ordered object of purchase, no rights can be derived from this alone.

IV. Acceptance

- (1) The buyer shall be obliged to accept the object of purchase within 14 days of receipt of the notice of availability. In the event of non-acceptance, the seller may exercise his statutory rights.
- (2) If the seller claims damages, these shall amount to 10% of the purchase price. The amount of damages shall be higher or lower if the seller proves higher damages or the buyer proves that lower damages or no damages at all have been incurred.

V. Retention of Title

(1) The object of purchase shall remain the property of the seller until the claims to which the seller is entitled on the basis of the contract of sale have been settled.

If the buyer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the contract, the retention of title shall also apply to claims of the seller against the buyer arising from the ongoing business relationship until settlement of claims due to the seller in connection with the purchase.

At the buyer's request, the seller shall be obliged to waive the reservation of title if the buyer has fulfilled all claims in connection with the object of purchase in an incontestable manner and adequate security exists for the remaining claims from the current business relationship.

- (2) If the buyer does not pay the due purchase price and prices for ancillary services or does not pay them in accordance with the contract, the seller may withdraw from the contract and/or, in the event of a culpable breach of duty by the buyer, claim damages instead of performance if he has unsuccessfully set the buyer a reasonable deadline for performance, unless the setting of a deadline is dispensable in accordance with the statutory provisions. If the seller is entitled to claim damages instead of performance and if he takes back the object of purchase, the seller and the buyer agree that the seller shall remunerate the usual sales value of the object of purchase at the time of taking back. At the request of the buyer, which can only be expressed immediately after the object of purchase has been taken back, a publicly appointed and sworn expert will determine the normal sales value at the buyer's discretion. The buyer shall bear the necessary costs of taking back and realising the object of purchase. The realisation costs shall amount to 5 % of the normal sales value without proof. They shall be set higher or lower if the seller proves higher costs or the buyer proves that lower costs or no costs at all were incurred.
- (3) As long as the retention of title exists, the buyer may neither dispose of the object of purchase nor contractually grant third parties use thereof.



VI. Liability for Defects in Quality and Title

(1) Claims of the buyer for material defects and defects of title shall become statute-barred in accordance with the statutory provisions two years after delivery of the object of purchase.

Notwithstanding this, a limitation period of one year shall apply if the buyer is a legal entity under public law, a special fund under public law or an entrepreneur who is acting in the exercise of his commercial or independent professional activity when concluding the contract.

- (2) The shortening of the statute of limitations in clause I, sentence 2 shall not apply to damage caused by a grossly negligent or intentional breach of obligations by the seller, his legal representative or his vicarious agent, or in the event of injury to life, limb or health.
- (3) If the Seller is liable under the statutory provisions for damage caused by slight negligence, the Seller's liability shall be limited:

Liability shall only exist in the event of a breach of material contractual obligations, such as those which the purchase contract specifically intends to impose on the seller according to its content and purpose or the fulfilment of which makes the proper performance of the purchase contract possible in the first place and on the observance of which the buyer regularly relies and may rely. This liability is limited to the typical damage foreseeable at the time of conclusion of the contract. The personal liability of the legal representatives, vicarious agents and employees of the seller for damage caused by them through slight negligence is excluded.

Clause 2 of this section shall apply accordingly to the aforementioned limitation of liability and the aforementioned exclusion of liability.

- (4) Irrespective of any fault on the part of the Seller, any liability on the part of the Seller in the event of fraudulent concealment of a defect, from the assumption of a guarantee or a procurement risk and in accordance with the Product Liability Act shall remain unaffected.
- (5) If a defect is to be remedied, the following shall apply:
- a) The buyer must assert claims for rectification of defects with the seller. In the case of verbal notification of claims, the buyer must be provided with a confirmation of receipt of the notification in text form.
- b) The seller may also choose to have the defect rectified by a specialist company to be named by him. This shall be named to the buyer by the seller. Any costs arising from this shall be borne by the seller. The buyer shall inform the seller immediately if the first rectification of the defect by the specialist company commissioned was unsuccessful.
- c) The buyer may assert claims for material defects based on the purchase contract for the parts installed to remedy the defect until the expiry of the limitation period of the object of purchase.
- d) Replaced parts shall become the property of the seller.
- (6) If the buyer is a consumer within the meaning of section 13 German Civil Code (BGB), the provisions of this section shall not apply to material defects and defects of title in goods with digital elements, but the statutory provisions shall apply to the digital elements.

VII. Liability for other claims

- (1) The statutory limitation periods shall apply to other claims of the buyer which are not regulated in section VI "Liability for defects in quality and defects of title".
- (2) Liability for delay in delivery is conclusively regulated in Section III "Delivery and Delay in Delivery". For other claims for damages against the seller, the provisions in section VI. "Liability for defects in quality and defects of title", sections 3 and 4 shall apply accordingly.
- (3) If the buyer is a consumer within the meaning of section 13 of the German Civil Code (BGB) and the subject matter of the contract also includes the provision of digital content or digital services, whereby the object of purchase can also fulfil its function without these digital products, the statutory provisions of sections 327 et seq. of the German Civil Code (BGB) shall apply to this digital content or digital services.

VIII. Place of Jurisdiction

- (1) The exclusive place of jurisdiction for all present and future claims arising from the business relationship with merchants, including claims arising from bills of exchange and cheques, shall be the Seller's registered office.
- (2) The same place of jurisdiction shall apply if the buyer does not have a general place of jurisdiction in Germany, moves his place of residence or habitual abode out of Germany after conclusion of the contract or his place of residence or habitual abode is not known at the time the action is brought. Otherwise, in the event of claims by

the Seller against the Buyer, the Buyer's place of residence shall be the place of jurisdiction.

IX. CRIF Clause

(I) For the purpose of credit assessment, CRIF GmbH, Leopoldstraße 244, 80807 München, Germany, will make available the address and creditworthiness data stored in its database relating to the buyer, including data determined on the basis of mathematical-statistical methods, provided that we have credibly demonstrated our legitimate interest.

X. Notice pursuant to section 36 Consumer Dispute Settlement Act (VSBG)

(1) The Seller will not participate in any dispute resolution proceedings before a consumer arbitration board within the meaning of the VSBG and is not obliged to do so.

Version June 2022

HP Velotechnik GmbH & Co. KG, Kapellenstrasse 49, 65830 Kriftel, Germany



Grasshopper ⁵

	×	Item	sugg. retail \$				
Grasshopper fx foldable recumbent 20"/20" (GHF)							
		Grasshopper fx basic model foldable, aerobar steering, STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,990.00				
		Grasshopper fx frameset foldable, with suspension, seat, aerobar steering, chain guide setup	4,010.00				
Gr	ass	shopper fx options extra charge – drivetrain and brake options for complete bikes only					
		standard colour O magic green O blue shade grey	0.00				
		single custom colour according to RAL-colour chart: (please specify)	229.00				
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00				
me		front boom with derailleur tube regardless of shifting option (not w/PINION)	0.00				
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with PINION	239.00				
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		front boom quickadjust without chain compensation QR-levers	59.00				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00				
		BodyLink seat	199.00				
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
01		headrest for meshseat adjustable in height and angle, with quick release lever	189.00				
		adjustable end stops allow exact positioning of the seat	19.00				
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00				
		rain cover for seats, ripstop nylon fabric, blue	25.00				
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre	49.00				
_	П	rear shock DNM DV-22 (basic specification)	0.00				
ion		O soft: 450 lbs/inch, up to 175lbs O standard: 650 lbs/inch, up to 220lbs O hard: 850 lbs/inch, up to 285lbs	0.00				
ens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
suspension	×	suspension fork SPINNER Grind 2 (basic specification)	0.00				
01		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00				
ng		above seat steering (ASS) with aerobar direct (basic specification)	0.00				
steering		above seat steering with tiller steering (ASS) direct, tiller bar, TERRACYCLE folding stem	119.00				
ste		under seat steering (USS) indirect, adjustable, not compatible with ErgoMesh XL seat or E-drive	159.00				
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	0.00				
	_	derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY					
	믜	ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette 11-36 teeth, crankset with 46 teeth chainring, double sided chainwheel disc	219.00				
		drivetrain SHIMANO XT30 30 speed, SHIMANO XT 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT					
_		front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering	359.00				
rair		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible	2,190.00				
drivetrain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00				
		E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 only for ASS, up to 20 mph, hub motor, 30 speed, rear	2,170.00				
		derailleur / triggershifter / cassette SHIMANO XT, triple chainring set, front derailleur MICROSHIFT, Li-lonen battery 576	3,470.00				
		Wh, push assist					
		E-drive NEODRIVES Z20 with PINION C1.12 push assist only with ASS, up to 20 mph, 12 speed PINION C1.12 front	5,150.00				
	_	gear box, Li-Ionen 576 Wh, push assist, 4 A charger, not compatible with streamer	3,130.00				
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00				
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35mm / 1.4" (SRAM/30 or PINION)	49.00				
S		disc brakes SHIMANO BR-MT200 hydraulic (basic specification)	0.00				
brakes		disc brakes AVID BB7 mechanical	79.00				
		disc brakes SHIMANO XT hydraulic	359.00				
	_	disc brakes STITTANO AT Injuration	357.				





	×	Item		sugg. retail \$		
Grasshopper fx accessories extra charge						
	_	light wire routing only twin wires routed through the frame for hub dynamo		119.00		
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00		
		lighting system SP SD-8 disc dynohub/IQ-X parking light front and rear, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light		469.00		
		lighting system SON disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO, LED headlight B&M IQ-X, daytime running light, up to 100 lux, rear light B&M Toplight Flat S plus with brake light		769.00		
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00		
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00		
		rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs		259.00		
accessories		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg		179.00		
SSOI		mudguards SKS 20" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted		159.00		
Sce		kickstand PLETSCHER Esge Comp Zoom mounted on the rear swingarm, black		59.00		
R		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00		
		water bottle set HP VELOTECHNIK 2×0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00		
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00		
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00		
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00		
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00		
		transport cover with carrying strap, for Grasshopper fx		119.00		
		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00		
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)		699.00		

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.





	×	Item	sugg. retail \$					
St								
Streetmachine Gte recumbent 20"/26" (SMGTe) Streetmachine Gte basic model under seat steering, STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc								
		brakes	4,490.00					
		Streetmachine Gte frameset with suspension, seat, handlebar, chain guide setup	3,510.00					
St	ree	etmachine Gte options extra charge – drivetrain and brake options for complete bikes						
		standard colour O pearl orange O silvergrey	0.00					
		single custom colour according to RAL-colour chart:	229.00					
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00					
эL		front boom with derailleur tube regardless of shifting option (not w/PINION)	0.00					
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with PINION	239.00					
+		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00					
		front boom quickadjust without chain compensation QR-levers	59.00					
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00					
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00					
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00					
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00					
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00					
		BodyLink seat	199.00					
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00					
at		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00					
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00					
		headrest for meshseat adjustable in height and angle, with quick release lever	189.00					
		adjustable end stops allow exact positioning of the seat	19.00					
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00					
		rain cover for seats, ripstop nylon fabric, blue	25.00					
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00					
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre	49.00					
٦		rear shock DNM DV-22 (basic specification)	0.00					
ension	J	O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs	0.00					
ens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00					
dsns	×	suspension fork SPINNER Grind 2 (basic specification)	0.00					
		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00					
g		under seat steering (USS) (basic specification) not compatible with ErgoMesh and ErgoMesh XL seat	0.00					
steering		extra wide under seat steering handlebar 65 cm / 26.6" width (instead of 60 cm / 23.6"), recommended for all ErgoMesh	0.00					
ste		and ErgoMesh Premium seats						
		above seat steering (ASS) adjustable in angle and length, with TERRACYCLE Glideflex folding stem	449.00					
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00					
	П	drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00					
	J	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	43.00					
		ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT	219.00					
		cassette 11-36 teeth, crankset with 39 teeth chainring, double sided chainwheel disc						
		drivetrain SHIMANO XT30 30 speed, SHIMANO XT 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT	279.00					
)	front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering						
ain		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible	2,190.00					
drivetrain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter for USS	2,190.00					
driv		E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 up to 20 mph, hub motor, 30 speed, rear derailleur /	2 470 00					
	ш	cassette SHIMANO XT, USS barend shifter MICROSHIFT/ ASS XT Triggershifter, triple chainring set, front derailleur MICROSHIFT, Li-Ionen battery 576 Wh, push assist, display position on USS: O above handlebar O side of handlebar	3,470.00					
		E-drive NEODRIVES Z20 with PINION C1.12 hub motor, 12 speed PINION C1.12 bottom bracket gearbox, push						
		assist up to 20 mph., Li-Ionen 576 Wh, push assist, not compatible with streamer, display position: O above handlebar O	5,150.00					
		side of handlebar, not compatible with streamer						
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00					
		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)	39.00					
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35mm / 1.4" (SRAM/30 or	49.00					
		PINION)						
brakes		disc brakes SHIMANO BR-MT200 hydraulic (basic specification)	0.00					
		disc brakes AVID BB7 mechanical	79.00					
		disc brakes SHIMANO XT hydraulic	359.00					





[×	Item		sugg. retail \$		
Streetmachine Gte accessories extra charge						
	5	light wire routing only twin wires routed through the frame for hub dynamo		119.00		
	∟	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00		
	۔	lighting system SP SD-8 disc dynohub/IQ-X parking light front and rear, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light		469.00		
	-11	lighting system SON disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO, LED headlight B&M IQ-X, daytime running light, up to 100 lux, rear light B&M Toplight Flat S plus with brake light		769.00		
	T I	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00		
	וֹ⊏	IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00		
	5	rear rack 2 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs		259.00		
S	5	lowrider rack 12 mm / 0,47" tube, black powder coating, max. load 55 lbs / 25 kg		179.00		
orie [5	mudguards SKS 20" / 26" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted		159.00		
accessories	5	kickstand PLETSCHER Esge Comp Zoom mounted on the rear swingarm, black		59.00		
ğ	וֹ⊏	kickstand PLETSCHER Esge mounted under the lowrider rack, black		39.00		
	5	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00		
	5	water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00		
]	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00		
	∟	rear mirror MIRRYCLE both sides barend mounting left and right		130.00		
	5	flag HP VELOTECHNIK double-sided print, with reflective strip		29.00		
	_	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00		
	5	speedometer mount for computers, GPS-devices, or battery lights		15.00		
	5	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)		699.00		
Ī	5	air horn AIRZOUND XL about 30-115 dB, not mounted		39.00		

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.





	×	Item	sugg. retail \$				
Speedmachine recumbent 20"/26" (SPM)							
		Speedmachine basic model rigid fork, SHIMANO hydraulic disc brake, STURMEY ARCHER Tripleshift 24 speed	4,590.00				
		Speedmachine frameset with suspension, seat, handlebar, chain guide setup	3,610.00				
Sp	ee	dmachine options extra charge – drivetrain and brake options for complete bikes only					
		standard colour O silvergrey O carmine red RAL3002	0.00				
		single custom colour according to RAL-colour chart: (please specify)	229.00				
a)		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00				
frame		front boom quickadjust without chain compensation QR-levers	59.00				
fr		front boom with derailleur tube regardless of shifting option (not w/PINION)	0.00				
		front boom carbon saves 170 g / 0.37 lbs of weight, not with PINION	239.00				
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00				
		BodyLink seat	199.00				
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
	\vdash	Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
seat	-	headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
Se	-	headrest for meshseat adjustable in height and angle, with quick release lever	189.00				
	\vdash	adjustable end stops allow exact positioning of the seat	19.00				
	-	two adjustable end stops for ErgoMesh Premium seats only, added	38.00				
	\vdash	rain cover for seats, ripstop nylon fabric, blue	25.00				
	\vdash	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
	\vdash	Microbag topbag for BodyLink seat, detachable as hip bag, I litre	49.00				
_	_	rear shock DNM DV-22 (basic specification)	47.00				
ے		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs	0.00				
sion		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
suspension	_	rigid fork (basic specification)	0.00				
sns		suspension fork CONCEPT 2" suspension travel, steerer suspension system, adjustable	349.00				
		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00				
þ0		above seat steering (ASS) with serobar direct (basic specification)	0.00				
steering		above seat steering with tiller steering (ASS) non-foldable stem to the back	0.00				
tee		under seat steering (USS) indirect, adjustable, not compatible with ErgoMesh XL seat or E-drive	179.00				
01	_	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	177.00				
		/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY					
		ARCHER barend shifters (USS), XT twist shifters (ASS), STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT	219.00				
		cassette 11-36 teeth, crankset with 39 teeth chainring, double sided chainwheel disc					
		drivetrain SHIMANO XT30 30 speed, SHIMANO XT 10 speed rear derailleur / cassette, triple crankset, MICROSHIFT	279.00				
	_	front derailleur, MICROSHIFT barend shifters for underseat steering, twist shifter SHIMANO XT for above seat steering	277.00				
rair		drivetrain PINION C1.12 12 speed front gear box, long twist shifter for USS, Stremaer not compatible	2,190.00				
drivetrain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter for USS	2,190.00				
	_	E-drive NEODRIVES Z20 and drivetrain SHIMANO XT30 only for ASS, up to 20 mph, hub motor, 30 speed, rear					
		derailleur / triggershifter / cassette SHIMANO XT, triple chainring set, front derailleur MICROSHIFT, Li-lonen battery 576	3,470.00				
		Wh, push assist E-drive NEODRIVES Z20 with PINION C1.12 push assist only with ASS, up to 20 mph, 12 speed PINION C1.12 front					
		gear box, Li-lonen 576 Wh, push assist, 4 A charger, not compatible with streamer	5,150.00				
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00				
		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)	39.00				
	J	tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35mm / 1.4" (SRAM/30 or	37.00				
		PINION)	49.00				
S		disc brakes SHIMANO BR-MT200 hydraulic (basic specification)	0.00				
brakes		disc brakes AVID BB7 mechanical	79.00				
		disc brakes SHIMANO XT hydraulic	359.00				
	_		237.00				





	×	Item		sugg. retail \$	
Sp	Speedmachine accessories extra charge				
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00	
		lighting system SP SD-8 disc dynohub/IQ-X parking light front and rear, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light		469.00	
		lighting system SON disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO, LED headlight B&M IQ-X, daytime running light, up to 100 lux, rear light B&M Toplight Flat S plus with brake light		769.00	
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00	
L		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00	
L		rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs		259.00	
accessories		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg		179.00	
SSOI		mudguards SKS 20" / 26" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted		159.00	
Sce		kickstand PLETSCHER Esge Zoom mounted on the rear swingarm, black		49.00	
ď		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00	
L		water bottle set HP VELOTECHNIK 2×0.6 PE-bottle with HP print, with bottle cages, mounted		79.00	
L		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00	
L		rear mirror MIRRYCLE both sides barend mounting left and right		130.00	
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00	
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00	
		speedometer mount for computers, GPS-devices, or battery lights		15.00	
		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00	

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.

order sheet





	×	Item	sugg. retail
De	elta	a tx splittable tricycle 20"/20" (DET)	
		Delta tx Pedelec basic model e-drive up to 20mph, BAFANG M300 motor, SRAM X4 8-speed derailleur, B&M IQ-XS	
	×	lighting system, SHIMANO BR-MT200 braking system, 450 Wh battery pack., luggage carrier incl. basket	7,450.00
Н	[V]	standard colour O sparkling iron gray O blue flash	0.00
D			0.00
De		atx options extra charge stem O short: recommended for body height < 165 cm / 5.5" O standard: 160 -195 cm / 5.3 - 6.5" O long: > 190 cm / 6.3"	0.00
_		folding stem TERRACYCLE GlideFlex angle adjustable stem with folding mechanism for easy access	
Steam			239.00
Şt		stem quickadjust QR-levers on the stem clamps	35.00
Щ	\vdash	stem length fitting service: straight line distance upper edge of headtube clamp to middle of handlebarcm/inch	0.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh) ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00
]	ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00
'n		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00
seat		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00
	-	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	119.00
		headrest for meshseat adjustable in height and angle, with quick release lever	189.00
		adjustable end stops allow exact positioning of the seat	19.00
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00
		rain cover for seats, ripstop nylon fabric, blue	25.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
sion		rear shock DNM DV-22 (basic specification)	0.00
suspension		O soft: 850 lbs/inch, up to 175 lbs O standard: 1100 lbs/inch, up to 220 lbs O hard: 1500 lbs/inch, up to 320 lbs	
sn	ш	rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
		E-drive BAFANG M300 with SRAM X4 (basic configuration)up to 20 mph, with derailleur SRAM X4 8-speed, Li-lonen battery with 450 Wh, charger 2 A, throttle for starting aid up to 4 mph	0.00
		E-drive BAFANG M300 and ENVIOLO Automatiq up to 20 mph, with ENVIOLO Automatiq shifting, Li-lonen battery	
		with 450 Wh, charger 2 A, throttle for starting aid up to 4 mph	1,290.00
		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh,	119.00
	ш	2 A charger, push assist 4 mph	119.00
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	469.00
		418 Wh, 2 A charger, push assist 4 mph	
ii		E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	1,050.00
drivetrain			
lriv		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	1,950.00
١		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function, anti-tip wheels required	
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	
		internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph, anti-tip wheels required	2,710.00
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	
		battery 418 Wh, push assist 4 mph, anti-tip wheels required	3,110.00
		big battery pack BAFANG Li-Ionen, 600 Wh	189.00
		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.00
		short cranks 135 mm / 5.3"resp. 140 mm / 5.5" for STEPS E6100 and EP801 Cargo	25.00
brakes		disc brakes SHIMANO BR-MT200 (basic equipment) hydraulic, separately operated rear wheel brakes	0.00
		RIDEREVER hydraulic disc brakes coupled, additional rear brake hydraulic, coupled rear brakes, additional	
		mechanical disc brake AVID BB7 at the rear with parking brake function, adjustable grip width, hydraulic brake lever: O left O right	429.00
		RIDEREVER hydraulic disc brakes coupled, additional front brake hydraulic, coupled rear brakes, additional	
		mechanical disc brake AVID BB7 with parking brake function at the front, adjustable grip width, limited possibility to split the	429.00
		vehicle, hydraulic: brake lever is O left or O right	
		parking brake rear Mechanical on rear wheel, disc brake, detent lever on handlebar, not compatible with coupled brake	119.00
		with additional rear brake parking brake front Mechanical on front wheel, disc brake, detent lever on handlebar, trike splitting very limited, not	
		compatible with coupled brake with additional brake at front, only recommended with additional rear brake	129.00
	П		
		one-hand operation for brakes and drivetrain includes RIDEREVER hydraulic coupled disc brakes, AVID BB7 disc brake with parking brake function, position of disc brake with parking function: O front O rear, mounting of controls: O left O right	559.00
		The second secon	





П	×	Item		sugg. retail			
ac	accessories Surcharges, additional accessories on the "comfort and rehab options" order form						
П	×	tires SCHWALBE Super Moto-X 62 mm / 2.5" width, Greenguard		0.00			
	ш	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		0.00			
		IQ-X lighting system only with STEPS drive systems, B&M IQ-X up to 150 lux, rear light B&M Toplight 2C DC		95.00			
		indicator lights system WingBling only in conjunction with electric drive		739.00			
Ш		anti-tip wheels recomended for tall riders, high seats, with bagholders, always with Shimano STEPS EP801 Cargo		109.00			
S		vertical parking stand pedestals mounted on seat and rack for space-saving parking position of the Delta tx. We recommend fitting anti-tip wheels.		95.00			
orie		bag holder for one bicycle bag behind seatback, max. load 12 kg / 26 lbs		189.00			
accessories		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00			
acc		mudguards Delta tx SKS front and rear, 69 mm / 2.7" wide, with spoiler		219.00			
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00			
Ш		water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00			
		rear mirror B&M Cyclestar E mounted on the handlebar O left O right		49.00			
Ш		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00			
		trailer hitch WEBER for trailers with WEBER coupling, max. trailer load 40 kg / 88 lbs		219.00			
		frame lock AXA Imenso with removable key, without chain, black		85.00			
Ш		chain for frame lock AXA length 100 cm / 39.4"		35.00			





						sugg. retail		
	×	Item				\$		
Delta tx SE special edition trike 20" / 20" (KREDETV)								
		Delta tx Special Edition Pedelec						
		- drivetrain BAFANG M300 bottom bracket motor with ENVIOLO Trekking automatiq, stepless automatic gear hub,						
		crank lenght 6.1", battery with 450 Wh, E-drive up to 16 mph, throttle for starting aid up to 4 mph						
		- SHIMANO MT200 disc brakes, rear, individually braked						
		- lighting system B&M IQ-XS friendly, LED headlight 80 Lux, rear light B&M 2C DC						
		- luggage carrier with basket, basket with handle, up to 55 lbs load capacity						
	l_	- headrest, quick-release fastening, adjustable in height and angle, removable pad						
	×	- DNM steel spring damper with standard spring (1100 lbs/inch, up to 220 lbs)				9,150.00		
		- parking brake on rear wheel, mechanical disc brake, locking lever on handlebars						
		- tyres SCHWALBE Super Moto-X, 2.4" wide						
		- mudguards, SKS front and rear, 2.7" wide, with spoiler, single-sided rear suspension						
		- mirror left, B&M Cyclestar E - pennant, with reflective foil						
		- rain cover, for all HP VELOTECHNIK seats, ripstop nylon, blue						
		- frame lock AXA Imenso with removable key, without chain, black						
Ш		- If affice lock ANA lifterso with removable key, without chair, black						
	×	standard colour O sparkling iron gray O blue flash				0.00		
De	elta	tx SE selection seat						
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00		
		ErgoMesh HS meshseat (4.3" higher than EM seat)				0.00		
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00		
ڀ		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00		
seat		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00		
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00		
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)				369.00		
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				369.00		
De	elta	tx SE accessories Surcharges, unmounted, additional special accessories on the "com	ort and	rehab op	tions" or	der form		
		short stem recommended for body height < 1.65 m / 5.5", middle part added				49.00		
		soft spring (850 lbs/inch up to 175 lbs) for rear suspension element, added				19.00		
	П	hard spring (1500 lbs/inch up to 320 lbs) for rear suspension element, added				19.00		
	늡	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag, added				79.00		
	<u> </u>	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				119.00		
	<u> </u>	adjustable end stops allow exact positioning of the seat				19.00		
	<u> </u>	two adjustable end stops for ErgoMesh Premium seats only, added				38.00		
ies	<u> </u>	bag holder for one bicycle bag behind seatback, max. load 12 kg / 26 lbs, added				189.00		
accessories	늡	anti-tip wheels recomended for tall riders, high seats, with bagholders, added		_		109.00		
See	<u> </u>	big battery pack BAFANG Li-lonen, 600 Wh				189.00		
ă	<u> </u>	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, added				179.00		
	H	vertical parking stand pedestals on seat and rack for space-saving parking position of the Delta tx. We recommend fitting						
		anti-tip wheels, added				95.00		
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00		
		water bottle set HP VELOTECHNIK 2×0.6 l PE-bottle with HP print, with bottle cages, added				79.00		
		trailer hitch WEBER for trailers with WEBER coupling, max. trailer load 40 kg / 88 lbs				219.00		
		chain for frame lock AXA length 100 cm / 39.4"				35.00		

notes







	×	Item	sugg. ret \$	ail				
Ge	Gekko fxs foldable recumbent trike for children and special ability use 20"/20" (GES) Gekko fxs basic model SHIMANO Nexus Premium internal gear hub 8 speed, 135 mm / 5,3" 32 teeth crankset, AVID BB7							
	×	mechanical disc brakes, B&M EYRO lighting system, rear rack, mudguards Trikefender, pedals with heel strap and foot clamp,	5,330.0	00				
		OrthoFlex seatmesh with individual upholstery, adjustable retention belt system						
Ge	kk	to fxs options extra charge						
		standard colour magma red	0.0)0				
		single custom colour according to RAL-colour chart: (please specify)	229.0)0				
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.0)0				
		front boom quickadjust compensates extra chain length when front boom is adjusted, with quick release levers, ca. 35 cm /	249.0	20				
a)		14" adjustment range, incl. adjustable length upper chain protection tube	277.	"				
frame		long handlebars 6 cm / 2.4" higher grip position	25.0)0				
اغ		headrest for meshseat adjustable in height and angle, with quick release lever	189.0)0				
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	279.0)0				
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	279.0)0				
		adjustable end stops allow exact positioning of the seat	19.0)0				
		rain cover for seats, ripstop nylon fabric, blue	25.0	00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed, internal gear hub with twist shifter (basic specification)	0.0)0				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, SHIMANO Deore XT rear derailleur, MICROSHIFT /		٦				
		STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette 11-36 teeth,	239.0)0				
		crankset 5.3" crank length and 32 teeth chainring, double sided chainwheel disc		_				
		drivetrain ROHLOFF Speedhub/14 14 speed internal gear hub, black, long twist shifter	2,190.0)0				
اء		E-drive SHIMANO STEPS E5000 Nexus Di2 SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A	2,640.	00				
drivetrain	_	charger, push assist 4 mph , maximum assistance speed: O 9 mph O 16mph						
vet		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	5,250.0	00				
dri		battery 418 Wh, push assist 4 mph, only with 6.1" crank						
		E-drive NEODRIVES Z20 with MICROSHIFT10 up to 16mph, 10-speed shift MICROSHIFT XLE, Li-lonen battery 576	3 920					
		Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar; max. speed O 9 mph O 16 mph	3,820.0	ľ				
ŀ		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A	449.0	10				
ŀ		shorter / longer cranks O 115 mm / 4,5" O 155 mm / 6,1" instead of 135 mm / 5,3"	25.0	\neg				
ŀ		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"	49.0	_				
\dashv		disc brakes AVID BB7 mechanical, separate brake per front wheel, children levers (basic specification)	0.0	_				
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel	0.0	_				
		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function, lever reach not						
		adjustablefront brake lever: O left O right	199.0)0				
		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		٦				
ces		function, rear disc brake, front brake lever: O left O right	329.0)0				
brakes		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.0	00				
ו־		parking brake SHIMANO rear wheel V-Brake with thumblever	65.0	_				
- 1		one-hand operation for brakes and drivetrain includes coupled AVID BB7 front disc brake, AVID BB7 disc brake with						
		parking brake function rear, mounting the controls: O left O right	379.0)0				
		one-hand operation for brakes and drivetrain includes hydraulic coupled front brake, AVID BB7 disc brake with parking	550	$\overline{}$				
		brake function rear, mounting the controls: O left O right	559.0	יטנ				





	×	Item	sugg. retail \$					
ac	accessories Surcharges, additional accessories on the "comfort and rehab options" order form							
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	0.00					
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO						
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake	639.00					
		light						
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	45.00					
	_	80 Lux, rear light B&M Toplight 2C DC						
	-	indicator lights system WingBling only in conjunction with electric drive	739.00					
	-	rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs	0.00					
	×	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	0.00					
		pedals with heelstrap and foot clamp left and right, size range: O 22 - 28 cm / 8 - II" (basic specification) O 27 - 34 cm / II - I4"	0.00					
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	0.00					
		ErgoPedal single sided other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal: O left O right	45.00					
	-	size: O 7,9" - I I" O 10,6" - 13,4"	45.00					
		ErgoPedal left and right size: 0 7,9" - 11" 0 10,6" - 13,4"	109.00					
		ErgoPedal with safety release single sided incl. one SPD-pedal SHIMANO PD-A530, adjustable position, joint-friendly						
		freedom of movement +/- 3 degrees, other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal with safety	115.00					
		release: O left O right size: O 7,9" - 11" O 10,6" - 13,4"						
		ErgoPedal with safety release left and right adjustable position, joint-friendly freedom of movement '+/- 3 degrees, size: O 7,9" - O O,6" - 3,4"	229.00					
S		ErgoPedal with calf brace single sided other side pedal with heelstrap and foot clamp, mounting side of ErgoPedal:	289.00					
accessories		O left O right size: O 7,9" - 11" O 10,6" - 13,4"	1 1 2000					
ess		ErgoPedal with calf brace left and right size: O 7,9" - 11" O 10,6" - 13,4"	580.00					
acc		handrest with retaining strap comfortable hand support mounted on handlebar	119.00					
		mounting side of handrest: O left O right						
		handrests left and right with one retaining strap with one retaining strap	219.00					
	١_	mounting side of retaining strap: O left O right	1,000					
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00					
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50					
		walking aid mounts left and right easy fixing and safety clip	199.00					
		standing-up aid support with grip for easy entry and exit from the trike, knuckle mounted, price per side,	104.50					
	Ľ	O left O right O pair	104.50					
		companion bar for active steering and braking, incl. brake for companion, not compatible with standing-up aid left, limited	439.00					
		folding functionality, installation on left hand side	.57.00					
		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	79.00					
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00					
		rear mirror B&M E both sides left and right knuckle mounting	178.00					
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00					
		rear mirror MIRRYCLE both sides barend mounting left and right	130.00					
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00					
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø	40.00					
	Ľ	0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	49.00					
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00					
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.00					





•		JIELHNIK	
×	€	Item	sugg. retail \$
Gek	k	o fx 20 foldable recumbent trike 20"/20" (GEF)	
]	Gekko fx 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,230.00
	ונ	Gekko fx 20 frameset with seat, handlebar, front hubs, chain guide setup	3,500.00
opti	0	ns extra charge – drivetrain and brake options for complete bikes only	
_	_	standard colour O magma red O deep blue	0.00
	H	single custom colour according to RAL-colour chart:	229.00
ΙĦ	-	front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00
ΙĦ	+	front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
	+	length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
seat	+	front boom quickadjust without chain compensation QR-levers	59.00
S pt	+	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00
ē _	+	headrest for meshseat adjustable in height and angle, with quick release lever	189.00
frame	+	seat angle adapter to adjust the backrest in a more upright position, with quick release	119.00
	+	Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles	189.00
	-	handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00
	-	adjustable end stops allow exact positioning of the seat	19.00
	+	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
	+	rain cover for seats, ripstop nylon fabric, blue	25.00
H	+	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear	23.00
-	ш	derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00
l I⊢	H	drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00
	- 1	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette	43.00
-	ш	SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth	219.00
ш	H	drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500	
	ш	barend shifters, SRAM cassette PG 1050 11–36	429.00
	ا د	drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00
	اد	drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00
Ш_	ŀ	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,	
	ш	2 A charger, push assist 4 mph	2,290.00
_	ا ـ	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,40,00
- ا ـ ا	1	418 Wh, 2 A charger, push assist 4 mph	2,640.00
ا يقا ـ	۱,	E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2 190 00
drivetrain	1	418 Wh, 2 A charger, push assist 4 mph	3,190.00
 	٦ſ	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4,850.00
٦١١	1	internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph	4,030.00
-		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen	5,250.00
		battery 418 Wh, push assist 4 mph	5,2333
$ \ _{\vdash}$	- 1	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever]]]]]]]]]]]
۱۱۲	- 1	SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar	3,930.00
ш	- 1	E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket	
	_	gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,	5,550.00
ш		display position: O above handlebar O side of handlebar	
]	big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.00
	3	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00
	ш	tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30	49.00
Н-	-	or PINION)	0.00
	- 1	disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
-	H	disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00
s 🗆	IJ	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function front brake lever: O left O right	199.00
brakes	- 1	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	
□ [ق	J I	function, rear disc brake, front brake lever: O left O right	329.00
-	- 1	disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
	+	parking brake SHIMANO rear wheel V-Brake with thumblever	65.00
		r o constant de la co	03.00





	×	Item		sugg. retail			
ш	_			\$			
accessories Surcharges, additional accessories on the "comfort and rehab options" order form							
Г		light wire routing only twin wires routed through the frame for hub dynamo		119.00			
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00			
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO					
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00			
		light, in combination with e-drive no quick frame adjustment possible					
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00			
	_	80 Lux, rear light B&M Toplight 2C DC		257.00			
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00			
		indicator lights system WingBling only in conjunction with electric drive		739.00			
		rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs		99.00			
	Ь	side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp,		179.00			
	-	unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		179.00			
S		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00			
accessories		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00			
ess		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		79.00			
acc		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00			
		rear mirror B&M E both sides left and right knuckle mounting		178.00			
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00			
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00			
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00			
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		49.00			
	╙	0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00			
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00			
		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00			
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		699.00			
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		99.00			
		frame lock AXA Victory with removable key, without chain, black		99.00			
		chain for frame lock AXA length 100 cm / 39.4"		35.00			





	_							
	×	Item				sugg. retail \$		
G	Gekko fx 20 US VERSION foldable recumbent trike 20"/20" (GEF) / from US-warehouse, built kit							
Γ	Г		sport model drivetrain SRAM X4 24 speed, SHIMANO BR-MT200 hydraulic disc brakes			2,790.00		
ор	tio	ns						
г	×	standard col	our O Magma red O Deep blue			0.00		
G	ekk	o fx 20 ac	ccessories accessories not assembled					
		SIHPKNESK	headrest for meshseat adjustable in height and angle, with quick release lever			189.00		
		SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release			119.00		
			Gekko seat pad additional comfortably upholstered seat pad to attach to the normal seat, fastening with					
		SIKIGEF	buckles, breathable upholstery (already included in comfort box)			189.00		
		TAFDDA	add-on bags for meshseat one pair mounted on the backrest, each 1.4 litres capacity, one water-repellent			70.00		
	-	TAEPPA	bag, one ventilated bag			79.00		
		LEHAPAKO	handrests left and right comfortable hand support, mounted on handlebar, removable cushion			169.00		
		SIZURS	rain cover for seats, ripstop nylon fabric, blue			25.00		
		TASHSCF	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric			99.00		
es		BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever			65.00		
accessories		LESHGE	side bag mount mounting for handlebar bags, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp,			179.00		
Ges	Ľ	LLSITIGL	unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)			177.00		
ac		GTKOGEF	rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs			99.00		
		RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware			89.00		
		RSPBESKR	rear mirror B&M E right wide view angle, easy to adjust, incl. mounting hardware			89.00		
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers			249.00		
		TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted			79.00		
	Г	СНИНТВ	universal mount for accessories, mounting in the handlebar end Ø 0.87" tube holder for accessories			49.00		
	Ľ	СПОПТВ	like phone holder / GPS devices / bell, max. load 0.88 lbs, unmounted			47.00		
		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel			29.00		
		SBKO26S3	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black			329.00		
		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip			29.00		
E-	Kit	SHIMAN	IO STEPS with motor mounted on the boom, HP VELOTECHNIK external v	viring ha	rness and	connected		
ba	tter	v holder r	ail. Please make sure to check also the box for the desired battery and battery a	adapter k	kit! The E	-Kit is shippend		
				арто	=			
se	ber	ately, as we	ell as the battery. The pre assembly service does not apply for the E-Kit it self.					
	_		E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control					
	╵	HAEKS520	unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery,			1,442.00		
	H		front boom (requires separate battery adapter kit) E-Kit SHIMANO STEPS EP801 Cargo for 20" SHIMANO STEPS EP801 Cargo motor, large display SC-					
	la	HAEKS80120	EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M			3,042.00		
E-Kit			Toplight Flat battery, front boom (requires separate battery adapter kit)					
ш		HAASGEFL	battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black			179.00		
		HAAKS84	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh			569.00		
		HAAKS86	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh			839.00		
		HAAKS814U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh			569.00		
	П	LIAAVCOIGII	SHIMANO STERS 2 bottom: for Shimano accord generation (FD901 Cargo) 420 \M/b			929.00		

notes







×] It	tem		sugg. retail
Gek	ko	fx 26 foldable recumbent trike 20"/26" (GEL)		
	_	ekko fx 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes		4,340.00
	-	ekko fx 26 frameset with seat, handlebar, front hubs, chain guide setup		3,610.00
_	-	s extra charge – drivetrain and brake options for complete bikes only		3,510.00
_	_	andard colour O magma red O deep blue		0.00
	-	ngle custom colour according to RAL-colour chart:		
	-			229.00
	_	ont boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00
	+	ont boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00
t	_	ngth fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm		0.00
seat	+	ont boom quickadjust without chain compensation QR-levers		59.00
and	-	ont boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		249.00
) he	eadrest for meshseat adjustable in height and angle, with quick release lever		189.00
frame] se	at angle adapter to adjust the backrest in a more upright position, with quick release		119.00
l¯l□] G	ekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles		189.00
] ha	andrests left and right comfortable hand support, mounted on handlebar, removable cushion		169.00
	ad	ljustable end stops allow exact positioning of the seat		19.00
	ad	Id-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00
] ra	in cover for seats, ripstop nylon fabric, blue		25.00
	dr	ivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur		
	. / t	wist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth		0.00
	dr	rivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		45.00
	dr	ivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY		
	AF	RCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth		219.00
	dr	ivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500		
-	ba	rend shifters, SRAM cassette PG 1050 11–36		339.00
	dr	rivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,190.00
	dr	ivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter		2,190.00
	E-	drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,		
-	2 /	A charger, push assist 4 mph		2,290.00
	, E-	drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery		2 (40 00
$ \; ^{\circ}$	41	8 Wh, 2 A charger, push assist 4 mph		2,640.00
	, E-	drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery		3 100 00
drivetrain	41	8 Wh, 2 A charger, push assist 4 mph		3,190.00
iset	, E-	drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen		4,090.00
ا قِ ا	ba	ttery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function		4,070.00
₋	E-	drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq		4,850.00
	int	ternal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph		4,030.00
] E-	drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-loner		5,250.00
	_	ttery 418 Wh, push assist 4 mph		5,250.00
		drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever		
╽╶╽╙		AM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,		3,930.00
		isplay position: O above handlebar O side of handlebar		
	11	drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and ckwards, not compatible with streamer, display position: O above handlebar O side of handlebar		5,550.00
	_	g battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	 	440.00
	+		 	449.00
님님	_	nainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options) Nort cranks 155 mm / 6", recommended for riders under 175 cm / 68"		39.00
▎▕ᆜ	+			25.00
	П	re exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30 PINION)		49.00
	+	· · · · · · · · · · · · · · · · · · ·		0.00
	-	sc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
	-	sc brakes AVID BB7 mechanical, separate brake per front wheel		75.00
s a	П	sc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		199.00
brakes	-	ont brake lever: O left O right		
۵ هٔ	11	Adraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake nction, rear disc brake, front brake lever: O left O right		329.00
_	-	-		2/0.00
lĽ	-	sc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	 	269.00
		arking brake SHIMANO rear wheel V-Brake with thumblever		65.00





	×	ltem		sugg. retail \$				
ac	accessories Surcharges, additional accessories on the "comfort and rehab options" order form							
ac		light wire routing only twin wires routed through the frame for hub dynamo		119.00				
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00				
L		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO						
L		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00				
L		light, in combination with e-drive no quick frame adjustment possible						
	٥	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00				
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00				
		indicator lights system WingBling only in conjunction with electric drive		739.00				
		rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs		99.00				
		side bag mount mounting for handlebar bags, fixed to the frame, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp,		170.00				
		unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		179.00				
S		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00				
accessories		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00				
ess		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		79.00				
acc		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00				
		rear mirror B&M E both sides left and right knuckle mounting		178.00				
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00				
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00				
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00				
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		49.00				
	Ľ	0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		47.00				
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00				
		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00				
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		699.00				
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		99.00				
		frame lock AXA Victory with removable key, without chain, black		99.00				
		chain for frame lock AXA length 100 cm / 39.4"		35.00				





	×	Item			sugg. retail		
Ge	\$ Gekko fx 26 US VERSION foldable recumbent trike 20"/26" (GEL) / from US-warehouse, built kit						
			erformance model drivetrain 27 speed, rear derailleur SHIMANO Deore 9 speed, barend shifter MICROSHIFT,				
			ANO, brakes SHIMANO XT hydraulic		3,190.00		
			mfort model drivetrain SRAM GX 10 speed with barend shifter, Avid BB7 coupled mechanical disc brakes, lrest, seat angle adapter, parking brake, Gekko seat cushion, 2 piece handlebar with qr clamp for fast adjusting		3,590.00		
			ands-On-Cycle (HOC) The HP VELOTECHNIK hand drive, colour: blue shade grey matt, enclosed drive, height		6,990.00		
adjustable, length adjustable, adjustable leg rest, parking brake, width adjustable hand crank, restricts folding options							
J			our O magma red O deep blue	$\overline{}$	0.00		
Ge	kk	o fx 26 ac	cessories accessories not assembled				
П		SIHPKNESK	headrest for meshseat adjustable in height and angle, with quick release lever	$\overline{}$	189.00		
		SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release		119.00		
			Gekko seat pad additional comfortably upholstered seat pad to attach to the normal seat, fastening with				
	ш	SIKIGEF	buckles, breathable upholstery (already included in comfort box)		189.00		
		T 4 EDD 4	add-on bags for meshseat one pair mounted on the backrest, each 1.4 litres capacity, one water-repellent		70.00		
	_	TAEPPA	bag, one ventilated bag		79.00		
		LEHAPAKO	handrests left and right comfortable hand support, mounted on handlebar, removable cushion		169.00		
		SIZURS	rain cover for seats, ripstop nylon fabric, blue		25.00		
		TASHSCF	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		99.00		
es		BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever		65.00		
accessories	П	LESHGE	side bag mount mounting for handlebar bags, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp,		170.00		
ess			unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		179.00		
асс		GTKOGEF	rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs		99.00		
		RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware		89.00		
		RSPBESKR	rear mirror B&M E right wide view angle, easy to adjust, incl. mounting hardware		89.00		
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		249.00		
		TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		79.00		
			universal mount for accessories, mounting in the handlebar end Ø 0.87" tube holder for accessories		40.00		
		CHUHTB	like phone holder / GPS devices / bell, max. load 0.88 lbs, unmounted		49.00		
		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00		
		SBKO26S3	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00		
		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip		29.00		
F-I	Kit	SHIMAN	IO STEPS with motor mounted on the boom, HP VELOTECHNIK external v	/iring harn	ess and connected		
			ail. Please make sure to check also the box for the desired battery and battery a ell as the battery. The pre assembly service does not apply for the E-Kit it self.	dapter kit	: The E-Kit is shippepd		
301	CI	acciy, as we					
			E-Kit SHIMANO STEPS E5000 for 26" SHIMANO STEPS E5000 motor, large display SC-E6100, control				
		HAEKS526	unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery,		1,442.00		
	\vdash		front boom (requires separate battery adapter kit) E-Kit SHIMANO STEPS EP801 Cargo for 26" SHIMANO STEPS EP801 Cargo motor, large display SC-				
		HAEKS80126	EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M		3,042.00		
E-Kit			Toplight Flat battery, front boom (requires separate battery adapter kit)				
山		HAASGEFL	battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black		179.00		
		HAAKS84	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh		569.00		
		HAAKS86	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh		839.00		
		HAAKS814U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh		569.00		
	П	MVVK201411	SHIMANO STEPS 2 battery for Shimano second generation (FPROL Cargo) 630 Wh		839.00		

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.

569.00

839.00

569.00

839.00



☐ HAAKS84

☐ HAAKS86



	×	Item				sugg. retail		
Ge	Gekko 26 US VERSION recumbent trike 20"/26" (GEN) / shipment from US-warehouse, built kit							
	×		ormance model drivetrain 27 speed, rear derailleur SHIMANO Deore 9 speed, barend shifter MICROSHIFT, ANO, brakes SHIMANO XT hydraulic			2,890.00		
	×	1	fort model drivetrain SRAM GX 10 speed, barend shifter, Avid BB7 coupled mechanical disc brakes, headrest, angle adapter, parking brake, seat cushion, 2 piece handlebar with qr clamp			3,290.00		
	×		ds-On-Cycle (HOC) drivetrain 24 speed, SRAM X4 shifting, brakes SHIMANO BR-MT200, hand drive in the colour: by matt, parking brake,			6,690.00		
ор	tio	ns						
	×	standard col	our O lime green O deep blue			0.00		
Ge	ekk	to 26 acce	essories accessories not assembled					
		SIHPKNESK	headrest for meshseat adjustable in height and angle, with quick release lever			189.00		
		SIZUBV	seat angle adapter to adjust the backrest in a more upright position, with quick release			119.00		
			Gekko seat pad additional comfortably upholstered seat pad to attach to the normal seat, fastening with					
	ш	SIKIGEF	buckles, breathable upholstery (already included in comfort box)			189.00		
		TAEPPA	add-on bags for meshseat one pair mounted on the backrest, each 1.4 litres capacity, one water-repellent bag, one ventilated bag	П		79.00		
		LEHAPAKO	handrests left and right comfortable hand support, mounted on handlebar, removable cushion		-	169.00		
		SIZURS	rain cover for seats, ripstop nylon fabric, blue		-	25.00		
		TASHSCF	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		-	99.00		
S		BRPBS	parking brake SHIMANO rear wheel V-Brake with thumblever		-	65.00		
accessories		LESHGE	side bag mount mounting for handlebar bags, maximum load 5 kg / 11 lbs, left and right, incl. ring clamp, unmounted, folding function limited, bike can no longer be pulled on wheels (bags not included)		$\neg \uparrow$	179.00		
acci		GTKOGEF	rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs		-	99.00		
		RSPBESK	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware		-	89.00		
		RSPBESKR	rear mirror B&M E right wide view angle, easy to adjust, incl. mounting hardware		-+	89.00		
		RTZUSV	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		-+	249.00		
	_	TFSETEM	water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		_	79.00		
		СНИНТВ	universal mount for accessories, mounting in the handlebar end ∅ 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 0.88 lbs, unmounted			49.00		
		CHSMSET	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel			29.00		
		SBKO26S3	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		-	329.00		
		WIHP	flag HP VELOTECHNIK double-sided print, with reflective strip		\neg	29.00		
bat	E-Kit SHIMANO STEPS with motor mounted on the boom, HP VELOTECHNIK external wiring harness and connected pattery holder rail. Please make sure to check also the box for the desired battery and battery adapter kit! The E-Kit is shippepd seperately, as well as the battery. The pre assembly service does not apply for the E-Kit it self.							
		, , , , .	E-Kit SHIMANO STEPS E5000 for 26" SHIMANO STEPS E5000 motor, large display SC-E6100, control					
		HAEKS526	unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat battery,			1,442.00		
it		HAEKS80126	front boom (requires separate battery adapter kit) E-Kit SHIMANO STEPS EP801 Cargo for 26" SHIMANO STEPS EP801 Cargo motor, large display SC- EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M Toolight Flow between front hours (requires separate between display adapter kit)	\Box	\dashv	3,042.00		
E-Kit		HAASGEFL	Toplight Flat battery, front boom (requires separate battery adapter kit) battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black		-+	179.00		

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.

SHIMANO STEPS battery for ShimanoE5000, 418 Wh

SHIMANO STEPS battery for Shimano E5000, 630 Wh HAAKS814U SHIMANO STEPS 2 battery for Shimano EP801 Cargo, 418 Wh

HAAKS816U SHIMANO STEPS 2 battery for Shimano EP801 Cargo, 630 Wh





	×	Item	sugg. retail \$						
Scarpion 2 recumbent trike 20"/26" (SCO2)									
Sc	Scorpion 2 recumbent trike 20"/26" (SCO2)								
		Scorpion 2 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,990.00						
		Scorpion 2 frameset with suspension, seat, handlebar, front hubs, chain guide setup	4,260.00						
ор	tio	ns extra charge – drivetrain and brake options for complete bikes only							
		standard colour O peeka blue O anthracite grey metallic matt	0.00						
		single custom colour according to RAL-colour chart: (please specify)	229.00						
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00						
me		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00						
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00						
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00						
		front boom quickadjust without chain compensation QR-levers	59.00						
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00						
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00						
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00						
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00						
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00						
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00						
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00						
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00						
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00						
		BodyLink seat	199.00						
L.		BodyLink seat with brackets for small riders (1.6" to the front)	199.00						
seat		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	119.00						
		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00						
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00						
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00						
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00						
		headrest for meshseat adjustable in height and angle, with quick release lever	189.00						
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00						
		adjustable end stops allow exact positioning of the seat	19.00						
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00						
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00						
		rain cover for seats, ripstop nylon fabric, blue	25.00						
		rear shock DNM DV-22 (basic specification)	0.00						
		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs							
		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00						
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	0.00						
		/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	45.00						
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00						
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth	219.00						
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500	- 						
		barend shifters, SRAM cassette PG 1050 11–36	339.00						
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00						
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00						
ain		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh,							
drivetrain		2 A charger, push assist 4 mph	2,290.00						
dri		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery	2,640.00						
	_	418 Wh, 2 A charger, push assist 4 mph	2,040.00						
		E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	3,190.00						
		418 Wh, 2 A charger, push assist 4 mph	3,7300						
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen	4,090.00						
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq							
		internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,850.00						
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	 						
		battery 418 Wh, push assist 4 mph	5,250.00						
_									





			VELUTELHNIK
	×	Item	sugg. retai \$
Н		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	*
Ш		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards,	3,930.00
Ш	-	Display position: O above handlebar O side of handlebar	
Ш		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and	1 1
Ш		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	5,550.00
اءا		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.00
ra:		2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	
drivetrain	ш	function), without power supply, battery must be inserted for use in main battery holder	1,319.00
dri		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	1 200 0
Ш	╙	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,290.00
Ш		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00
Ш		chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)	39.00
Ш		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30	
		or PINION)	49.00
П		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
Ш		disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00
Ш		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	100.00
kes		front brake lever: O left O right	199.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	220.00
ا آ ا		function, rear disc brake, front brake lever: O left O right	329.00
Ш		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
Ш		parking brake SHIMANO rear wheel V-Brake with thumblever	65.00
acı	Ces	sories Surcharges, additional accessories on the "comfort and rehab options" order form	
-		light wire routing only twin wires routed through the frame for hub dynamo	119.00
Ш	_	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	145.00
Ш	_	lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO	143.00
Ш		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake	769.00
Ш		light, in combination with e-drive no quick frame adjustment possible	1 707.00
Ш		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	
Ш		80 Lux, rear light B&M Toplight 2C DC	239.00
Ш		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
Ш		indicator lights system WingBling only in conjunction with electric drive	739.00
Ш		rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	279.00
Ш		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	219.00
	_	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179.00
es	\vdash	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	329.00
or.]	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129.00
accessories		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted	79.00
acc		·	89.00
	-	rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	
		rear mirror B&M E both sides left and right knuckle mounting	178.00
Ш		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
Ш		rear mirror MIRRYCLE both sides barend mounting left and right	130.00
Ш	ш	flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
Ш		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	49.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00
	<u> </u>	air horn AIRZOUND XL about 30-115 dB, not mounted	39.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	699.00
		frame lock AXA Victory with removable key, without chain, black	85.00
ш	ш	chain for frame lock AXA length 100 cm / 39.4"	35.00





	×	Item	sugg. retail
Sc	ori	pion fx foldable recumbent trike 20"/20" (SCF2)	
50	_	Scorpion fx basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	5,790.00
		Scorpion fx frameset with suspension, seat, handlebar, front hubs, chain guide setup	5,060.00
0.0			3,000.00
op		ns extra charge – drivetrain and brake options for complete bikes only	
		standard colour O pearlorange O cool grey metallic	0.00
		single custom colour according to RAL-colour chart: (please specify)	229.00
a		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
frame		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00
÷		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
		front boom quickadjust without chain compensation QR-levers	59.00
_	_	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00
		BodyLink seat	199.00
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00
seat		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	119.00
S		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
		headrest for meshseat adjustable in height and angle, with quick release lever	189.00
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00
		adjustable end stops allow exact positioning of the seat	19.00
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00
		rain cover for seats, ripstop nylon fabric, blue	25.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre	49.00
		rear shock DNM DV-22 (basic specification)	0.00
		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 220 lbs O hard: 550 lbs/inch, up to 308 lbs	330.00
_		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00
	П	drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00
	_	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette	45.00
		SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth	219.00
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500	1 1
		barend shifters, SRAM cassette PG 1050 11–36	429.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00
		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00
drivetrain		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,	2 200 00
veti		2 A charger, push assist 4 mph	2,290.00
dri		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,640.00
	_	418 Wh, 2 A charger, push assist 4 mph	2,040.00
		E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	3,190.00
	_	418 Wh, 2 A charger, push assist 4 mph	5,770.00
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	4,090.00
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph	4,850.00
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	
		battery 418 Wh, push assist 4 mph	5,250.00





	_			COTECHNIK
П	×	Item		sugg. retail \$
\sqcap	\exists	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever		
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,		3,930.00
		Display position: O above handlebar O side of handlebar		
		E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket		
	미	gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,		5,550.00
		display position: O above handlebar O side of handlebar		
rrai		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A		449.00
drivetrain	\Box	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding		1 210 00
dr	٦	function), without power supply, battery must be inserted for use in main battery holder		1,319.00
	Ы	2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for		1 200 00
	미	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		1,290.00
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		25.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30		10.00
	미	or PINION)		49.00
Ħ		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	1	0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel		75.00
	_	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	_	75.00
es		front brake lever: O left O right		199.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	_	
q	미	function, rear disc brake, front brake lever: O left O right		329.00
	ا۔		_	240.00
l H	-	disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		269.00
_	_	parking brake SHIMANO rear wheel V-Brake with thumblever sories Surcharges, additional accessories on the "comfort and rehab options" order form		65.00
$\overline{}$	_		_	
		light wire routing only twin wires routed through the frame for hub dynamo		119.00
	미	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
	_	lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO		
	믜	hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00
		light, in combination with e-drive no quick frame adjustment possible		
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00
ш	al	IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00
l H	-	indicator lights system WingBling only in conjunction with electric drive	_	739.00
l H	-	rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs	_	329.00
l ⊢	-		_	
l ⊢	-	lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	+	169.00
I -	-	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00
ies	-	mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00
accessories		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
ces		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted		79.00
acı		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00
		rear mirror B&M E both sides left and right knuckle mounting		178.00
	ᅵ	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00
H	-	flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
	╣	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		
	미	0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00
ŀ	-	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	-	29.00
H	-	air horn AIRZOUND XL about 30-115 dB, not mounted	+	39.00
l h	-	Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	+	699.00
H	-		_	
 -	-	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	-	99.00
l ⊢	-	frame lock AXA Victory with removable key, without chain, black		85.00
		chain for frame lock AXA length 100 cm / 39.4"		35.00

 $All\ prices\ in\ US\$.\ The\ MSRP\ includes\ duties\ and\ shipping,\ excluding\ applicable\ sales\ tax.\ This\ form\ is\ valid\ for\ US\ customers\ only.$

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.





×	Item			sugg. retail \$				
Scor	pion	fs 20 foldable full suspension trike 20"/20" (SFS)						
	Scor	pion fs 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes		6,430.00				
	Scor	pion fs 20 frameset with suspension, seat, handlebar, front hubs, chain guide setup		5,700.00				
optio	ons e	extra charge – drivetrain and brake options for complete bikes only						
	standard colour O colza yellow RAL1021 O blue shade grey matt							
	single	e custom colour according to RAL-colour chart: (please specify)		229.00				
	doub	le custom colour according to RAL-colour chart main frame:, front boom / swing arm:		319.00				
e 🗆	front	boom with derailleur tube regardless of shifting option (not with STEPS or PINION)		0.00				
frame	front	boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION		239.00				
一	_	th fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm		0.00				
	front	boom quickadjust without chain compensation QR-levers		59.00				
	front	boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers		249.00				
	Ergol	Mesh meshseat with OrthoFlex technology, prepared for optional add-on bags		0.00				
	Ergol	Mesh HS meshseat (4.3" higher than EM seat)		0.00				
	\vdash	Mesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		0.00				
	<u> </u>	Mesh HS XL meshseat (4.3" higher than EM XL-seat)		0.00				
	_	Mesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags		369.00				
- 1-	<u> </u>	Mesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)		369.00				
	\vdash	Mesh Premium HS meshseat (4.3" higher than EM Premium)		369.00				
	<u> </u>	Mesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		369.00				
	<u> </u>	Link seat	 	199.00				
	-	Link seat with brackets for small riders (1.6" to the front)		199.00				
	+	handlebars recommended for small riders, required for all high netseats (HS and HS XL)		25.00				
seat	+	angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		119.00				
	+	rests left and right comfortable hand support, mounted on handlebar, removable cushion		169.00				
븁	+	ow seat cushion breathable fabric, sewn, for BodyLink seat						
H	+	·		89.00				
	\vdash	rest for BodyLink seat flexible, with cushion, adjustable in height and angle		149.00				
H	+	rest for meshseat adjustable in height and angle, with quick release lever		189.00				
냳	+	Wings hip support for BodyLink seat, carbon fiber, padded		319.00				
	+ -	table end stops allow exact positioning of the seat		19.00				
	+	adjustable end stops for ErgoMesh Premium seats only, added		38.00				
	+	cover for seats, ripstop nylon fabric, blue		25.00				
Ш	_	on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		79.00				
	_	obag topbag for BodyLink seat, detachable as hip bag, 1 litre		49.00				
ے اے		shock DNM DV-22 (basic specification)		0.00				
ension	-	t: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs		222.22				
		shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump		339.00				
S	_	suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		0.00				
	_	suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		39.00				
	1	train STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear		0.00				
	_	leur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette I I-34, crankset with 46 teeth		47.00				
- -	-	train SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black		45.00				
		train STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette ANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth		219.00				
	-	train SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500						
	1	d shifters, SRAM cassette PG 1050 11–36		429.00				
	_	train PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible		2,190.00				
		train ROHLOFF Speedhub/14 14 speed, black, long twist shifter						
drivetrain		ve SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-Ionen battery 418 Wh,		2,190.00				
□ ڏِ.		harger, push assist 4 mph		2,290.00				
٦		ve SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery						
		Vh, 2 A charger, push assist 4 mph		2,640.00				
		ve SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery	 					
		Vh, 2 A charger, push assist 4 mph		3,190.00				
	E-dri	ve SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen		4,000,00				
	batter	ry with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function		4,090.00				
l.	E-dri	ve SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq		4,850.00				
٦	intern	nal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph		7,030.00				
	E-dri	ve SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen		5,250.00				
		ry 418 Wh, push assist 4 mph						





	×	Item		sugg. retail
		E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever		
		SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,		3,930.00
		Display position: O above handlebar O side of handlebar		
		E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket		
		gearbox, Li-lonen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,		5,550.00
.⊑	<u> </u>	display position: O above handlebar O side of handlebar		
drivetrain		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A		449.00
rive	la	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding		1,319.00
Þ		function), without power supply, battery must be inserted for use in main battery holder		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for		1,290.00
	L	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		-
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		25.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30		49.00
_		or PINION)		
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel		75.00
S		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		199.00
brakes	_	front brake lever: O left O right		
br	la	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		329.00
	_	function, rear disc brake, front brake lever: O left O right		
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		269.00
		parking brake SHIMANO rear wheel V-Brake with thumblever		65.00
ac	ces	sories Surcharges, additional accessories on the "comfort and rehab options" order form	n	
		light wire routing only twin wires routed through the frame for hub dynamo		119.00
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO		
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00
		light, in combination with e-drive no quick frame adjustment possible		
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00
	_	80 Lux, rear light B&M Toplight 2C DC		
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00
	\vdash	indicator lights system WingBling only in conjunction with electric drive		739.00
		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs		329.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00
		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00
es		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
accessories		water bottle set HP VELOTECHNIK 2×0.6 I PE-bottle with HP print, with bottle cages, mounted		79.00
ess		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00
acc		rear mirror B&M E both sides left and right knuckle mounting		178.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		65.00
		rear mirror MIRRYCLE both sides barend mounting left and right		130.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		
		0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs		169.00
		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)		699.00
	_	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	 	99.00
	-	frame lock AXA Victory with removable key, without chain, black	 	85.00
	듬	chain for frame lock AXA length 100 cm / 39.4"	 	35.00
of the same	_			00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.

order sheet





		STEEL WIN				
	×	Item				sugg. retail \$
Sc	orı	oion fs 20 SE special edition trike 20" / 20" (KRSFSV)				
	X	Scorpion fs 20 Special Edition color: Blue shade grey matt - drivetrain STURMEY ARCHER Tripleshift 30 gear, 3 speed gear hub combined with 10 speed MICROSHIFT XLE rear derailleur - SHIMANO hydraulic disc brakes BR-MT200 - light system B&M Eyro with battery - luggage rack - headrest - ROCK SHOX Monarch air shock - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA- frame lock				8,190.00
Sc	_	oion fs 20 SE selection seat				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00
S		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00
•		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	" (369.00
Sc		oion fs 20 SE accessories Surcharges, unmounted, additional special accessories on the	e "comto	rt and re	nab optic	
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers, added				249.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag, added	_			79.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added	<u> </u>			119.00
		adjustable end stops allow exact positioning of the seat two adjustable end stops for ErgoMesh Premium seats only, added				19.00 38.00
		Streamer clear front fairing, with quickmount system				699.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	_			39.00
hör		chain for frame lock AXA length 100 cm / 39.4"	_			35.00
Zubehör		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00
Z		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, added	_			179.00
	_	universal mount for accessories Mounting on the barend shifter, Ø 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0,88 lbs, unmounted				49.00
		rear mirror B&M E both sides left and right knuckle mounting				89.00
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs				169.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00





	×	Item				sugg. retail \$			
Sc	Scorpion fs 20 Pedelec SE special edition trike 20" / 20" (KRESFSV)								
	X	Scorpion fs 20 Special Edition electric color: colza yellow RAL 1021 - drivetrain SHIMANO STEPS EP801 Cargo with CUES Di2 shift 10 speed electric - battery with 630 Wh - disc brakes SHIMANO XT - light system B&M IQ-X - luggage rack - headrest - ROCK SHOX Monarch air damper - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA frame lock				12,890.00			
Sc	_	pion fs 20 Pedelec SE selection seat			_				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags		<u> </u>		0.00			
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)		_		0.00			
S		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00			
C		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	d	!!		369.00			
SC	_	oion fs 20 Pedelec SE accessories Surcharges, unmounted, additional special accesso	ries on tr	ne comto	ort and r				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	-	_		249.00			
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added	-	_		119.00			
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag. 1 ventilated bag adjustable end stops allow exact positioning of the seat		\vdash		79.00 19.00			
		two adjustable end stops for ErgoMesh Premium seats only, added		\vdash		38.00			
	_	air horn AIRZOUND XL about 30-115 dB, not mounted		_		39.00			
ř		chain for frame lock AXA length 100 cm / 39.4"				35.00			
ehċ	_	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00			
Zubehö		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00			
	_	universal mount for accessories Mounting on the handlebar end, Ø 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0.88 lbs, unmounted				49.00			
		rear mirror B&M E both sides left and right knuckle mounting				89.00			
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs				169.00			
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00			
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00			





×	Item	sugg. retail \$
Scor	pion fs 26 foldable full suspension trike 20"/26" (SFL)	
	Scorpion fs 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	6,740.00
	Scorpion fs 26 frameset with suspension, seat, handlebar, front hubs, chain guide setup	6,010.00
optio	ons extra charge – drivetrain and brake options for complete bikes only	
	standard colour O pure orange matt RAL2004 / black O cool grey metallic / black	0.00
	single custom colour according to RAL-colour chart: (please specify)	229.00
		319.00
	9	0.00
frame		239.00
듬		0.00
튭		59.00
듬		249.00
_	ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		0.00
		0.00
		0.00 369.00
		369.00
	, ,	369.00
	, , , , , , , , , , , , , , , , , , , ,	369.00
		199.00
<u> </u>		199.00
seat		25.00
		119.00
	handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00
	Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
	headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
	headrest for meshseat adjustable in height and angle, with quick release lever	189.00
	SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00
	adjustable end stops allow exact positioning of the seat	19.00
	two adjustable end stops for ErgoMesh Premium seats only, added	38.00
	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
	rain cover for seats, ripstop nylon fabric, blue	25.00
	rear shock DNM DV-22 (basic specification)	0.00
suspension	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0.00
□ g	rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
isn 🗆	front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00
" □	front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00
	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	0.00
	/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00
	drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00
	drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY	219.00
٦	ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth	219.00
	drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500	339.00
-	barend shifters, SRAM cassette PG 1050 11–36	337.00
	drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00
_ □	drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00
drivetrain	E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,	2,290.00
ivet	2 A charger, push assist 4 mph	2,270.00
히ㅁ	E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,640.00
	418 Wh, 2 A charger, push assist 4 mph	,, ,, ,,
	E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	3,190.00
	418 Wh, 2 A charger, push assist 4 mph	
	E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	4,090.00
	battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	
	E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,850.00
	E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	
	battery 418 Wh, push assist 4 mph	5,250.00
	Tarrier No. 1911 African agence studen	





0	Item	sugg. retail \$
+	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever	*
	SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards,	3,930.00
	Display position: O above handlebar O side of handlebar	
	E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box. Li-lonen 576 Wh, push assist forward and	
	backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	5,550.00
		449.00
L	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	
	function), without power supply, battery must be inserted for use in main battery holder	1,319.00
	2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	
	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,290.00
	short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00
t	chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)	39.00
F	tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30	
	or PINION)	49.00
[disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
	disc brakes AVID BB7 mechanical, separate brake per front wheel	75.00
1.	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	
g C	front brake lever: O left O right	199.00
Drakes	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	
٦	function, rear disc brake, front brake lever: O left O right	329.00
	disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
-	parking brake SHIMANO rear wheel V-Brake with thumblever	65.00
CC	essories Surcharges, additional accessories on the "comfort and rehab options" order form	
_	light wire routing only twin wires routed through the frame for hub dynamo	119.00
	lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	145.00
1	lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO	1 15150
		769.00
	light, in combination with e-drive no quick frame adjustment possible	
1.	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	
	80 Lux, rear light B&M Toplight 2C DC	239.00
	IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
Ī	indicator lights system WingBling only in conjunction with electric drive	739.00
		279.00
		219.00
		179.00
-		329.00
Jes L	-	
Sor		129.00
accessories		79.00
- 1 -		89.00
	rear mirror B&M E both sides left and right knuckle mounting	178.00
	rear mirror MIRRYCLE with barend mounting, also computer mount O left O right	65.00
	rear mirror MIRRYCLE both sides barend mounting left and right	130.00
0	flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
-	universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅	49.00
Ľ	0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	47.00
C	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29.00
Ī	air horn AIRZOUND XL about 30-115 dB, not mounted	39.00
[Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)	699.00
Ī	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99.00
	frame lock AXA Victory with removable key, without chain, black	85.00
	chain for frame lock AXA length 100 cm / 39.4"	35.00
	-1	35:00

order sheet





	x	Item				sugg. retail			
_						\$			
Scorpion fs 26 SE special edition trike 20" / 26" (KRSFLV)									
	×	Scorpion fs 26 Special Edition color: pure orange matt RAL2004 / black - drivetrain SRAM/30 gear - hydraulic disc brakes SHIMANO BR-MT200 - light system B&M Eyro with battery - luggage rack - headrest - ROCK SHOX Monarch air shock - parking brake - tires SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA- frame lock				8,470.00			
Sc	orp	pion fs 26 SE selection seat							
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00			
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00			
Se		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00			
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00			
Sc	orp	oion fs 26 SE accessories Surcharges, unmounted, additional special accessories on the	e "comfo	rt and rel	hab optic	ons" order			
\Box		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00			
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00			
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				119.00			
		adjustable end stops allow exact positioning of the seat				19.00			
		two adjustable end stops for ErgoMesh Premium seats only, added				38.00			
		Streamer clear front fairing, with quickmount system				699.00			
ιör		air horn AIRZOUND XL about 30-115 dB, not mounted				39.00			
Zubehör		chain for frame lock AXA length 100 cm / 39.4"				35.00			
Z		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00			
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00			
		rear mirror B&M E both sides left and right knuckle mounting				89.00			
		universal mount for accessories Mounting on the barend shifter, ∅ 22,2 mm / 0.87" tube holder for accessories like				49.00			
	\exists	phone holder / GPS devices / bell, max. load 400 grams / 0,88 lbs, unmounted							
	_	speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00			
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00			





	×	Item				sugg. retail \$				
Sc	Scorpion fs 26 Pedelec SE special edition trike 20" / 26" (KRESFLV)									
		Scorpion fs 26 Special Edition electric color: pure orange matt RAL2004 / black - drivetrain SHIMANO STEPS EP801 Cargo with CUES Di2 shift 10 speed electric - battery with 630 Wh - disc brakes SHIMANO XT - lights B&M IQ-X - luggage rack - headrest - ROCK SHOX Monarch air shock - parking brake - tires SCHWALBE Marathon Plus - mudguards - mirror - hand rests - pennant - rain protection cover - water bottle set - AXA frame lock				13,120.00				
Sc	_	pion fs 26 Pedelec SE selection seat								
Ш		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00				
seat		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00				
S		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00				
ш	_	ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00				
Sc	_	pion fs 26 Pedelec SE accessories Surcharges, unmounted, additional special accessor	ries on tl	ne "comfo	ort and r	ehab optic				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00				
	_	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				119.00				
	-	add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag		<u> </u>		79.00				
	_	adjustable end stops allow exact positioning of the seat				19.00				
	_	two adjustable end stops for ErgoMesh Premium seats only, added				38.00				
ö	_	air horn AIRZOUND XL about 30-115 dB, not mounted				39.00				
Zubehör	_	chain for frame lock AXA length 100 cm / 39.4"		<u> </u>		35.00				
Zul	_	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00				
	_	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00				
		rear mirror B&M E both sides left and right knuckle mounting				89.00				
		universal mount for accessories Mounting on the handlebar end, Ø 22,2 mm / 0.87" tube holder for accessories like phone holder / GPS devices / bell, max. load 400 grams / 0.88 lbs, unmounted				49.00				
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00				
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00				





	×	Item	sugg. retail \$
Sc	ori	oion fs 26 Enduro foldable full suspension trike 20"/26" (SFN)	
		Scorpion fs 26 Enduro STURMEY ARCHER Tripleshift, MICROSHIFT XLE 30 speed with barend shifters, SRAM GX	
		crankset, SHIMANO hydraulic disc brakes, SCHWALBE Smart Sam tires	7,220.00
ор	tio	ns extra charge	
		standard colour green metallic / black	0.00
		single custom colour according to RAL-colour chart: (please specify)	229.00
		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
me		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
		front boom quickadjust without chain compensation QR-levers	59.00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00
		BodyLink seat	199.00
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	119.00
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00
seat		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
S		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
		headrest for meshseat adjustable in height and angle, with quick release lever	189.00
	-	SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00
		adjustable end stops allow exact positioning of the seat	19.00
	Н	two adjustable end stops for ErgoMesh Premium seats only, added	38.00
	Н	rain cover for seats, ripstop nylon fabric, blue	25.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre (position directly above suspension, not compatible with rear rack)	49.00
٦		rear shock DNM DV-22 (basic specification)	0.00
suspension		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs	0.00
pen		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00
		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed with barend shifters, rear derailleur MICROSHIFT XLE,	0.00
		SHIMANO XT II-36 cassette, SRAM GX crankset	1.700.00
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	1,780.00
		E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	2,750.00
		E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-Ionen	
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	3,630.00
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	
_		internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph	4,390.00
rain		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-Ionen	4,950.00
drivetrain	اتا	battery 418 Wh, push assist 4 mph	4,730.00
dri		E-drive NEODRIVES Z20 and drivetrain SRAM/30 up to 20 mph, 30 gears, rear derailleur SRAM GX, handlebar end	
		gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards, Display position: O above handlebar O side of handlebar	3,470.00
		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and	
		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar	5,150.00
		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	449.00
	П	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding	
		function), without power supply, battery must be inserted for use in main battery holder	1,319.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for	1,290.00
	Ľ	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)	1,270.00





	×	Item		sugg. retail \$			
ac	accessories Surcharges, additional accessories on the "comfort and rehab options" order form						
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00			
		disc brakes AVID BB7 mechanical, separate brake per front wheel		75.00			
		disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		100.00			
brakes		front brake lever: O left O right		199.00			
bra		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		329.00			
	-	function, rear disc brake, front brake lever: O left O right		327.00			
		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		269.00			
		parking brake SHIMANO rear wheel V-Brake with thumblever		65.00			
		light wire routing only twin wires routed through the frame for hub dynamo		119.00			
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		145.00			
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO					
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00			
		light, in combination with e-drive no quick frame adjustment possible					
		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC		239.00			
	l			319.00			
	-	IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC indicator lights system WingBling only in conjunction with electric drive		739.00			
	-	rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs		279.00			
	믐	top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs		219.00			
	Ë	side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00			
Se	-	mudguard Enduro SKS MUD-X seat mounted, black					
accessories	-	<u> </u>		55.00			
ess	_	clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		69.00			
acc	Ë	·		79.00			
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right rear mirror B&M E both sides left and right knuckle mounting		89.00			
	_	rear mirror Bach E both sides left and right knocke mounting rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		178.00 65.00			
		rear mirror MIRRYCLE with barend mounting, also computer mount. O left. O right.					
	-	flag HP VELOTECHNIK double-sided print, with reflective strip		130.00			
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø		29.00			
		0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted		49.00			
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel		29.00			
	<u> </u>	air horn AIRZOUND XL about 30-115 dB, not mounted		39.00			
	늡	transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric		99.00			
		frame lock AXA Victory with removable key, without chain, black	 	85.00			
	<u> </u>	chain for frame lock AXA length 100 cm / 39.4"	 	35.00			





	×	Item	sugg. retail				
Sc	Scorpion plus 20 foldable full suspension trike 20"/20" (SPS)						
		Scorpion plus 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	6,850.00				
		Scorpion plus 20 frameset with suspension, seat, handlebar, front hubs, chain guide setup	6,120.00				
op	tio	ons extra charge – drivetrain and brake options for complete bikes only					
		standard colour O cool grey metallic O magma red / black	0.00				
		single custom colour according to RAL-colour chart: (please specify)	229.00				
		double custom colour according to RAL-colour chart main frame: , front boom / swing arm:	319.00				
эL		front boom with derailleur tube regardless of shifting option (not with STEPS or PINION)	0.00				
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00				
_		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00				
		front boom quickadjust without chain compensation QR-levers	59.00				
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249.00				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00				
		ErgoMesh HS meshseat (4.3" higher than EM seat)	0.00				
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00				
		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)	0.00				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00				
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369.00				
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)	369.00				
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)	369.00				
		BodyLink seat	199.00				
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00				
seat		long handlebars recommended for small riders, required for all high netseats (HS and HS XL)	25.00				
se		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	119.00				
		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00				
		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
		headrest for meshseat adjustable in height and angle, with quick release lever	189.00				
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00				
		adjustable end stops allow exact positioning of the seat	19.00				
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00				
		rain cover for seats, ripstop nylon fabric, blue	25.00				
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
		Microbag topbag for BodyLink seat, detachable as hip bag, I litre	49.00				
on		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 220 lbs O hard: 550 lbs/inch, up to 330 lbs	0.00				
ension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
suspe		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00				
SL		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00				
		drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear					
		derailleur/twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 46 teeth	0.00				
		drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black	45.00				
		drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur and barend shifter MICROSHIFT XLE, cassette	219.00				
		SHIMANO XT, STURMEY ARCHER 3-speed internal gear hub and bar end shifter, crankset with 46 teeth					
		drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 60-52-40, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11-36	429.00				
		drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible	2,190.00				
ain		drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter	2,190.00				
etra		E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh,					
drivetrain		2 A charger, push assist 4 mph	2,290.00				
		E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery	2,640.00				
		418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-Ionen battery	3,190.00				
	J	418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen	3,170.00				
		battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	4,090.00				
		E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph	4,850.00				
		E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen	5,250.00				
		battery 418 Wh, push assist 4 mph					





E-drive NEODRIVES 220 with SRAM(30 up to 20 mph, 30 speed, rear deraillour SRAM(50, handlebar end goar lever 3,930,00 casestra SAM, chaining set 3 speed black. Livione battery 376 Wh, put has its forward and backwards, buyley common common set of the se		×	Item		sugg. retail
Depthy position: O above handleiber: O side of handleiber: E-drive NEDORIVES 220 abs 19 killor OL 12 to gen 16 mgh, hab mosor, 12 speed PINION CL 12 bottom brasket particle. Lichone battery with 376 VM, path assist forward and backwards, not compatible with screamer, 4 A charger, display position: O above handleiber: O side of h			E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever		D
Cardree NECORINES 270 with PRINTON C1.12 up on 6 mg/h, Nb motor. 12 speec RPINTON C1.12 bottom branches (a paradra, britann bastery mind, NV), Push satis froward and backwards not compatible with streamer, 4 A charger, display position: O allow handlater (a paradra) and backwards not compatible with streamer, 4 A charger, display position: O allow handlater (a paradra) and paradra (restricts folding purpose) and paradra (a paradra) and paradra (restricts folding purpose) and paradra (restricts folding function) and paradra (res			SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-lonen battery 576 Wh, push assist forward and backwards,		3,930.00
anthoo, Lifonen hatenry with 576 Wh, push assist forward and abdowards, not compatible with streamer, 4 A charger, display position. O above handleder O side of handleder O side of handleder O with a streamer, 4 A charger, 4 A charger with 5 A			Display position: O above handlebar O side of handlebar		
golphy position. O above handlebar O alse of handlebar □ lighter pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A □ day battery pack for SPHMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adoptor set, (restricts folding function), without power supply, battery must be intered for use in main battery holder. □ and battery pack for NEONIPES 220 36 V Livene battery, 570 Wh, battery must be intered for use in main battery holder. □ and battery pack for NEONIPES 220 36 V Livene battery, 570 Wh, battery day for convenient charging and reconnecting of addisonal battery, incl. mounting accessories (restricts folding function) □ short cranslate 155 mm / 8", recommended for index used 173 cm / 8" 1 25.00 □ short cranslate 155 mm / 8", recommended for index used 173 cm / 8" 1 25.00 □ dies braters SHIMANO BR-MT200 hydraulic, separate brake per front wheal (basic specification) □ dies braters SHIMANO BR-MT200 hydraulic, separate brake per front wheal (basic specification) □ dies braters AVID BB7 onegled of note brakes. neckland, rare das brake, parking brake function from brake lover: □ lot € 0 right □ dies braters AVID BB7 onegled of note brakes. neckland, rare das brake, parking brake function one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover: □ lot € 0 right one of the brake lover to lot € 0 right o			E-drive NEODRIVES Z20 with PINION C1.12 up to 16 mph, hub motor, 12 speed PINION C1.12 bottom bracket		
Big battery pack SHIMANO STEPS Li-lone battery, 30 PW, fast charger with 4 A			gearbox, Li-Ionen battery with 576 Wh, push assist forward and backwards, not compatible with streamer, 4 A charger,		5,550.00
Date Datery pack for NEODRIVES 270 36 V L-Jones hatery, 576 Wh. battery adapter set, cabble extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6° Distort cra	2. □	_	display position: O above handlebar O side of handlebar		
Date Datery pack for NEODRIVES 270 36 V L-Jones hatery, 576 Wh. battery adapter set, cabble extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6° Distort cra	tra		big battery pack SHIMANO STEPS Li-Ionen battery, 630 Wh, fast charger with 4 A		449.00
Date Datery pack for NEODRIVES 270 36 V L-Jones hatery, 576 Wh. battery adapter set, cabble extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Or RNION) Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6°, recommended for richar under 175 cm / 6° Distort cranks 155 mm / 6° Distort cra	ive				1.319.00
Somewhence charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function) 1,290.00	þ	-			1,517100
Convenient charging and reconnecting of adottorial battery, inc. mounting accessories (restricts totaling function) Convenient of the		lo			1.290.00
Update U		_	convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)		,
Price Pric			short cranks 155 mm / 6", recommended for riders under 175 cm / 68"		25.00
Gist brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification) 0.00					49.00
disc brakes AVID BB7 mechanical, separate brake per front wheel 75.00			or PINION)		13100
disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function			disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)		0.00
Internative lever: O left: O right 199,00			disc brakes AVID BB7 mechanical, separate brake per front wheel		75.00
Tront brake lever: O let C Orgit Indication (light brakes SHIHANO XT hydraulic, coupled front brakes with one-hand operation and parking brake function, rear disc brake, front brake lever: O left. O right Indication (light brakes SHIHANO XT hydraulic, separate brake per front wheel, lever reach adjustable 269.00 Iparking brake SHIHANO Care wheel V-Bate with thumblever 65.00 Iparking brake SHIHANO Care wheel V-Bate with thumblever 65.00 Iparking brake SHIHANO Care wheel V-Bate with thumblever 65.00 Iparking system For Save mids depondable for long the frame for hub dynamo 119.00 Ilight in gystem For Save mids depondable of the frame for hub dynamo 119.00 Ilight in gystem so Na xem disc dynobuble/Q-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO Indication Indication with e-drive no quick frame adjustment possible 769.00 Ilight in combination with e-drive no quick frame adjustment possible 769.00 Iparking system SON xem disc dynobuble/Q-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO 769.00 Indicator lights system for E-drive B&M IQ-X string lights AM IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 239.00 Iparking system for E-drive B&M IQ-X up to ISO Lux, rear light B&M Toplight 2C DC 319.00 Indicator lights system for E-drive B&M IQ-X up to ISO Lux, rear light B&M Toplight 2C DC 319.00 Indicator lights system for E-drive B&M IQ-X up to ISO Lux, rear light B&M Toplight 2C DC 319.00 Indicator lights system for E-drive B&M IQ-X up to ISO Lux, rear light B&M Toplight 2C DC 319.00 Indicator lights system for E-drive B&M IQ-X up to ISO Lux, rear light B&M Toplight 2C DC 319.00 Indicator lights system for E-drive B&M IQ-X up to ISO Lux, rear light B&M Toplight 2C DC 319.00 Indicator lights system for E-drive B&M IQ-X up to ISO Lux, rear light B&M IQ-X up to ISO Lux, rear light B&M IQ-X up to ISO Lux, rear light B&		L	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function		199 00
function, rear disc brake, front brake lever: O left O right disc brakes SHIMANO XT hydraulis, separate brake per front wheel, lever reach adjustable 269,00 parking brake SHIMANO rear wheel V-Brake with thumblever 65,00 Scorpion plus 20 accessories extra charge light wire routing only win wires routed through the frame for hub dynamo lighting system rechargeable/EYRO up to 30 Lux, reachargeable headlight and sensor rearlight lighting system so Nx x-m disc dynohub/IQ-X parking light front and rear; SCHHIIDTS ORIGINAL NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake Ight, in combination with e-drive no quick frame adjustment possible B&M IQ-XS friendly lighting system for E-drive b&M IQ-X up to 150 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M IQ-XS friendly lighting system for E-drive b&M IQ-X up to 150 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 1910 Lux, rear light B&M IQ-XS friendly, powered	lke	_	front brake lever: O left O right		177.00
Comparison Com	bra	П	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake		329 00
parking brake SHIMANO rear wheel V-Brake with thumblever 65.00 Scorpion plus 20 accessories extra charge 119.00 light wire routing only twin wires routed through the frame for hub dynamo 119.00 lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight 129.00 lighting system SON xs-m disc dynohubl/Q-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO 100 Lux, rear light B&M Toplight Flat S plus with brake 100 Lux, rear light B&M Toplight Flat S plus with brake 100 Lux, rear light B&M Toplight Flat S plus with brake 100 Lux, rear light B&M Toplight Flat S plus with brake 100 Lux, rear light B&M Toplight Flat S plus with brake 100 Lux, rear light B&M Toplight S&M IQ-XS friendly, powered by E-bike battery, up to 239.00 100 Lux, rear light B&M Toplight S&M IQ-XS friendly, powered by E-bike battery, up to 239.00 100 Lux, rear light B&M Toplight S&M IQ-XS friendly, powered by E-bike battery, up to 239.00 100 Lux, rear light B&M IQ-X up to 150 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 239.00 100 Lux, rear light B&M IQ-X up to 150 Lux, rear light B&M IQ-XS friendly, powered by E-bike battery, up to 239.00 100 Lux, rear light B&M IQ-X up to 150 Lux, rear light B&M IQ-X up to		-	function, rear disc brake, front brake lever: O left O right		317.00
Scorpion plus 20 accessories extra charge light wire routing only twin wires routed through the frame for hub dynamo 119,00 lighting system rochargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight 129,00 lighting system SON s.xm disk dynamobil/C-X parking light from and arear, SCHMIDTS ORIGINAL NABENDYNAMO 129,00 hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake 769,00 light in combination with e-drive no quick frame adjustment possible 239,00 B&M IQ-XS friendly, lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC 10-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 319,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 329,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 329,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 329,00 329,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 329,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 329,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 339,00 329,00 indicator lights system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 329,00 3			disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		269.00
light wire routing only twin wires routed through the frame for hub dynamo 119,00			parking brake SHIMANO rear wheel V-Brake with thumblever		65.00
lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight 129.00	Sc	or	pion plus 20 accessories extra charge		
Iighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light, in combination with e-drive no quick frame adjustment possible B&M IQ-XS friendly lighting system for e-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC 319,00 Indicator lights system for E-drive B&M IQ-X by to 150 Lux, rear light B&M Molight 2C DC Indicator lights system WingBling only in conjunction with electric drive 739,00 Indicator lights system WingBling only in conjunction with electric drive 739,00 Indicator lights system WingBling only in conjunction with electric drive 739,00 Indicator lights system WingBling only in conjunction with electric drive 739,00 Indicator lights system WingBling only in conjunction with electric drive 739,00 Indicator lights system WingBling only in conjunction with electric drive 739,00 Indicator light system WingBling only in conjunction with electric drive 739,00 Indicator light system WingBling only in conjunction with electric drive 739,00 Indicator light system WingBling only in conjunction with electric drive 739,00 Indicator light 739,00			light wire routing only twin wires routed through the frame for hub dynamo		119.00
hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake light, in combination with e-drive no quick frame adjustment possible B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC Iq-X lighting system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights system WingBling only in conjunction with electric drive 739,00 indicator lights and indicator 179,00 indicator lights 930,00 indicator lights 179,00 indicator lights 930,00 indicator lights 930,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose pedal for normal and SPD shoes 129,00 indicator lights, multi-purpose			lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
light, in combination with e-drive no quick frame adjustment possible B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 30 Lux, rear light B&M Toplight 2C DC IQ-X lighting system for E-drive B&M IQ-X: up to 150 Lux, rear light B&M Toplight 2C DC indicator lights system WingBling only in conjunction with electric drive rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs lowrider rack 10mm / 0.39" tube, black powder coating, max. load 25 kg / 55 lbs lowrider rack 10mm / 0.39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack) mudguard set HP Trikefender front 60 mm / 2.4" width, rear SK5 53 mm / 2.1" with spoiler, black clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes lights, in combination with e-drive normal and SPD shoes rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right rear mirror B&M E both sides left and right, mounted to handlebar O left O right rear mirror MRRYCLE with barend mounting, also computer mount O left O right rear mirror MRRYCLE both sides barend mounting left and right light, in combination of the sides left and right for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, O 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount f			lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO		
B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to 80 Lux, rear light B&M Toplight 2C DC 319.00 1Q-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC 319.00 10 midicator lights system WingBling only in conjunction with electric drive 739.00 10 worder rack 10 mm (0.5" (0.4") tube, black powder coating, max. load 25 kg / 55 lbs 329.00 10 worder rack 10 mm (0.5" (0.4") tube, black powder coating, max. load 25 kg / 55 lbs 329.00 10 worder rack 10 mm (0.5" (0.4") tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack) 169.00 16			hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00
80 Lux, rear light B&M Toplight 2C DC IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC Indicator lights system WingBling only in conjunction with electric drive 739.00 Indicator lights system WingBling only in conjunction with electric drive 739.00 Iowrider rack 10mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 329.00 Iowrider rack 10mm / 0.39" tube, black powder coating, max. load 25 kg / 55 lbs 169.00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted I79.00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes dipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right rear mirror B&M E both sides left and right, mounted to handlebar O left O right rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right flag HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø universal mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel speedometer mount for computers or battery lights, incl. sensor bracket for front wheel streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) deponded transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black			light, in combination with e-drive no quick frame adjustment possible		
10 10 10 10 10 10 10 10					239.00
indicator lights system WingBling only in conjunction with electric drive rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 329.00 lowrider rack 10mm / 0.39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack) side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes lower bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right flag HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, O 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) frame lock AXA Victory with removable key, without chain, black 85.00					
rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs 329.00 lowrider rack 10mm / 0.39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack) 169.00 side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 179.00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329.00 clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes 129.00 water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted 79.00 rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar 178.00 rear mirror MIRRYCLE with barend mounting, also computer mount 0 left 0 right 65.00 rear mirror MIRRYCLE both sides barend mounting, left and right 130.00 flag HP VELOTECHNIK double-sided print, with reflective strip 29.00 universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, 0 0.87" tube holder for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, 0 0.87" tube holder for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, 0 0.87" tube holder for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, 0 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted 29.00 air horn AIRZOUND XL about 30-115 dB, not mounted 39.00 Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 frame lock AXA Victory with removable key, without chain, black 85.00		ш			
lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack) 169,00			indicator lights system WingBling only in conjunction with electric drive		739.00
side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted 179.00 mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329.00 clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes 129.00 water bottle set HP VELOTECHNIK 2 x 0.6 l PE-bottle with HP print, with bottle cages, mounted 79.00 rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right 89.00 rear mirror B&M E both sides left and right, mounted to handlebar 178.00 rear mirror MIRRYCLE with barend mounting, also computer mount O left O right 65.00 rear mirror MIRRYCLE both sides barend mounting left and right 130.00 flag HP VELOTECHNIK double-sided print, with reflective strip 29.00 universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories in be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories or battery lights, incl. sensor bracket for front wheel 29.00 air horn AIRZOUND XL about 30-115 dB, not mounted 39.00 Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 frame lock AXA Victory with removable key, without chain, black 85.00			rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs		329.00
mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black 329.00			lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		169.00
clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes 129.00 water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted 79.00 rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right 89.00 rear mirror B&M E both sides left and right, mounted to handlebar 178.00 rear mirror MIRRYCLE with barend mounting, also computer mount O left O right 65.00 rear mirror MIRRYCLE both sides barend mounting left and right 130.00 flag HP VELOTECHNIK double-sided print, with reflective strip 29.00 universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 49.00 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted 29.00 speedometer mount for computers or battery lights, incl. sensor bracket for front wheel 29.00 air horn AIRZOUND XL about 30-115 dB, not mounted 39.00 Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 frame lock AXA Victory with removable key, without chain, black 85.00			side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted		179.00
rear mirror B&M E both sides left and right, mounted to handlebar rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right lag HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 178.00 198.00 199.00	S		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00
rear mirror B&M E both sides left and right, mounted to handlebar rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right lag HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 178.00 198.00 199.00	orie		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes		129.00
rear mirror B&M E both sides left and right, mounted to handlebar rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right land HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 178.00 198.00 199.00 190.00	ess		water bottle set HP VELOTECHNIK 2 x 0.6 PE-bottle with HP print, with bottle cages, mounted		79.00
rear mirror B&M E both sides left and right, mounted to handlebar rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right lag HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 178.00 198.00 199.00	acc		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right		89.00
rear mirror MIRRYCLE with barend mounting, also computer mount O left O right rear mirror MIRRYCLE both sides barend mounting left and right land of flag HP VELOTECHNIK double-sided print, with reflective strip universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 65.00 65.00 49.00 49.00 49.00 65.00 67.0			rear mirror B&M E both sides left and right, mounted to handlebar		178.00
rear mirror MIRRYCLE both sides barend mounting left and right flag HP VELOTECHNIK double-sided print, with reflective strip 29.00 universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 85.00			rear mirror MIRRYCLE with barend mounting, also computer mount O left O right		
□ flag HP VELOTECHNIK double-sided print, with reflective strip 29.00 □ universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 49.00 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted 29.00 □ speedometer mount for computers or battery lights, incl. sensor bracket for front wheel 29.00 □ air horn AIRZOUND XL about 30-115 dB, not mounted 39.00 □ Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 □ transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 □ frame lock AXA Victory with removable key, without chain, black 85.00		la	rear mirror MIRRYCLE both sides barend mounting left and right		
universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, ∅ 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted speedometer mount for computers or battery lights, incl. sensor bracket for front wheel air horn AIRZOUND XL about 30-115 dB, not mounted Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric frame lock AXA Victory with removable key, without chain, black 85.00		П	flag HP VELOTECHNIK double-sided print, with reflective strip		
U.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted □ speedometer mount for computers or battery lights, incl. sensor bracket for front wheel □ air horn AIRZOUND XL about 30-115 dB, not mounted □ Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) □ transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric □ frame lock AXA Victory with removable key, without chain, black 49.00 49.00 29.00 39.00 39.00 39.00 39.00 39.00 39.00 39.00					
□ air horn AIRZOUND XL about 30-115 dB, not mounted 39.00 □ Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 □ transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 □ frame lock AXA Victory with removable key, without chain, black 85.00					49.00
□ air horn AIRZOUND XL about 30-115 dB, not mounted 39.00 □ Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 □ transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 □ frame lock AXA Victory with removable key, without chain, black 85.00					29.00
□ Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS) 699.00 □ transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 □ frame lock AXA Victory with removable key, without chain, black 85.00		-		 	_
□ transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric 99.00 □ frame lock AXA Victory with removable key, without chain, black 85.00		_		 	
☐ frame lock AXA Victory with removable key, without chain, black 85.00		_			_
		-	,		_
☐ chain for frame lock AXA length 100 cm / 39.4"		_	chain for frame lock AXA length 00 cm / 39.4"	 	35.00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.



Scorpion 20

Γ	×	Item				sugg. retail \$
Sc	or	pion plus 20 Pedelec SE special edition trike 20" / 20" (KRESPSV)				•
	X	Scorpion plus 20 Special Edition electric color: magma red / black - drivetrain SHIMANO STEPS E6100 with NEXUS 8-speed electric internal gear hub - battery with 630 Wh - front suspension hard - long handlebar - disc brakes SHIMANO XT - lighting system B&M IQ-X - rear rack - headrest - ROCK SHOX Monarch air damper - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - flag - rain cover - water bottle set - AXA- frame lock				12,470.00
Sc	or	pion plus 20 Pedelec SE selection seat				
		ErgoMesh HS meshseat (4.3" higher than EM seat)				0.00
يا		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00
seat		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)				369.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				369.00
Sc	or	pion plus 20 Pedelec SE accessories Surcharges, unmounted, additional special access	sories o	n the "coi	mfort and	d rehab op
П		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers				249.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added				119.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00
		adjustable end stops allow exact positioning of the seat				19.00
		two adjustable end stops for ErgoMesh Premium seats only, added				38.00
		air horn AIRZOUND XL about 30-115 dB, not mounted				39.00
ιör		chain for frame lock AXA length 100 cm / 39.4"				35.00
Zubehör		chain for frame lock AXA length 100 cm / 39.4"				35.00
Z		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00
		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				179.00
		rear mirror B&M E both sides left and right knuckle mounting				89.00
		universal mount for accessories Mounting on the handlebar end, Ø 22,2 mm / 0.87" tube holder for accessories like				49.00
	Ļ	phone holder / GPS devices / bell, max. load 400 grams / 0.88 lbs, unmounted				
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel				29.00
1		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric				99.00

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.

notes







Secreption plus 26 foldable full suspension trike 20°226" (SPL)		X	Item	sugg. retail				
Scorption plus 26 basic model STURNEY ACCHER Triplantit 24 speed. SHIMANO hydraulic disc braises. 6,550.00 Scorption plus 26 framework with appealmon, sear, handdear, from hoto, future gate steep. 6,220.00 Options. extract activate or gar metalic. O magain ext Mich. 6,000 administration of the standard colorer Corollary or metalic. O magain ext Mich. 6,000 administration of the standard colorer Corollary or metalic. O magain ext Mich. 6,000 administration of the standard colorer Corollary or metalic. O magain ext Mich. 6,000 administration of the standard colorer according to 864-colorer during the standard colorer of forms brown expectation. 9 The standard colorer according to 864-colorer during the standard colorer of forms brown equickadulars without colorer according to 864-colorer during the standard colorer of forms brown equickadulars without colorer late of the standard colorer of forms brown equickadulars without colorer late of the standard colorer during the standard colorer during the standard colorer during the standard colorer during the standard colorer late of the standard colorer during the standard colorer late of the standard late of the standard late of the standard late of the standard l								
potions: extra charge — drivetrain and brake options for complete bikes only				6,950.00				
Landard colour O cod gry metallic. O magner and Shock insighe custom colours according to PAL-colour drust main fearer			Scorpion plus 26 frameset with suspension, seat, handlebar, front hubs, chain guide setup	6,220.00				
Landard colour O cod gry metallic. O magner and Shock insighe custom colours according to PAL-colour drust main fearer	op	tio	ns extra charge – drivetrain and brake options for complete bikes only					
gegetestes colour according to AlA-colour charts. (diseas specify) 229,000 319,000				0.00				
Description of the boom with deraillear table regardies of whiting option (not with STEPS or PRINON) International Control State 17 to 2 0.37 fbs of weight not with STEPS or PRINON								
Description of the boom with deraillear table regardies of whiting option (not with STEPS or PRINON) International Control State 17 to 2 0.37 fbs of weight not with STEPS or PRINON			double custom colour according to RAL-colour chart main frame: , front boom / swing arm:	319.00				
Egrowth bown carbon season 170 g / 0.27 bis or freeight, note with STEPS / FINIONS 239.00	e.							
□ Impath fitting services distance center of bottom brackets to end of main frame, look at the marking on the skale on	ran							
Foront boom quickadigists viritous chain compensation QR-levers 59.00	-	_						
ErgoMesh Premium XI. melibrac (2" wider, backers and sea 2" longer than EMP remium) 0.000								
Growtesh meshecar with Crathoffers exchange, prepared for opporal add-on bags 0.00								
Progression HS membrases (27 higher than EM seat) 0.00								
ErgoMesh XL medisses (2" wider, lactivers L6" and sex 2" longer than Ergomesh)								
ProgMetsh HS XL membease (4)* higher than EM XL.sean) 3.69.00								
ErgoMesh Premium OrthoFiex technology, seat and seatback independently adjustable, prepared for add-on bags 36,9.00 ErgoMesh Premium XI. melstese (17 wider, backets and seat 1.2" longer than EM Premium) 336,9.00 ErgoMesh Premium M Seates (43" light emb EM Premium) 336,0.00 ErgoMesh Premium H Seates (43" light emb EM Premium) 336,0.00 BodyLink seat with brackets for small riders (1.6" to the front) 199,0.00 BodyLink seat with brackets for small riders (1.6" to the front) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat with brackets for small riders, required for all high nesseas (HS and HS XL) 199,0.00 BodyLink seat very for some seat of the seat 199,0.00 BodyLink seat very for some seat of the seat 199,0.00 BodyLink seat very for some seat		_						
ErgoMesh Premium XL meshseax (2" wider, backress and sear 12" longer shan EM Premium) 369,000								
ErgoMesh Premium HS Rueshseat (43" higher than EM Premium) 369.00								
ErgoMesh Premium HS XL meshseat (43" (11 cm) higher than EM Premium XL) BodyLink seast 199,00 BodyLink seast with brackers for small riders (1.6" to the front) BodyLink seast with brackers for small riders (1.6" to the front) BodyLink seast with brackers for small riders (1.6" to the front) BodyLink seast with brackers for small riders (1.6" to the front) BodyLink seast commended for small riders, required for all high nesseats (45 and HS XL) Case a ragle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position Billy,00 Bhandrests left and rights confortable hand synchrory, mounted on handlebar, removable cushion Billy,00 Bhandrests left and rights confortable hand synchrory, mounted on handlebar, removable cushion Billy,00 Bhandrests left and rights confortable handles and angle. with quick release lever Billy,00 Bhandrests for meshessa adjustable in highight and angle. with quick release lever Billy,00 Beadrest for BodyLink seat flexible, with cushion, adjustable in height and angle. With quick release lever Billy,00 Beadrest for BodyLink seat flexible, with cushion, adjustable in height and angle. With quick release lever Billy,00 Beadrest for BodyLink seat flexible, with cushion, adjustable in height and angle. With quick release lever Billy,00 Beadrest for BodyLink seat flexible, with cushion, adjustable in height and angle. In the seat of the			,					
BodyLink seat BodyLink seat BodyLink seat with brackets for small riders (1.6" to the from) BodyLink seat with brackets for small riders (1.6" to the from) BodyLink seat with brackets for small riders (1.6" to the from) BodyLink seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position I 119.00 Andrests left and right confortable hand support, mounted on handlebar, removable cushion Andrests left and right confortable hand support, mounted on handlebar, removable cushion Andrests left and right confortable hand support, mounted on handlebar, removable cushion Andrests left and right confortable hand support, mounted on handlebar, removable cushion Andrests for BodyLink seat child hand support, mounted on handlebar, removable cushion Beadrest for BodyLink seat adjustable in height and angle Accentification in the handle support of the seat (189,00) Beadrest for meshseat adjustable end stops allow exact positioning of the seat (19,00) Beadrest for meshseat adjustable in height and angle, with quick release lever Beadrest for meshseat adjustable in height and angle, with quick release lever Beadrest for meshseat adjustable in height and angle, with quick release lever Beadrest for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag Prain cover for seats, rigistor prylon fabric, blue Prain cover for seats, rigistor prylon fabric, blue Prain cover for seats, rigistor prylon fabric, blue Prain supports on fabric from fabric, blue Prain supports on fabric from 19 libs, with satisfards-fabric-fabric-fabric vent shifters (basic specification) Prost suspension hard from 19 libs, with satisfards-fabric-fabr		_	, , ,					
BodyLink seat with brackets for small riders (1.6" to the front) 199,00								
Union Pandilebars recommended for small riders, required for all high nesseats (HS and HS XL) 25,00			-					
Seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position 119,00	ı,							
Interests left and right comfortable hand support, mounted on handlebar, removable cushion 169.00	ses							
Airflow seat cushion breathable fibric, sewn, for BodyLink seat 889.00			seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position	119.00				
Interest for BodyLink seat flexible, with cushion, adjustable in height and angle 149.00			handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169.00				
Beadrest for meshseat adjustable in height and angle, with quick release lever 189.00			Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00				
SeatWings hip support for BodyLink seat, carbon fiber, padded 319.00			headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00				
Indignatable end stops allow exact positioning of the seat 19.00			headrest for meshseat adjustable in height and angle, with quick release lever	189.00				
Use two adjustable end stops for ErgoMesh Premium seats only, added add-on bags for meshseat pair mounted on backrest, each I.4 litres, I water-repellent bag, I ventilated bag 79,00 rain cover for seats, ripstop nylon fabric, blue 25,00 on the pair of the pa			SeatWings hip support for BodyLink seat, carbon fiber, padded	319.00				
add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag 79.00 rain cover for seats, ripstop nylon fabric, blue 25.00 rear shock DMM DV-22 (basic specification) osoft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs rear shock DMM DV-22 (basic specification) office are shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump 339.00 ront suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with standard stabilizer/anti-roll-bar drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur drivetrain STURMEY ARCHER 3 speed internal gear hub. SHIMANO Cassette 11-34, crankset with 39 teeth drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub. SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500 339.00 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.00 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.00 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,190.00 drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter 2,290.00 418 Wh, 2 A charger, push assist 4 mph 2,240.00 418 Wh, 2 A charger, push assist 4 mph 42 E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph 43 Wh, 2 A charger, push assist 4 mph 44 Wh, 2 A charger, push assist 4 mph 45 E-drive SHIMANO STEPS E801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derai			adjustable end stops allow exact positioning of the seat	19.00				
Tain cover for seats, ripstop nylon fabric, blue Pain Cover for seats, ripstop nylon fabric, blue 25.00			two adjustable end stops for ErgoMesh Premium seats only, added	38.00				
rear shock DNM DV-22 (basic specification) O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump Gront suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur / twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth drivetrain STURMEY ARCHER 3 speed internal gear hub with twist shifter, black drivetrain STURMEY ARCHER 3 speed internal gear hub with twist shifter, black drivetrain STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500 and drivetrain PINION C1.12 12 speed front gear box, long twist shifter drivetrain PINION C1.12 12 speed front gear box, long twist shifter drivetrain PINION C1.12 12 speed front gear box, long twist shifter el-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph el-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph el-drive SHIMANO STEPS E600 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph el-drive SHIMANO STEPS E600 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph el-drive SHIMANO STEPS E600 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph el-drive SHIMANO STEPS E			add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00				
O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump			rain cover for seats, ripstop nylon fabric, blue	25.00				
O soft 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	_	П	rear shock DNM DV-22 (basic specification)	0.00				
Front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 39,00	sior	_	O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 330 lbs	0.00				
Front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 39,00	ens		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00				
Front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar 39,00	Isn		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0.00				
/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette I1-34, crankset with 39 teeth drivetrain SHIMANO Nexus 8 Premium 8 speed internal gear hub with twist shifter, black drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11-36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00	0,		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39.00				
Twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth		П	drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters (basic specification), SRAM X4 rear derailleur	0.00				
drivetrain STURMEY ARCHER Tripleshift 30 30 speed, rear derailleur MICROSHIFT XLE, MICROSHIFT / STURMEY ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11-36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00		J	/ twist shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34, crankset with 39 teeth	0.00				
ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth drivetrain SRAM/30 30 speed, SRAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, SRAM SL-500 barend shifters, SRAM cassette PG 1050 11–36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00			·	45.00				
ARCHER barend shifters, \$10MBLY ARCHER 3 speed internal gear hub, \$HIMANO X1 cassette, crankset with 39 teeth drivetrain \$RAM/30 30 speed, \$RAM GX rear derailleur, crankset 52-42-30, MICROSHIFT front derailleur, \$RAM \$L-500 barend shifters, \$RAM cassette PG 1050 11-36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter, \$treamer not compatible drivetrain ROHLOFF \$peedhub/14 14 speed, black, long twist shifter E-drive \$HIMANO \$TEPS \$E5000 \$RAM \$X4\$ up to 20 mph, \$RAM \$X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E5000 Nexus Di2 up to 20 mph, \$HIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E6100 Nexus Di2 up to 20 mph, \$HIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E6100 Nexus Di2 up to 20 mph, \$HIMANO Cues Di2 10-speed derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E701 Cargo Cues Di2 up to 20 mph, \$HIMANO Cues Di2 10-speed derailleur, Li-lonen battery 418 Wh, 2 A charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive \$HIMANO \$TEPS \$E701 Cargo \$ENVIOLO Automatiq up to 20 mph, \$ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E701 Cargo \$ENVIOLO Automatiq up to 20 mph, \$ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E701 Cargo \$ENVIOLO Automatiq up to 20 mph, \$ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive \$HIMANO \$TEPS \$E701 Cargo \$ENVIOLO \$E702 Cargo \$E702 Carg				219.00				
barend shifters, SRAM cassette PG 1050 11–36 drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS E7801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E7801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00		_	ARCHER barend shifters, STURMEY ARCHER 3 speed internal gear hub, SHIMANO XT cassette, crankset with 39 teeth					
drivetrain PINION C1.12 12 speed front gear box, long twist shifter, Streamer not compatible drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00			· · · · · · · · · · · · · · · · · · ·	339.00				
drivetrain ROHLOFF Speedhub/14 14 speed, black, long twist shifter E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00								
E-drive SHIMANO STEPS E5000 SRAM X4 up to 20 mph, SRAM X4 8-speed rear derailleur, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E5000 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00								
418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00	.⊑	ш		2,190.00				
418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00	tra			2,290.00				
418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00	ive							
E-drive SHIMANO STEPS E6100 Nexus Di2 up to 20 mph, SHIMANO Nexus 8 speed Di2 gear hub, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00	Þ			2,640.00				
418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00								
E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00				3,190.00				
battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00			E-drive SHIMANO STEPS EP801 Cargo Cues Di2 up to 20 mph, SHIMANO Cues Di2 10-speed derailleur, Li-lonen					
internal stepless shifting, Li-lonen battery 418 Wh, 2 A charger, push assist 4 mph E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00			battery with 418 Wh, charger 2 A, push assist up to 4 mph, freeshift and autoshift function	4,090.00				
E-drive SHIMANO STEPS EP801 Cargo ROHLOFF up to 20 mph, incl. ROHLOFF 14 gear interneal gear hub, Li-lonen 5.250.00			E-drive SHIMANO STEPS EP801 Cargo ENVIOLO Automatiq up to 20 mph, ENVIOLO hub with Automatiq	4.050.00				
		J	internal stepless shifting, Li-Ionen battery 418 Wh, 2 A charger, push assist 4 mph	4,030.00				
battery 418 Wh, push assist 4 mph				5.250.00				
		_	battery 418 Wh, push assist 4 mph	3,230.00				





			• -		
	×	Item			sugg. retail
Н		E duite NEODDIVES 720 with SDAM/20 up to 20 mah 20 speed year devaileur SDAM CV handlabar and goar laver	_	-	\$
Ш	П	E-drive NEODRIVES Z20 with SRAM/30 up to 20 mph, 30 speed, rear derailleur SRAM GX, handlebar end gear lever SRAM SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 576 Wh, push assist forward and backwards,			3,930.00
Ш	_	Display position: O above handlebar O side of handlebar			3,730.00
Ш		E-drive NEODRIVES Z20 with PINION C1.12 up to 20 mph, front gear box, Li-lonen 576 Wh, push assist forward and			
Ш		backwards, not compatible with streamer, display position: O above handlebar O side of handlebar			5,550.00
Ш		big battery pack SHIMANO STEPS Li-lonen battery, 630 Wh, fast charger with 4 A	+		449.00
Ш	$\bar{-}$	2nd battery pack for SHIMANO STEPS Li-lonen battery, 630 Wh, battery holder, battery adapter set, (restricts folding			
Ш		function), without power supply, battery must be inserted for use in main battery holder			1,319.00
Ш		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for			
Ш		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)			1,290.00
Ш		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	_		25.00
Ш	_	chainwheel disc instead of chain guard, 150 g / 0.3 lbs lighter (only with 30 gear options)			39.00
Ш	=	tire exchange from SCHWALBE Tryker 40 mm / 1.6" to O Marathon Plus 47 mm / 1.8" O Kojak 35 mm / 1.4" (SRAM/30	_	_	37.00
Ш		or PINION)			49.00
Н		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			0.00
		disc brakes AVID BB7 mechanical, separate brake per front wheel	+	_	75.00
]	disc brakes AVID BB7 coupled front brakes, mechanical, rear disc brake, parking brake function	+	 	73.00
es		front brake lever: O left O right			199.00
brakes		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	_	-	_
q		function, rear disc brake, front brake lever: O left O right			329.00
Ш		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	+	_	269.00
Ш		parking brake SHIMANO rear wheel V-Brake with thumblever	_	-	65.00
Sc		pion plus 26 accessories extra charge		_	05.00
30	_	light wire routing only twin wires routed through the frame for hub dynamo	_	_	119.00
Ш			_		
Ш		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		-	145.00
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake			769.00
	_	light, in combination with e-drive no quick frame adjustment possible			707.00
Ш		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	_		
Ш		80 Lux, rear light B&M Toplight 2C DC			239.00
Ш		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC			319.00
Ш	_	indicator lights system WingBling only in conjunction with electric drive	_	_	739.00
Ш		rear rack 14 mm / 0.6" tube, black powder coating, max. load 25 kg / 55 lbs	_	-	279.00
Ш			+	-	
Ш		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	_	-	219.00
Ш		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)	_		169.00
رم ا		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted			179.00
cessories		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	+	-	329.00
SSC		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes			129.00
acce		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted			79.00
42		rear mirror B&M E wide view angle, easy to adjust, mounted to handlebar O left O right			89.00
		rear mirror B&M E both sides left and right, mounted to handlebar			178.00
		rear mirror MIRRYCLE with barend mounting, also computer mount O left O right			65.00
		rear mirror MIRRYCLE both sides barend mounting left and right			130.00
		flag HP VELOTECHNIK double-sided print, with reflective strip			29.00
		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø			40.00
		0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted			49.00
		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	T		29.00
		air horn AIRZOUND XL about 30-115 dB, not mounted			39.00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION and SHIMANO STEPS)			699.00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric			99.00
	_	frame lock AXA Victory with removable key, without chain, black	+		85.00
	_	chain for frame lock AXA length 100 cm / 39.4"	+		35.00
ш		- 0 1 - 11 - 11 - 11 - 11 - 11 - 11 - 11 -			33.30





_		3.22					
	×	Item				sugg. retail \$	
Sc	Scorpion plus 26 Pedelec SE special edition trike 20" / 26" (KRESPLV)						
	×	Scorpion plus 26 Special Edition electric color: magma red / black - drivetrain SHIMANO STEPS E6100 with NEXUS 8-speed electric internal gear hub - battery with 630 Wh - front suspension hard - long handlebar - disc brakes SHIMANO XT - lighting system B&M IQ-X - rear rack - headrest - ROCK SHOX Monarch air damper - parking brake - tyres SCHWALBE Marathon Plus - mudguards - mirror - hand rests - flag - rain cover - water bottle set - AXA frame lock				12,490.00	
Sc	or	pion plus 26 Pedelec SE selection seat					
П		ErgoMesh HS meshseat (4.3" higher than EM seat)				0.00	
seat		ErgoMesh HS XL meshseat (4.3" higher than EM XL-seat)				0.00	
se		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)				369.00	
Ш		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				369.00	
Sc		pion plus 26 Pedelec SE accessories Surcharges, unmounted, additional special access	sories o	n the "co	mfort an		
	F	front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	_			249.00	
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position, added	_			119.00	
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, I water-repellent bag, I ventilated bag	-	-		79.00	
		adjustable end stops allow exact positioning of the seat	-		_	19.00	
ör		two adjustable end stops for ErgoMesh Premium seats only, added	1	1		38.00	
نة		air horn AIRZOUND XL about 30-115 dB, not mounted				39.00	
behör		air horn AIRZOUND XL about 30-115 dB, not mounted chain for frame lock AXA length 100 cm / 39.4"				39.00 35.00	
Zubehör	<u> </u>	air horn AIRZOUND XL about 30-115 dB, not mounted chain for frame lock AXA length 100 cm / 39.4" clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				39.00 35.00 129.00	
Zubehör	_ 	air horn AIRZOUND XL about 30-115 dB, not mounted chain for frame lock AXA length 100 cm / 39.4" clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted				39.00 35.00 129.00 179.00	
Zubehör		air horn AIRZOUND XL about 30-115 dB, not mounted chain for frame lock AXA length 100 cm / 39.4" clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				39.00 35.00 129.00 179.00 89.00	
Zubehör	_ 	air horn AIRZOUND XL about 30-115 dB, not mounted chain for frame lock AXA length 100 cm / 39.4" clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted rear mirror B&M E both sides left and right knuckle mounting				39.00 35.00 129.00 179.00	
Zubehör		air horn AIRZOUND XL about 30-115 dB, not mounted chain for frame lock AXA length 100 cm / 39.4" clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted rear mirror B&M E both sides left and right knuckle mounting universal mount for accessories Mounting on the handlebar end, ∅ 22,2 mm / 0.87" tube holder for accessories like				39.00 35.00 129.00 179.00 89.00	

notes



order sheet





	×	Item	sugg. retail \$
Sp	ee	dmachine S-Pedelec recumbent 20"/26" (SPE)	
	×	Speedmachine S-Pedelec up to 28 mph (45 km/h), class L1e, full suspension, Neodrives Z20RS hub motor	10,420.00
ор	tio	ns extra charge	
		standard colour O silvergrey O carmine red RAL3002	0.00
e e		single custom colour according to RAL-colour chart: (please specify)	229.00
frame		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319.00
<u>4</u>		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239.00
		length fitting service: distance center of bottom bracket to end of main frame, look at the marking on the skale cm	0.00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags	369.00
		BodyLink seat	199.00
		BodyLink seat with brackets for small riders (1.6" to the front)	199.00
l [Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89.00
seat		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149.00
ر ا		headrest for meshseat adjustable in height and angle, with quick release lever	189.00
		adjustable end stops allow exact positioning of the seat	19.00
		two adjustable end stops for ErgoMesh Premium seats only, added	38.00
		rain cover for seats, ripstop nylon fabric, blue	25.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
		Microbag topbag for BodyLink seat, detachable as hip bag, 1 litre	49.00
		rear shock DNM DV-22 (basic specification)	0.00
ion		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 285lbs	0.00
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339.00
dsn	x	suspension fork CONCEPT 2" suspension travel, steerer suspension system, adjustable	0.00
0,		hard spring for suspension fork for loads over 220 lbs, pre-installed	35.00
	×	above seat steering (ASS) with serobar direct (basic specification)	0.00
		E-drive NEODRIVES Z20RS and SHIMANO XT30 up to 28 mph, 30 speed, rear derailleur SHIMANO XT, shifter	0.00
Ę.	_	SHIMANO XT, cassette SHIMANO XT, chainring set 3-speed black, Li-Ionen battery 651 Wh, push assist	0.00
drivetrain		E-drive NEODRIVES Z20RS and PINION C1.12 hub motor, 12-speed PINION bottom bracket gearbox, Li-lonen battery with 651 Wh, charger 4 A, push assist	1,790.00
dri		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25.00
	_	tires SCHWALBE Marathon Plus 47mm / 1.8", very good puncture protection	0.00
\dashv		disc brake MAGURA MT5e hydraulic	0.00
	_	E William	0.00





	×	Item				sugg. retail \$		
ac	accessories extra charge							
	×	lighting system e-drive Z20RS IQ-XE / horn B&M IQ-XE up to 150 Lux, with B&M horn				0.00		
	×	rear rack 12 mm / 0.5" tube, black powder coating, max. load 25 kg / 55 lbs				0.00		
		lowrider rack 10 mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg				179.00		
		mudguards SKS 20" / 26" with spoiler, rear 53 mm / 2.1", black, stainless steel stays, mounted				159.00		
	×	kickstand PLETSCHER Esge Zoom mounted on the rear swingarm, black				0.00		
		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes				129.00		
		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted				79.00		
	×	rear mirror B&M E left wide view angle, easy to adjust, incl. mounting hardware				0.00		
		rear mirror B&M E both sides left and right, mounted to handlebar				42.00		





	×	ltem		ugg. ail \$
Sc	or	pion fs 26 S-Pedelec foldable full suspension trike 20"/26" (SFE)		
	×	Scorpion fs 26 S-Pedelec up to 28 mph (45 km/h), class L1e, full suspension, foldable Front and rear suspension, under seat steering, Neodrives Z20RS hub motor, SRAM 30-speed, SCHWALBE Marathon Plus tyres, coupled hydraulic disc brakes, SHIMANO parking brake, B&M lighting system, pannier rack, B&M mirror left, AXA frame lock	11.890	0,00
Sc	or	pion fs 26 S-Pedelec options Surcharges		
г		standard colour O pure orange matt RAL2004 / black O cool grey metallic / black		0,00
		single custom colour according to RAL-colour chart: (please specify)	229	9,00
٥		double custom colour according to RAL-colour chart main frame:, front boom / swing arm:	319	9,00
frame		front boom carbon saves 170 g / 0.37 lbs of weight, not with STEPS / PINION	239	9,00
∸		length fitting service: distance center of crank axle to end of main frame, look at the marking on the skale cm	0	0,00
		front boom quickadjust without chain compensation QR-levers	59	9,00
		front boom quickadjust compensates extra chain length when front boom is adjusted, QR-levers	249	9,00
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags	0	0,00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)	0	0,00
		ErgoMesh Premium meshseat with OrthoFlex technology, prepared for optional add-on bags, seat and seatback independently adjustable	369	9,00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)	369	9,00
		BodyLink seat	199	9,00
		long handlebars 6 cm / 2.4" higher grip position	25	5,00
seat		handrests left and right comfortable hand support, mounted on handlebar, removable cushion	169	9,00
Se		Airflow seat cushion breathable fabric, sewn, for BodyLink seat	89	9,00
		headrest for BodyLink seat flexible, with cushion, adjustable in height and angle	149	9,00
		headrest for meshseat adjustable in height and angle, with quick release lever	189	9,00
		SeatWings hip support for BodyLink seat, carbon fiber, padded	319	9,00
		adjustable end stops allow exact positioning of the seat	19	9,00
		two adjustable end stops for ErgoMesh Premium seats only, added	38	8,00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79	9,00
		rain cover for seats, ripstop nylon fabric, blue	25	5,00
_		rear shock DNM DV-22 (basic specification)		0,00
sio		O soft: 450 lbs/inch, up to 175 lbs O standard: 550 lbs/inch, up to 220 lbs O hard: 650 lbs/inch, up to 308 lbs		0,00
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump	339	9,00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar	0	0,00
_		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar	39	9,00
		E-drive NEODRIVES Z20RS and SRAM 30 up to 28 mph, 30 speed, rear derailleur SRAM GX, bar end shifter SRAM		
		SL-500, cassette SRAM, chainring set 3-speed black, Li-Ionen battery 651 Wh, push assist,		0,00
		display position: O above handlebar O side of handlebar		
] .⊆		E-drive NEODRIVES Z20RS and PINION C1.12 up to 28 mph, 12 speed PINION front gear box, up to 28 mph, Li-		
tra		Ionen 65 I Wh, charger with 4A, not compatible with streamer,	1.790	0,00
ř	L	display position: O above handlebar O side of handlebar		
brakes / drivetrain		2nd battery pack for NEODRIVES Z20RS 48 V Li-lonen 651 Wh incl. adapter, mounting hardware, incl. mounting accessories (restricts folding function)	1.890	0,00
bra	×	tires SCHWALBE Marathon Plus 47mm / 1.8", very good puncture protection		0,00
		short cranks 155 mm / 6", recommended for riders under 175 cm / 68"	25	5,00
	×	hydraulic disc brakes coupled hydraulic, coupled front brakes with one-hand operation, right lever, rear disc brake hydraulic, left lever	O O	0,00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever		0,00





Г	×	Item	sugg
	_		retail \$
Sc	or	pion fs 26 S-Pedelec accessories Surcharges	
	×	lighting system e-drive Z20RS B&M IQ-XE / horn B&M IQ-XE up to 150 Lux, with B&M horn	0,00
l	۵	indicator lights system WingBling Front and rear indicators, mounted on the front boom and luggage rack, indicator switch mounted on the handlebar end or handlebar end shifter. Not compatible with Streamer.	739,00
ı	×	rear rack 14 mm / 0.5" tube, black, for panniers max. load 12,5 kg / 27,5 lbs each side	0,00
ı		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs	219,00
ı		side bag mount holder for handlebar bags on ErgoMesh (Premium) seats only, max. load 5 kg / 11 lbs, pair, unmounted	179,00
ı	×	rear mirror B&M E incl. bearings and O-rings	0,00
۱,		rear mirror B&M E both sides knuckle mounting right	89,00
rie		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	329,00
SSO		clipless pedals SHIMANO PD-T8000 lightweight, multi-purpose pedal for normal and SPD shoes	129,00
accessories		water bottle set HP VELOTECHNIK 2 x 0.6 I PE-bottle with HP print, with bottle cages, mounted	79,00
1 "		flag HP VELOTECHNIK double-sided print, with reflective strip	29,00
l		universal mount for accessories to be mounted on the handlebar end (with twist shifters) or on the barend shifter, Ø 0.87" tube holder for accessories like mobile phone holder / GPS devices or bell, max. load 0.88 lbs, unmounted	49,00
ı		speedometer mount for computers or battery lights, incl. sensor bracket for front wheel	29,00
		Streamer clear front fairing, with quickmount system, incl. assembly (not w/PINION)	699,00
		transport cover suitable for all folded HP VELOTECHNIK trikes, nylon fabric	99,00
	×	frame lock AXA Victory with removable key, without chain, black	0,00
		chain for frame lock AXA length 100 cm / 39.4"	35,00

All prices in US\$. Duties and customs fees included in dealer price, excluding shipping by UPS (approx. 5 business days shipping): 1 bike \$399; 2 bikes \$599; 3 bikes \$799. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please check 2025 HP VELOTECHNIK trade price list for details.

I hereby order the above marked items.

In accordance to demo dealer conditions, based on a valid Scorpion fs 26, Scorpion fs 26 Enduro or Scorpion fs 26 S-Pedelec demo dealer contract.

In accordance to premium dealer conditions, based on a valid Scorpion fs 26, Scorpion fs 26 Enduro or Scorpion fs 26 S-Pedelec premium dealer contract.

company / customer no.:

name, date & signature:

customer name / your reference:

order sheet



Hands-On-Cycle

VΕ	در	DTECHNIK	9
	×	Item	sugg. retai \$
Ge	kk	to fx 26 Hands-On-Cycle hand drive (GELH)	
		Gekko fx 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes	4,340.00
	×	standard colour HOC unit blue shade grey matt	0.00
		standard colour O magma red O deep blue	0.00
		single custom colour according to RAL-colour chart: (please specify)	229.00
Se	lec	tion of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK	K trike, enclosed drive, height
adi	ust	able, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake	e. width adjustable hand crank with
		gth, colour: blue shade grey matt, restricts folding	
/	lell	gui, colour. Dide shade grey marc, resurces folding	
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear	3,190.00
	_	derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34	3,190.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter	5,719.00
Ų		Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub	1 1 1 1
HOC		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh,	7,290.00
	_	push assist up to 4 mph	1 1 2000
	ш	Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest	329.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation adjustable to leg length and leg position, mounted on the leg rest	169.00
on	tio	ons extra charge	
Op.		headrest for meshseat adjustable in height and angle, with quick release lever	189.00
		seat angle adapter to adjust the backrest in a more upright position, with quick release	119.00
		Gekko seat pad additional comfortable and breathable upholstered seat pad to attach to the seat, fastening with buckles	189.00
		adjustable end stops allow exact positioning of the seat	19.00
		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag	79.00
ţ		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	279.00
seat		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL	
		seats and tall people, not mounted	279.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	279.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for	279.00
		XL seats and tall people, not mounted	279.00
		rain cover for seats, ripstop nylon fabric, blue	25.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"	49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)	0.00
S	П	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake	329.00
brakes	_	function, rear disc brake, front brake lever: O left O right	327.00
٥		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable	269.00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever	0.00





Г	×	ltem	sugg. retail
			\$
ac	ces	ssories Gekko fx 26 Hands-On-Cycle hand drive extra charge	
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO	
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake	 769.00
		light, in combination with e-drive no quick frame adjustment possible	
	Ь	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	 239.00
		80 Lux, rear light B&M Toplight 2C DC	237.00
1		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
l		indicator lights system WingBling HOC only in combination with electric drive, operable from the handlebar	769.00
ries		rear rack 10 mm / 0.4" tube, black powder coating, max. load 25 kg / 55 lbs	99.00
SSO		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	329.00
accessories		water bottle set HP VELOTECHNIK 2×0.6 l PE-bottle with HP print, with bottle cages, mounted	79.00
100		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	39.00
		frame lock AXA Victory with removable key, without chain, black	99.00
		chain for frame lock AXA length 100 cm / 39.4"	35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50
		walking aid mounts left and right easy fixing and safety clip	199.00

order sheet



Hands-On-Cycle

∕E	در	OTECHNIK CI CO C			5	4
	×	Item				sugg. retail \$
Sc	or	pion fs 20 Hands-On-Cycle hand drive (SFSH)				
	×	Scorpion fs 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes				6,430.00
	×	standard colour HOC unit blue shade grey matt				0.00
ıme		standard colour O colza yellow RAL1021 O blue shade grey matt				0.00
		single custom colour according to RAL-colour chart: (please specify)				229.00
		double custom colour according to RAL-colour chart main frame:, swing arm:				319.00
Se	led	tion of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK	trike.	enclosed o	rive, hei	ght
adj	ust	able, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake gth, colour: blue shade grey matt, restricts folding Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear				
		derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34				3,190.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter				5,719.00
	_	Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub				
HOC		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh,				7,290.00
I		push assist up to 4 mph				
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest				329.00
	П	calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation				169.00
	_	adjustable to leg length and leg position, mounted on the leg rest				107.00
ор	tio	ns extra charge				
		ErgoMesh meshseat with OrthoFlex technology, prepared for optional add-on bags				0.00
		ErgoMesh XL meshseat (2" wider, backrest 1.6" and seat 2" longer than Ergomesh)				0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position				119.00
		headrest for meshseat adjustable in height and angle, with quick release lever				189.00
		adjustable end stops allow exact positioning of the seat				19.00
ţ		two adjustable end stops for ErgoMesh Premium seats only, added				38.00
seat		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted				279.00
		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL				
		seats and tall people, not mounted				279.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted				279.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for				279.00
	_	XL seats and tall people, not mounted				277.00
		rain cover for seats, ripstop nylon fabric, blue				25.00
١,		rear shock DNM DV-22 (basic specification)				0.00
sior	_	O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs				0.00
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump				339.00
sns		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar				0.00
٥,		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar				39.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for				1,290.00
		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)				
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"				49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)				0.00
ses		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake				329.00
brakes		function, rear disc brake, front brake lever: O left O right		\square		
q		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable		\square	\square	269.00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever				0.00





Г	×	Item	sugg. retail
L			\$
ac	ces	ssories Scorpion fs 20 Hands-On-Cycle hand drive extra charge	
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight	129.00
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO	
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake	769.00
		light, in combination with e-drive no quick frame adjustment possible	
	la	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	239.00
	_	80 Lux, rear light B&M Toplight 2C DC	237.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC	319.00
		indicator lights system WingBling HOC only in combination with electric drive, operable from the handlebar	769.00
es		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs	329.00
öri		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black	329.00
accessories		water bottle set HP VELOTECHNIK 2×0.6 PE-bottle with HP print, with bottle cages, mounted	79.00
ac		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right	89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip	29.00
		air horn AIRZOUND XL about 30-115 dB, not mounted	39.00
		trailer hitch WEBER with HP VELOTECHNIK adapter, max. vertiacal load 6,5 kg / 14 lbs, max trailer load 40kg / 88lbs	169.00
		frame lock AXA Victory with removable key, without chain, black	85.00
		chain for frame lock AXA length 100 cm / 39.4"	35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50
		walking aid mounts left and right easy fixing and safety clip	199.00



Hands-On-Cycle

VE	در	OTECHNIK				
	×	Item				sugg. retail \$
Sc	or	pion plus 20 Hands-On-Cycle hand drive (SPSH)				
	×	Scorpion plus 20 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes				6,850.00
	×	standard colour HOC unit blue shade grey matt				0.00
ne		standard colour O cool grey metallic O magma red / black				0.00
frame		single custom colour according to RAL-colour chart: (please specify)				229.00
		double custom colour according to RAL-colour chart main frame:, swing arm:				319.00
Se	led	ction of hand drive and options The HP hand drive mounted on a HP VELOTECHNI	K trike,	enclosed (drive, hei	ght
		table, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake				
		gth, colour: blue shade grey matt, restricts folding	, WIGGI	adjasaasii	nand en	uriik vvieri
г		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear				2 100 00
	╙	derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34				3,190.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter				5,719.00
b		Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub				
Ř		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh,				7,290.00
ľ	L	push assist up to 4 mph			\blacksquare	
		Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest			\blacksquare	329.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation				169.00
L	Ļ	adjustable to leg length and leg position, mounted on the leg rest			$\overline{}$	
op	tic	ons extra charge				
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags				369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)				369.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)				369.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)				369.00
	×	seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position				0.00
		headrest for meshseat adjustable in height and angle, with quick release lever				189.00
		adjustable end stops allow exact positioning of the seat				19.00
l ±		two adjustable end stops for ErgoMesh Premium seats only, added				38.00
seat		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag				79.00
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted				279.00
		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL				
		seats and tall people, not mounted				279.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted				279.00
	l_	chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for				279.00
		XL seats and tall people, not mounted			\vdash	
_	브	rain cover for seats, ripstop nylon fabric, blue	_	_	\vdash	25.00
ڃ		rear shock DNM DV-22 (basic specification) O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs				0.00
suspension	L	rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump				339.00
spe	\vdash	front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar		_	\vdash	
sns		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar		_	\vdash	0.00
H	Ë	2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for			\vdash	39.00
		convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)				1,290.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"				49.00
		disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)				0.00
S	_	hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake				220.00
brakes		function, rear disc brake, front brake lever: O left O right				329.00
٩		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable				269.00
L	×	parking brake SHIMANO rear wheel V-Brake with thumblever				0.00





	×	Item		sugg. retail
┕	_			\$
ac	ces	sories Scorpion plus 20 Hands-On-Cycle hand drive extra charge		
		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO		
		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake	1 1 1	769.00
		light, in combination with e-drive no quick frame adjustment possible		
	la	B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to	1 1 1	239.00
	-	80 Lux, rear light B&M Toplight 2C DC		237.00
		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00
1		indicator lights system WingBling only in conjunction with electric drive		739.00
es		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs		329.00
ioni		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		169.00
accessories		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00
ac		water bottle set HP VELOTECHNIK 2×0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00
1		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00
		frame lock AXA Victory with removable key, without chain, black		85.00
		chain for frame lock AXA length 100 cm / 39.4"		35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		99.50
		walking aid mounts left and right easy fixing and safety clip		199.00



Hands-On-Cucle

\vee \vdash	LC	DTECHNIK			
	×	Item			sugg. retail \$
Sc	orı	pion plus 26 Hands-On-Cycle hand drive (SPLH)			
	×	Scorpion plus 26 basic model STURMEY ARCHER Tripleshift 24 speed, SHIMANO hydraulic disc brakes			6,950.00
	×	standard colour HOC unit blue shade grey matt			0.00
ne		standard colour O cool grey metallic O magma red / black			0.00
frame		single custom colour according to RAL-colour chart: (please specify)			229.00
		double custom colour according to RAL-colour chart main frame:, swing arm:			319.00
		tion of hand drive and options The HP hand drive mounted on a HP VELOTECHNIK able, length adjustable, adjustable leg rest, optional fully integrated headlight, parking brake			ŭ
		gth, colour: blue shade grey matt, restricts folding	s, widdi	adjustable	e nand Crank With
		Hands-On-Cycle with drivetrain STURMEY ARCHER Tripleshift 24 24 speed with twist shifters, SRAM X4 rear derailleur, STURMEY ARCHER 3 speed internal gear hub, SHIMANO cassette 11-34			3,190.00
		Hands-On-Cycle with drivetrain ROHLOFF Speedhub/14 14 speed, black, twist shifter			5,719.00
u		Hands-On-Cycle with E-drive NEODRIVES Z20 and drivetrain SHIMANO/MICROSHIFT 10 up to 20 mph, hub			
НОС		motor, 10 speed, rear derailleur MICROSHIFT XLE, XT Triggershifter, cassette SHIMANO XT, Li-Ionen battery 576 Wh,			7,290.00
-	_	push assist up to 4 mph		-	222.22
	ш	Footplate HOC for placing the feet, incl. fastening strap, mounted on the leg rest			329.00
		calf brace HOC Legs can be secured, adjustable angle, restraint straps with quick-entry function, lower leg fixation adjustable to leg length and leg position, mounted on the leg rest			169.00
0.00	4:0				
op		ns extra charge		_	2/0.00
		ErgoMesh Premium OrthoFlex technology, seat and seatback independently adjustable, prepared for add-on bags			369.00
		ErgoMesh Premium XL meshseat (2" wider, backrest and seat 1.2" longer than EM Premium)			369.00
		ErgoMesh Premium HS meshseat (4.3" higher than EM Premium)		-	369.00
		ErgoMesh Premium HS XL meshseat (4.3" (11 cm) higher than EM Premium XL)		_	369.00
		seat angle adapter for ErgoMesh Premium seat to adjust the backrest in a more upright position		_	0.00
		headrest for meshseat adjustable in height and angle, with quick release lever		_	189.00
		adjustable end stops allow exact positioning of the seat			19.00
seat		two adjustable end stops for ErgoMesh Premium seats only, added			38.00
se		add-on bags for meshseat pair mounted on backrest, each 1.4 litres, 1 water-repellent bag, 1 ventilated bag			79.00
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted			279.00
		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted			279.00
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted			279.00
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for			
		XL seats and tall people, not mounted			279.00
		rain cover for seats, ripstop nylon fabric, blue			25.00
		rear shock DNM DV-22 (basic specification)			
ion		O soft: 350 lbs/inch, up to 175 lbs O standard: 450 lbs/inch, up to 225 lbs O hard: 550 lbs/inch, up to 285 lbs			0.00
suspension		rear shock ROCKSHOX Monarch RL lightweight air shock, adjustable damping, lock-out, incl. damper pump			339.00
dsn		front suspension standard up to 198 lbs, with standard stabilizer/anti-roll-bar			0.00
S		front suspension hard from 198 lbs, with hard stabilizer/anti-roll-bar			39.00
		2nd battery pack for NEODRIVES Z20 36 V Li-ionen battery, 576 Wh, battery adapter set, cable extension for convenient charging and reconnecting of additional battery, incl. mounting accessories (restricts folding function)			1,290.00
		tire exchange from SCHWALBE Tryker 40 mm / 1.6" to Marathon Plus 47 mm / 1.8"			49.00
\dashv	_	disc brakes SHIMANO BR-MT200 hydraulic, separate brake per front wheel (basic specification)			0.00
S		hydraulic disc brakes RIDEREVER coupled hydraulic, coupled front brakes with one-hand operation and parking brake			
brakes		function, rear disc brake, front brake lever: O left O right			329.00
br		disc brakes SHIMANO XT hydraulic, separate brake per front wheel, lever reach adjustable			269.00
	×	parking brake SHIMANO rear wheel V-Brake with thumblever			0.00





	×	Item		sugg. retail \$
ac	ces	ssories Scorpion plus 26 Hands-On-Cycle hand drive extra charge		
П		lighting system rechargeable/EYRO up to 30 Lux, rechargeable headlight and sensor rearlight		129.00
Ш		lighting system SON xs-m disc dynohub/IQ-X parking light front and rear, SCHMIDTS ORIGINAL NABENDYNAMO		
Ш		hubdynamo, LED headlight B&M IQ-X, daytime running lights, up to 100 Lux, rear light B&M Toplight Flat S plus with brake		769.00
Ш		light, in combination with e-drive no quick frame adjustment possible		
Ш		B&M IQ-XS friendly lighting system for E-drive LED-headlight B&M IQ-XS friendly, powered by E-bike battery, up to		239.00
Ш	_	80 Lux, rear light B&M Toplight 2C DC		237.00
Ш		IQ-X lighting system for E-drive B&M IQ-X up to 150 Lux, rear light B&M Toplight 2C DC		319.00
Ш		indicator lights system WingBling only in conjunction with electric drive		739.00
		rear rack 12 / 10 mm (0.5" / 0.4") tube, black powder coating, max. load 25 kg / 55 lbs		329.00
ries		top load rack additional luggage rack above the rear wheel, maximum load 10 kg / 22 lbs		219.00
SSOI		lowrider rack 10mm / 0,39" tube, black powder coating, max. load 55 lbs / 25 kg (requires installed rear rack)		169.00
accessories		mudguard set HP Trikefender front 60 mm / 2.4" width, rear SKS 53 mm / 2.1" with spoiler, black		329.00
La		water bottle set HP VELOTECHNIK 2×0.6 l PE-bottle with HP print, with bottle cages, mounted		79.00
		rear mirror B&M E wide view angle, easy to adjust, knuckle mounting O left O right		89.00
		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
Ш		air horn AIRZOUND XL about 30-115 dB, not mounted		39.00
Ш		frame lock AXA Victory with removable key, without chain, black		85.00
Ш		chain for frame lock AXA length 100 cm / 39.4"		35.00
		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right		99.50
		walking aid mounts left and right easy fixing and safety clip		199.00



Parts from US-warehouse

	×	Item		sugg. retail \$
HF	> V	elotechni	ik Premium Parts - shipment from US-warehouse	
rq Pu		SBKO26S3	mudguard set HP Trikefender 20" / 26" fits Gekko fx 26, Scorpion 2, black, front and rear incl. mounting hardware	329.00
mudguard		SBKOSFS	mudguard set HP Trikefender 20" fs fits Scorpion fs 20 / plus 20, black, front and rear incl. mounting hardware	329.00
æ		SBKOSFL	mudguard set HP Trikefender 20" / 26" fs fits Scorpion fs 26 / fs 26 S-Pedelec / plus 26, black, front and rear incl. mounting hardware	329.00
ttle		TFSETGHP	water bottle set HP VELOTECHNIK for BodyLink fits Grasshopper/fx, Streetmachine Gte, Scorpion, 2 x 0.6 PE-bottle, bottle cages and mounting hardware	79.00
water bottle		TFSETSCF	water bottle set HP VELOTECHNIK for BodyLink fits Scorpion fx / fs 20 / fs 26 , 2×0.6 PE-bottle, bottle cages and mounting hardware	79.00
wa		TFSETEM	water bottle set HP VELOTECHNIK for ErgoMesh and Gekkos 2×0.6 l PE-bottle, bottle cages and mounting hardware	79.00
		RSPBESK	rear mirror B&M E, left fits Gekko fxs / fx 20 / fx 26, Scorpion / 2 / fx / fx2	89.00
ror		RSPBESKR	rear mirror B&M E, right fits Gekko fxs / fx 20 / fx 26, Scorpion / 2 / fx / fx2	89.00
mirror		RSPBEK	rear mirror B&M E, left fits Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec	89.00
trike		RSPBEKR	rear mirror B&M E, right fits Scorpion fs 20 / fs 26 / fs 26 Enduro / fs 26 S-Pedelec	89.00
ţij		RSPBEPLK	rear mirror B&M E, left fits Scorpion plus 20 / plus 26	89.00
Ш		RSPBEPRK	rear mirror B&M E, right fits Scorpion plus 20 / plus 26	89.00
		LESHEM	side bag mount only for Ergomesh seats on tricycles, mounting for handlebar bags, attached to the seat, maximum load II lbs, left and right, unmounted	179.00
		LESHEM	side bag mount for Gekko 26 / fx 20 / fx 26 mounting for handlebar bags, fixed to the frame, maximum load 11 lbs, left and right, unmounted, folding function limited, bike can no longer be pulled on wheels	179.00
rack		GTKOTL	top load rack additional luggage rack above the rear wheel, maximum load 22 lbs, not suitable for side panniers, only for Scorpion models with 26" wheel	219.00
r		GTKOGEF	rear rack 0.4" tube, black, max. load 55 lbs, fits Gekko fxs / fx 20	99.00
		GTKOGEL	rear rack 0.4" tube, black, max. load 55 lbs, fits Gekko fx 26	99.00
		GTKOSCO	rear rack 0.5" / 0.4" tube, black, max. load 55 lbs, fits Scorpion / fs 20	329.00
		GTKOSFL	rear rack 0.6" tube, black, max. load 55lbs, for panniers only, fits Scorpion 2 / fs 26 / fs 26 Enduro	279.00
		GTKOSPS	rear rack 0.5" / 0.4" tube, black, max. load 55 lbs, fits Scorpion plus 20	329.00
		GTKOSPL	rear rack 0.6" tube, black, max. load 55 lbs, for panniers only, fits Scorpion plus 26	279.00
		GHEM	walking aid mount for ErgoMesh seat one walking aid, easy fixing and safety clip, suits clamping diameter 20 – 30 mm (up to 2 walking aids mounts per bike)	99.50
l ability		LEAAHSETL	standing-up aid left for HP VELOTECHNIK trikes without front suspension (GEF, GEL, GEN, SCO2, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle	104.50
comfort and ability		LEAAHSETR	standing-up aid right for HP VELOTECHNIK trikes without front suspension (GEF, GEL, GEN, SCO2, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle	104.50
comfc		LEAAHSET2L	standing-up aid left for HP VELOTECHNIK trikes with front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame	164.50
		LEAAHSET2R	standing-up aid right for HP VELOTECHNIK trikes with front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame	164.50
			handrests left and right, comfortable hand support, adjustable	169.00
		SIHPKNESK	headrest for meshseat adjustable in angle and height, with quick release lever	189.00
e part		SIHPKSV TAEPPA	headrest for BodyLink seat adjustable in angle and height add-on bags for all mesh seats except GES, I pair of bags, mounts to the backrest, I bag water repellent, I	79.00
par		CIZLID) (bag ventilated, capacity approx. 0.3 gal. per bag	11000
nd s		SIZUBV SIZUAPKO	seat angle adapter for ErgoMesh Premium, to adjust the backrest in a more upright position	119.00
accessorie and spare part		SIKIGEF	adjustable end stops allow exact positioning of the seat seat pad for Gekko 26 / fx20 / fx26, additional comfortable upholstered seat pad to attach to the normal seat, fistening with buckles, breathable upholstery.	19.00
ces		SIZURS	seat, fastening with buckles, breathable upholstery rain cover for seat Ripstop nylon fabric, blue	25.00
t ac		RLZUHL	rear light mount BodyLink seat with flag holder	49.00
seat		SSM5X88K	quick release skewer for lower seat connection M5 x 88	24.00
		SSM5X122K	quick release skewer for nower seat connection M5 x 122 (not for Grasshopper fx)	24.00
		SSM5X112	quick release skewer for imiddle seat connection M5 x 122 (100 for Glasshopper ix) quick release skewer for upper seat connection M5 x 112, black, replaces M6 x 115 (not for Gekkos)	14.00
H		WZSL	track adjustment tool for HP VELOTECHNIK trikes for easy aligning of the front wheel	235.00
tool			assembly mount for HP VELOTECHNIK Gekko for holding complete bikes or framekits in a repair	235.00
ţ		MHHPGEF	stand (assembly mount is fixed between the upper seat frame and the seat connection)	155.00

179.00

179.00

179.00

Parts from US-warehouse



	×	Item			sugg. retail
					\$
Н	PV	'elotechni	k Premium Parts - shipment from US-warehouse		
		СНИНТВ	universal mount for accessories, mounting in the handlebar end Ø 0.87" tube holder for accessories		49.00
miscellaneous			like phone holder / GPS devices / bell, max. load 0.88 lbs, unmounted		
		CHUHTV	universal mount for accessories, mounting on the barend shifter Ø 0.87" tube holder for accessories		49.00
			like phone holder / GPS devices / bell, max. load 0.88 lbs, unmounted		
		RTZUSV	front boom quickadjust compensates surplus chain length when front boom is adjusted, QR-levers (not		249.00
		CHSMSET	for STEPS, Speedmachine, Spirit and Gekko fxs)		15.00
	_	WIHP	speedometer mount for trikes for computers or GPS-devices, incl. sensor bracket for front wheel		
	H		flag HP VELOTECHNIK double-sided print, with reflective strip		29.00
	_	TASHSCF	transport cover for folded trike models suitable for all trikes in folded state, Nylon fabric		99.00
		BRPBS	parking brake set SHIMANO rear wheel V-Brake with thumblever and cantilever sockel bolt		65.00
		KLRSPM	HP VELOTECHNIK idler incl. bearings and O-rings		39.00
spare part		Z70071	HP VELOTECHNIK O-ring fits KLRSPM idler (see above), 2 pcs. needed		1.29
		Z20195	HP VELOTECHNIK deraileur hanger for all models except Spirit		11.00
		LTFBSER	HP VELOTECHNIK front suspension struts servicekit most frequently needed spare parts. 2 rubber		
			strut bearings, 2 support discs, 2 shock boots black and 2 blue, 2 upper and 2 lower sealing rings, 2 damping		149.00
	_		strips soft and 2 hart, 2 teflon sheets, 2 bottom elastomers, 2 end stop, 2 end stop stretchings, 2 axial		
]		bearings, 10 elastomers hard and 10 soft, 2 headset covers, 2 spacer bushings, 2 preload adjusters.		
	_		hard coil spring for front suspension struts, above 198 lbs, yellow		15.90
		FGZUSTHB	HP VELOTECHNIK bracket for anti-roll bar with bushing IO STEPS with motor mounted on the boom, HP VELOTECHNIK external w		22.50
		•	ell as the battery. The pre assembly service does not apply for the E-Kit it self. • a trike with a BodyLink seat, please also order rear light mount BodyLink seat	RLZUHL.	
		HAEKS520	E-Kit SHIMANO STEPS E5000 for 20" SHIMANO STEPS E5000 motor, large display SC-E6100, control		
			unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat		1,442.00
			battery, front boom (requires separate battery, battery adapter kit and if equipped with a Bodylink seat a rear		ĺ
			light mount BodyLink seat RLZUHL) E-Kit SHIMANO STEPS E5000 for 26" SHIMANO STEPS E5000 motor, large display SC-E6100, control		
		HAEKS526	unit SW-E6000, battery charger 4A, up to 20 mph, headlight B&M IQ-XS, rear light B&M Toplight Flat		
			battery, front boom (requires separate battery, battery adapter kit and if equipped with a Bodylink seat a rear		1,442.00
E-Kit			light mount BodyLink seat RLZUHL)		
		HAEKS80120	E-Kit SHIMANO STEPS EP801 Cargo for 20" SHIMANO STEPS EP801 Cargo motor, large display SC-		
			EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M		3,042.00
			Toplight Flat battery, front boom (requires separate battery, battery adapter kit and if equipped with a		
			Bodylink seat a rear light mount BodyLink seat RLZUHL)		
		HAEKS80126	E-Kit SHIMANO STEPS EP801 Cargo for 26" SHIMANO STEPS EP801 Cargo motor, large display SC- EN610, control unit SW-EN600L, battery charger 4A, up to 20 mph, headlight B&M IQ-X, rear light B&M		
			Toplight Flat battery, front boom (requires separate battery, battery adapter kit and if equipped with a		3,042.00
			Bodylink seat a rear light mount BodyLink seat RLZUHL)		
battery		HAAKS84	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 418 Wh		569.00
		HAAKS86	SHIMANO STEPS battery for Shimano first generation (E5000, E6100, E8000, EP8), 630 Wh		839.00
		HAAKS814U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 418 Wh		569.00
		HAAKS816U	SHIMANO STEPS 2 battery for Shimano second generation (EP801 Cargo), 630 Wh		839.00
dapter	П		battery adapter kit HP VELOTECHNIK left standard on Scorpion / fx / fx 2, for 2nd battery on		170.00
		HAASSCOL	Scorpion fs 20 / plus 20 / plus 26, aluminium, black		179.00
	П	HAASSCOR	battery adapter kit HP VELOTECHNIK right standard on Scorpion fs 20 / plus 20 / plus 26, for 2nd		179.00
	ı — J		hattery on Scorpion / fx / fx 2 aluminium, black		

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only. Our general terms and conditions shall apply for all orders. Please see the 2023 HP VELOTECHNIK trade price list for details.

battery adapter kit HP VELOTECHNIK right standard on Scorpion 2 / fs 26 / fs 26 Enduro, aluminium

battery adapter kit HP VELOTECHNIK left standard on Gekko / fx 20 / fx 26, aluminium, black

battery adapter kit HP VELOTECHNIK left standard on Gekko fxs, aluminium, black

HAASSFLR

HAASGEFL

□ HAASGESL



comfort and ability options

	×	Item	sugg. retail				
co	comfort and ability options for HP VELOTECHNIK trikes (cannot be ordered with frame kits)						
OneHand	_	one-hand operation for brakes and drivetrain (not for SFE, GES, DET and SE models) includes RIDEREVER hydraulic coupled brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right	559.00				
One		one-hand operation for brakes and drivetrain (not for SFE, GES, DET and SE models) includes coupled AVID BB7 disc brake, AVID BB7 disc brake with parking brake function, mounting the controls: O left O right	379.00				
dn-ßı		standing-up aid for HP VELOTECHNIK trikes with front suspension (SFS, SFL, SFN, SFE, SPS, SPL) except Delta tx, support with grip for easy entry and exit from the trike, mounted on the frame. price per side, O left O right O pair	164.50				
standing-up	۵	standing-up aid for HP VELOTECHNIK trikes without front suspension (GEF, GEL, GEN, SCO2, SCF2) except Delta tx, support with grip for easy entry and exit from the trike, mounted to the knuckle, price per side, Oleft Oright Opair	104.50				
	٥	pedal with heelstrap and foot clamp single sided easy entry and positive grip, adjustable length, standard pedal on the other side, mounting side of pedal with heelstrap and foot clamp: O left O right size range: O 8.7" - O 0.6" - 3.4"	99.00				
		pedals with heelstrap and foot clamp left and right easy entry and positive grip, adjustable length, size range: 08-11" 011-14"	199.00				
edals		ErgoPedal single sided (not for SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, other side standard pedal, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	159.00				
fort-pe		ErgoPedal left and right (for all trike models except SFE) adjustable position, easy entry straps, size: 0 7,9" - 11" 0 10,6" - 13,4"	319.00				
ergo- and comfort-pedals		ErgoPedal with safety release single sided (for all trike models except SFE) incl. one SPD-pedal SHIMANO PD-A530, adjustable position, joint-friendly freedom of movement +/-3 degrees, easy entry straps, other side standard pedal, higher safety due to adjustable release force, mounting side of safety pedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	209.00				
ergo.		ErgoPedal with safety release left and right (not for SFE) adjustable position, joint-friendly freedom of movement +/-3 degrees, easy entry straps, higher safety due to adjustable release force, size: 7,9 - 11" O 10,6 - 13,4"	419.00				
	٥	ErgoPedal with calf brace single sided (for all trike models except SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, other side standard pedal, mounting side of ErgoPedal: O left O right size: O 7,9" - 11" O 10,6" - 13,4"	349.00				
		ErgoPedal with calf brace left and right (for all trike models except SFE) adjustable position, easy entry straps, leg fixation adjustable in length and position, size: O 7,9" - 11" O 10,6" - 13,4"	699.00				
walking		walking aid mount single sided easy fixing and safety clip, mounting side: O left O right	99.50				
wall		walking aid mounts left and right easy fixing and safety clip	199.00				
		pelvic support belt for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	279.00				
		chest support belt for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, not mounted	279.00				
seat		pelvic support belt XL for pelvis support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted	279.00				
		chest support belt XL for upper body support on HP VELOTECHNIK recumbent trikes with meshseat, recommended for XL seats and tall people, not mounted	279.00				
handrest		handrest with retaining strap (for all trike models except SFE and Delta tx) comfortable hand support mounted on handlebar mounting side: O left O right	119.00				
han		handrests left and right with one retaining strap (for all trike models except SFE and Delta tx) comfortable hand support, mounting side of retaining strap: O left O right	219.00				

All prices in US\$. The MSRP includes duties and shipping, excluding applicable sales tax. This form is valid for US customers only.

Our general terms and conditions shall apply for all orders. Please contact your authorized HP Velotechnik dealer for details and ordering.

This order refers to an order of the following complete bike (please check):

□ Delta tx (DET) □ Gekko fx 20 (GEF) □ Gekko fx 26 (GEL) □ Gekko 26 (GEN) □ Scorpion 2 (SCO2) □ Scorpion fx (SCF2) □ Scorpion fs 20 (SFS)

 $\ \, \square \ \, \text{Scorpion fs 26 (SFL)} \ \, \square \ \, \text{Scorpion fs 26 End. (SFN)} \ \, \square \ \, \text{Scorpion fs 26 S-Ped. (SFE)} \ \, \square \ \, \text{Scorpion plus 20 (SPS)} \ \, \square \ \, \text{Scorpion plus 26 (SPL)} \ \, \square \ \, \text{Hands-on-Cycle (HOC)}$